

**Independence** 

**SELECT DRUG PROGRAM<sup>®</sup> FORMULARY**

**EFFECTIVE OCTOBER 1, 2020**

**[www.ibx.com](http://www.ibx.com)**



Dear Valued Member:

This Select Drug Program® Formulary Guide is intended to help you understand prescription drug coverage under the Independence Blue Cross Select Formulary. We are committed to providing you with comprehensive prescription drug coverage. To achieve this, we include a formulary feature in your prescription drug benefit. A formulary is a list of selected drugs. The drugs are approved by the U.S. Food and Drug Administration (FDA). They are also reviewed by our Pharmacy and Therapeutics Committee, a group of doctors and pharmacists from the area. These prescription drugs have been added to the Select Formulary for their reported medical effectiveness, safety, and value.

FutureScripts®, an independent company, is our pharmacy benefits manager. They monitor all drugs to ensure they are safe and effective drugs. They also make sure drugs are prescribed properly. They do so by using procedures such as prior authorization and safety edits. Safety edits are guidelines. They include, for example, age limits, quantity limits, and morphine milligram equivalent limits.

These guidelines are designed to help you get the most out of your prescription drug benefits. They are based on FDA guidelines and are approved by our Pharmacy and Therapeutics Committee.

You can find more about our safe prescribing guidelines at the end of the formulary list.

Please note: Because prescription drug benefits vary by group, your plan may not cover every drug listed in the formulary. Drug coverage is based on medical necessity. This formulary guide was current at the time of printing and is subject to change. Please call Customer Service at the number listed on the back of your ID card if you have any questions about your prescription drug benefits. Please discuss any questions or concerns about your drug therapy with your provider or pharmacist.

Sincerely,

Independence Blue Cross

## INFORMATION FOR MEMBERS AND PROVIDERS

### Select Formulary Tier Structure

Each drug on the formulary is in a tier. The non-preferred tier will usually cost more than the preferred brand tier or generic tier. Below is a summary of tiers in the general order from lowest to highest level of cost-share. Benefits vary by group, the inclusion of a drug in this formulary does not guarantee coverage. All cost-share tiers may not be available on all plans.

- Low-Cost Generic (availability varies by benefit)
  - Generic
  - Preferred Brand
  - Non-Preferred Drug
  - Specialty (availability varies by benefit)
- Generally, when a brand drug has a generic equivalent, the brand version is covered at the non-preferred level of cost-sharing. The generic equivalent is covered at the generic level of cost-sharing. For example: Cipro<sup>®</sup> is a brand drug. It is covered at the non-preferred level of cost-sharing. Its generic equivalent, ciprofloxacin, is available at the generic level of cost-sharing.
  - Sometimes brand-name drugs without generic equivalents, authorized generic drugs, and generic drugs are also covered at the non-preferred level of cost-sharing. This is because there are other more cost-effective options covered on the formulary to treat the same condition.

Covered generic drugs not listed in the formulary guide are available at the generic level of cost-sharing; covered brand drugs not listed in the formulary guide are available at the non-preferred level of cost-sharing.

**The Low-Cost Generic [LCG] Tier** offers copays lower than the cost-share for the generic tier, when possible. This applies to certain generic drugs that are typically used to treat chronic conditions such as high blood pressure, high cholesterol, diabetes, heart failure, and depression. Benefits may vary. Not all plans provide this incentive. The drug list is subject to change. When this incentive is not available on a plan, these drugs will be covered at the generic cost-share level.

**Specialty Drugs [SP]** meet certain criteria, including, but not limited to drugs used to treat rare, complex, or chronic diseases, drugs that have complex storage and/or shipping requirements, and drugs that require comprehensive patient monitoring and/or education. Specialty drugs covered under the pharmacy benefit may be managed by the FutureScripts<sup>®</sup> Specialty Pharmacy Program. Benefits may vary, and many plans cover specialty drugs on a specialty tier with higher cost-sharing. For cost-sharing purposes, drugs on the specialty tier are not eligible for tier lowering.

**Authorized Generics [AG]** are brand-name drugs that are marketed without the brand name on its label. An authorized generic may be marketed by the brand-name drug company, or another company with the brand company's permission. These drugs are approved by the FDA. But they are not approved through the abbreviated new drug application (ANDA) process like a standard generic drug. For cost sharing purposes, authorized generics are treated as brand-name drugs and are not eligible for coverage on the generic tier(s). For example, oxycodone ER tablet, an authorized generic of brand OxyContin<sup>®</sup>, is listed as non-preferred and is available at the non-preferred level of cost-sharing.

## Affordable Care Act Preventive Medications [ACA]

Certain preventive medications, as described in the Patient Protection and Affordable Care Act (PPACA) and detailed by the U.S. Preventive Services Task Force, are covered without cost-sharing with a prescription when provided by a participating retail or mail-order pharmacy.

This formulary was current at the time of printing and is subject to change. Please understand that this formulary is not intended as a substitute for a provider's independent, professional judgment. Rather, it is offered as a tool to help Plan members and providers recognize formulary drugs to facilitate the appropriate drug therapy.

The following categories of drugs may be available at no member cost-share with a prescription. Please note that individual benefits may vary. Always refer to your benefits to determine your coverage. This list is subject to change. Refer to the searchable drug lookup tool on your health insurance plan's website to check the status of a specific drug.

| Category   | Product(s) Available at \$0 at the Pharmacy  |
|--|--|
| <p><b>Aspirin products (OTC)</b><br/>For adults age 50-59 to prevent cardiovascular disease and colorectal cancer; low dose (81mg) for women after 12 weeks' gestation who are at high risk for preeclampsia</p>   | <p>aspirin 81mg (tab/chewable)</p>   |
| <p><b>Bowel Preparations</b><br/>Bowel preparation for colonoscopy needed for preventive colon cancer screening, for ages 50-75</p>  | <p>generic bowel preparation products such as Gavilyte-C™, Gavilyte-G™, Gavilyte-N™, Gavilyte-H™ with bisacodyl, polyethylene glycol (PEG) 3350 oral powder, Trilyte® w/packets</p>  |
| <p><b>Breast cancer chemo prevention</b><br/>For asymptomatic females age 35 years and older without a prior diagnosis of breast cancer, ductal carcinoma in situ, or lobular carcinoma in situ, who are at high risk for breast cancer and at low risk for adverse effects from breast cancer chemoprevention</p>   | <p>tamoxifen 20mg</p>  |
| <p><b>Contraceptives</b><br/>Includes, but not limited to, oral, injectable, transdermal, diaphragms, cervical caps, intravaginal devices, female condoms, and contraceptive film and jelly (in accordance with the women's preventive services provisions of the ACA).<br/>Note: IUDs and implantable products are covered under the medical benefit.</p> | <ul style="list-style-type: none"> <li>- Oral: all generics such as Amethia, Cryselle-28, Emoquette, Fayosim, Necon, Ocella, Sprintec, Trivora, Natazia</li> <li>- Injectable: all generics such as medroxyprogesterone injection</li> <li>- Transdermal: Xulane® patches</li> <li>- Diaphragms</li> <li>- Cervical Caps</li> <li>- Female condoms</li> <li>- Contraceptive film</li> <li>- Contraceptive gel/jelly/foam: such as VCF® foam 12.5%, 28%, Options Conceptrol® 4%, Options Gynol® 3%</li> <li>- Emergency: all generics such as levonorgestrel 1.5mg tab, My Way® 1.5mg tab</li> <li>- Intravaginal devices: etonogestrel-ethinyl estradiol vaginal ring</li> </ul> |

| Category   | Product(s) Available at \$0 at the Pharmacy  |
|--|--|
| <b>Fluoride</b><br>For children ages 6 months to 16 years. Includes generics strengths <b>up to 0.5mg</b>  | sodium fluoride 1.1 (0.5f) mg/ml solution<br>sodium fluoride 0.55 (0.25f) mg chewable tab<br>Fluoritab 0.275 (0.125f) mg/drop solution<br>Fluoritab 1.1 (0.5f) mg chewable tab |
| <b>Folic acid</b><br>For women planning for or capable of pregnancy. Limited to 0.4 to 0.8mg of folic acid. For women younger than 51 years of age   | folic acid 400mcg tab<br>folic acid 800mcg tab<br>folic acid 0.8mg capsule<br>(including generic prenatal vitamins with the above listed folic acid dose)                      |
| <b>Tobacco Cessation Medication</b><br>For adults ages 18+ years, who use tobacco products and want to quit  | Chantix®<br>bupropion SR (generic Zyban®) tablet<br>nicotine polacrilex lozenge<br>nicotine patch 24 hour transdermal<br>Nicotrol® Inhaler<br>Nicotrol® NS Solution            |
| <b>Statins</b><br>Low-to-moderate dose statin for prevention of cardiovascular disease, recommended for ages 40-75 years without a history of CVD when 1 or more CVD risk factors are present (e.g., dyslipidemia, diabetes, hypertension, or smoking) and a calculated 10-year risk of a cardiovascular event of 10% or greater | lovastatin 10mg<br>lovastatin 20mg<br>lovastatin 40mg  |
| <b>HIV PrEP</b><br>Preexposure prophylaxis (PrEP) with effective anti-retroviral therapy for persons who are at high risk of HIV acquisition   | Truvada 200mg-300mg<br>Tenofovir 300mg   |

## Language Assistance Services

**Spanish:** ATENCIÓN: Si habla español, cuenta con servicios de asistencia en idiomas disponibles de forma gratuita para usted. Llame al número telefónico de Servicio al Cliente que figura en el reverso de su tarjeta de identificación.

**Chinese:** 注意: 如果您讲中文, 您可以得到免费的语言协助服务。请致电您ID卡背面的客户服务电话号码。

**Korean:** 안내사항: 한국어를 사용하시는 경우, 언어 지원 서비스를 무료로 이용하실 수 있습니다. 귀하의 ID 카드 뒷면에 있는 고객 서비스 번호로 전화해 주십시오.

**Portuguese:** ATENÇÃO: se você fala português, encontram-se disponíveis serviços gratuitos de assistência ao idioma. Ligue para telefone do Atendimento ao Cliente que está no verso do seu cartão de identificação.

**Gujarati:** સૂચના: જો તમે ગુજરાતી બોલતા હો, તો નિ:શુલ્ક ભાષા સહાય સેવાઓ તમારા માટે ઉપલબ્ધ છે. કૃપયા તમારા આઈડી કાર્ડની પાછળ ગ્રાહક સેવા નંબર પર કોલ કરો.

**Vietnamese:** LƯU Ý: Nếu bạn nói tiếng Việt, chúng tôi sẽ cung cấp dịch vụ hỗ trợ ngôn ngữ miễn phí cho bạn. Hãy gọi số Dịch Vụ Chăm Sóc Khách Hàng ở mặt sau thẻ ID của bạn.

**Russian:** ВНИМАНИЕ: Если вы говорите по-русски, то можете бесплатно воспользоваться услугами перевода. Позвоните в службу поддержки клиентов по номеру телефона, указанном на обратной стороне вашей идентификационной карты.

**Polish:** UWAGA: Jeżeli mówisz po polsku, możesz skorzystać z bezpłatnej pomocy językowej. Zadzwoń pod numer Obsługi klienta znajdujący się na odwrocie Twojego identyfikatora.

**Italian:** ATTENZIONE: Se lei parla italiano, sono disponibili servizi di assistenza linguistica gratuiti. Chiami il numero dell'Assistenza clienti che troverà sul retro della sua tessera identificativa.

## Arabic:

ملحوظة: إذا كنت تتحدث اللغة العربية، فإن خدمات المساعدة اللغوية متاحة لك بالمجان. الرجاء الاتصال برقم "خدمة العملاء" الموجود على ظهر بطاقة هويتك.

**French Creole:** ATANSYON : Si w pale Kreyòl Ayisyen, gen sèvis èd pou lang ki disponib gratis pou ou. Tanpri rele nimewo Sèvis Kliyantèl ki sou do kat idantifikasyon ou a.

**Tagalog:** PAUNAWA: Kung nagsasalita ka ng Tagalog, magagamit mo ang mga serbisyo na tulong sa wika nang walang bayad. Mangyaring tawagan ang numero ng Customer Service na nasa likod ng iyong ID card.

**French:** ATTENTION: Si vous parlez français, des services d'aide linguistique-vous sont proposés gratuitement. Veuillez composer le numéro du service clientèle indiqué au dos de votre carte d'identité Médicale.

**Pennsylvania Dutch:** BASS UFF: Wann du Pennsylvania Deutsch schwetzscht, kannscht du Hilf griege in dei eegni Schprooch unni as es dich ennich eppes koschte zellt. Ruf die Number uff die hinnerscht Seit vun dei ID Card uff fer schwetze mit ebber as dich helfe kann.

**Hindi:** ध्यान दें: यदि आप हिंदी बोलते हैं तो आपके लिए मुफ्त में भाषा सहायता सेवाएं उपलब्ध हैं। कृपया अपने आईडी कार्ड के पीछे दिए ग्राहक सेवा नंबर पर कॉल करें।

**German:** ACHTUNG: Wenn Sie Deutsch sprechen, können Sie kostenlos sprachliche Unterstützung anfordern. Bitte rufen Sie unsere Kundendienstnummer auf der Rückseite Ihrer Identifikationskarte an.

**Japanese:** 備考: 母国語が日本語の方は、言語アシスタンスサービス(無料)をご利用いただけます。ご自分のIDカードの裏面に記載されているカスタマーサービスの番号へお電話ください。

## Persian (Farsi):

توجه: اگر فارسی صحبت می کنید، خدمات ترجمه به صورت رایگان برای شما فراهم می باشد. لطفاً با شماره خدمات مشتریان که در پشت کارت شناسایی شما درج شده است تماس بگیرید.

**Navajo:** Díí baa akó nínizin: Díí saad bee yáníłti'go Diné Bizaad, saad bee áká'anída'áwo'déé', t'áá jiiik'eh. T'áá shooqí hódíłnih koji'Áká'anídaalwo'jii éí binumber naaltsoos nitł'izgo nantinígíí bine'déé' bikáá'.

**Urdu:**

توجہ درکار ہے: اگر آپ اردو زبان بولتے ہیں، تو آپ کے لئے مفت میں زبان معاون خدمات دستیاب ہیں۔ آپ کے شناختی کارڈ کے پیچھے دئیے گئے صارف خدمات نمبر پر برائے کرم کال کریں۔

**Discrimination is Against the Law**

This Plan complies with applicable Federal civil rights laws and does not discriminate on the basis of race, color, national origin, age, disability, or sex. This Plan does not exclude people or treat them differently because of race, color, national origin, age, disability, or sex.

This Plan provides:

- Free aids and services to people with disabilities to communicate effectively with us, such as: qualified sign language interpreters, and written information in other formats (large print, audio, accessible electronic formats, other formats).
- Free language services to people whose primary language is not English, such as: qualified interpreters and information written in other languages.

**Mon-Khmer, Cambodian:** សូមមេត្តាចាប់អារម្មណ៍៖

ប្រសិនបើអ្នកនិយាយភាសាមន-ខ្មែរ ឬភាសាខ្មែរ នោះ ជំនួយផ្នែកភាសានឹងមានផ្តល់ជូនដល់លោកអ្នកដោយឥតគិតថ្លៃ។ សូមទូរសព្ទទៅលេខសេវាសមាជិក ដែលមាននៅ ផ្នែកខាងក្រោយនៃបណ្ណសម្គាល់ខ្លួនរបស់លោកអ្នក ។

If you need these services, contact our Civil Rights Coordinator. If you believe that This Plan has failed to provide these services or discriminated in another way on the basis of race, color, national origin, age, disability, or sex, you can file a grievance with our Civil Rights Coordinator. You can file a grievance in the following ways: In person or by mail: ATTN: Civil Rights Coordinator, 1901 Market Street, Philadelphia, PA, 19103; By phone: 1-888-377-3933 (TTY: 711), By fax: 215-761-0245, By email: [civilrightscordinator@1901market.com](mailto:civilrightscordinator@1901market.com). If you need help filing a grievance, our Civil Rights Coordinator is available to help you.

You can also file a civil rights complaint with the U.S. Department of Health and Human Services, Office for Civil Rights electronically through the Office for Civil Rights Complaint Portal, available at <https://ocrportal.hhs.gov/ocr/portal/lobby.jsf> or by mail or phone at: U.S. Department of Health and Human Services, 200 Independence Avenue SW., Room 509F, HHH Building, Washington, DC 20201, 1-800-368-1019, 800-537-7697 (TDD). Complaint forms are available at <http://www.hhs.gov/ocr/office/file/index.html>.



| DRUG NAME   | DRUG TIER | REQUIREMENTS/LIMITS |
|---|-----------|---------------------|
| <b>ANTIBIOTICS &amp; OTHER DRUGS USED FOR INFECTION</b> |           |                     |
| <i>abacavir sulfate tab, soln</i>                       | G         |                     |
| <i>abacavir sulfate/lamivudine</i>                      | G         |                     |
| <i>abacavir/lamivudine/zidovudine</i>                   | G         |                     |
| <b>Acticlate +</b>                                      | NPD       | PA                  |
| <i>acyclovir</i>  | G         |                     |
| <i>acyclovir 5% cream</i>                               | G         | QL                  |
| <i>adefovir dipivoxil</i>                               | G, SP     |                     |
| <b>Aemcolo DR</b>                                       | NPD       | QL                  |
| <i>albendazole</i>                                      | G         |                     |
| <b>Altabax</b>  | NPD       | PA                  |
| <i>amoxicillin</i>                                      | LCG       |                     |
| <b>Amoxicillin 775mg</b>                                | PB        |                     |
| <i>amoxicillin/clavulanate</i>                          | G         |                     |
| <i>amoxicillin/clavulanate extended-release</i>         | G         |                     |
| <i>ampicillin</i>                                       | G         |                     |
| <b>Amzeeq</b>   | NPD       | PA                  |
| <b>Ancobon</b>  | NPD       |                     |
| <b>Arakoda</b>  | NPD       |                     |
| <b>Arikayce</b>   | NPD, SP   | PA                  |
| <i>atazanavir</i>                                       | G         |                     |
| <i>atovaquone</i>                                       | G         |                     |
| <i>atovaquone/proguanil</i>                             | G         |                     |
| <b>Atripla</b>  | NPD       | PA                  |
| <b>Augmentin</b>  | NPD       |                     |
| <b>Augmentin XR</b>                                     | NPD       |                     |
| <b>Avelox</b>   | NPD       |                     |
| <i>avidoxy</i>  | G         |                     |

| DRUG NAME                           | DRUG TIER | REQUIREMENTS/LIMITS |
|-------------------------------------|-----------|---------------------|
| <i>azithromycin</i>                 | LCG       | QL                  |
| <b>Bactrim, Bactrim DS</b>          | NPD       |                     |
| <b>Baraclude</b>                    | NPD, SP   |                     |
| <b>Baxdela</b>                      | NPD       | QL                  |
| <b>Benznidazole</b>                 | NPD       |                     |
| <b>Biaxin</b>                       | NPD       |                     |
| <b>Biktarvy</b>                     | NPD       |                     |
| <b>Biltricide</b>                   | NPD       |                     |
| <i>cefaclor</i>                     | G         |                     |
| <i>cefaclor ER</i>                  | G         |                     |
| <i>cefadroxil</i>                   | G         |                     |
| <i>cefdinir</i>                     | G         |                     |
| <i>cefixime susp/cap</i>            | G         |                     |
| <i>ceftibuten</i>                   | G         |                     |
| <b>Ceftin</b>                       | NPD       |                     |
| <i>cefuroxime axetil</i>            | G         |                     |
| <i>cephalexin</i>                   | LCG       |                     |
| <i>chlorhexidine gluconate soln</i> | LCG       |                     |
| <i>chloroquine phosphate</i>        | G         | QL                  |
| <b>Cimduo</b>                       | PB        |                     |
| <b>Cipro</b>                        | NPD       |                     |
| <b>Cipro XR</b>                     | NPD       |                     |
| <i>ciprofloxacin</i>                | G         |                     |
| <i>ciprofloxacin ER tabs</i>        | G         |                     |
| <i>clarithromycin</i>               | G         |                     |
| <i>clarithromycin ER</i>            | G         |                     |
| <b>Cleocin</b>                      | NPD       |                     |
| <i>clotrimazole troches</i>         | G         |                     |
| <b>Combivir</b>                     | NPD       |                     |
| <b>Complera</b>                     | PB        |                     |
| <b>Cresemba</b>                     | NPD       | PA, QL              |
| <b>Crixivan</b>                     | PB        |                     |

**Bold type** = Brand Name Drug *Lower case italic* = Generic drug

**PA** = Prior Authorization **QL** = Quantity Limits Apply **SP** = Specialty Drug **AL** = Age Limit **LCG** = Low Cost Generic

**LDD** = Limited Distribution Drug **5DS** = Day Supply Limit **R** = Requires Rider **+** = PA for Selected NPD **NF** = Non Formulary

**G** = Generic **Q/T** = Quantity Over Time **PB** = Preferred Brand **NPD** = Non Preferred Drug **ACA** = \$0 Preventative Drug

**MME** = Morphine Milligram Equivalent

| DRUG NAME                             | DRUG TIER | REQUIREMENTS/LIMITS |
|---------------------------------------|-----------|---------------------|
| <b>Daklinza</b>                       | NPD, SP   | PA, QL, Q/T         |
| <i>dapsone tab</i>                    | G         |                     |
| <b>Daxbia</b>                         | NPD       |                     |
| <b>Delstrigo</b>                      | NPD       |                     |
| <i>demeclocycline</i>                 | G         |                     |
| <i>dicloxacillin</i>                  | G         |                     |
| <i>didanosine</i>                     | G         |                     |
| <b>Diflucan</b>                       | NPD       |                     |
| <b>Doryx 50mg and 200mg DR tablet</b> | NPD       | PA                  |
| <b>Dovato</b>                         | NPD       |                     |
| <i>doxycycline DR 40mg</i>            | G         | PA                  |
| <i>doxycycline hyclate</i>            | G         |                     |
| <i>doxycycline hyclate ER 80mg +</i>  | NPD       | PA                  |
| <i>doxycycline monohydrate</i>        | G         |                     |
| <b>Edurant</b>                        | PB        |                     |
| <b>E.E.S.</b>                         | G         |                     |
| <i>efavirenz</i>                      | G         |                     |
| <b>Egaten 250mg tablet</b>            | NPD       |                     |
| <b>Emtriva</b>                        | PB        |                     |
| <b>Emverm</b>                         | NPD       | QL                  |
| <i>entecavir</i>                      | G, SP     |                     |
| <b>Epclusa</b>                        | NPD, SP   | PA, QL, Q/T         |
| <b>Epivir</b>                         | NPD       |                     |
| <b>Epzicom</b>                        | NPD       |                     |
| <b>EryPed</b>                         | NPD       |                     |
| <b>Ery-Tab</b>                        | NPD       |                     |
| <b>Erythrocin</b>                     | NPD       |                     |
| <i>erythromycin delayed release</i>   | G         |                     |
| <i>erythromycin ethylsuccinate</i>    | G         |                     |

| DRUG NAME                          | DRUG TIER | REQUIREMENTS/LIMITS |
|------------------------------------|-----------|---------------------|
| <i>erythromycin stearate</i>       | G         |                     |
| <i>ethambutol</i>                  | G         |                     |
| <i>famciclovir</i>                 | G         |                     |
| <b>Firvanq Soln</b>                | NPD       | AL                  |
| <b>Flagyl</b>                      | NPD       |                     |
| <i>fluconazole</i>                 | LCG       |                     |
| <i>flucytosine</i>                 | G         |                     |
| <b>Flumadine</b>                   | NPD       |                     |
| <i>fosamprenavir calcium tab</i>   | G         |                     |
| <b>Fuzeon</b>                      | NPD       |                     |
| <i>griseofulvin microsize</i>      | G         |                     |
| <i>griseofulvin ultramicrosize</i> | G         |                     |
| <b>Gris-PEG</b>                    | NPD       |                     |
| <b>Harvoni</b>                     | PB, SP    | PA, QL, Q/T         |
| <b>Hepsera</b>                     | NPD, SP   |                     |
| <b>Hiprex</b>                      | NPD       |                     |
| <i>hydroxychloroquine</i>          | G         | QL                  |
| <b>Impavido</b>                    | NPD       | QL                  |
| <b>Invirase</b>                    | PB        |                     |
| <b>Isentress</b>                   | PB        |                     |
| <i>isoniazid</i>                   | LCG       |                     |
| <i>itraconazole</i>                | G         |                     |
| <i>ivermectin</i>                  | G         |                     |
| <b>Juluca</b>                      | NPD       |                     |
| <b>Kaletra Soln</b>                | NPD       |                     |
| <b>Kaletra Tabs</b>                | PB        |                     |
| <b>Kalydeco Tabs/ Pack</b>         | NPD, SP   | PA, LDD             |
| <b>Keflex</b>                      | NPD       |                     |
| <i>ketoconazole tab</i>            | LCG       |                     |
| <b>Krintafel</b>                   | NPD       |                     |
| <b>Lamisil Tabs</b>                | NPD       |                     |
| <i>lamivudine</i>                  | G         |                     |

**Bold type** = Brand Name Drug    *Lower case italic* = Generic drug

**PA** = Prior Authorization    **QL** = Quantity Limits Apply    **SP** = Specialty Drug    **AL** = Age Limit    **LCG** = Low Cost Generic  
**LDD** = Limited Distribution Drug    **5DS** = Day Supply Limit    **R** = Requires Rider    **+** = PA for Selected NPD    **NF** = Non Formulary  
**G** = Generic    **Q/T** = Quantity Over Time    **PB** = Preferred Brand    **NPD** = Non Preferred Drug    **ACA** = \$0 Preventative Drug  
**MME** = Morphine Milligram Equivalent

| DRUG NAME                                    | DRUG TIER | REQUIREMENTS/LIMITS |
|--|-----------|---------------------|
| <i>lamivudine/zidovudine</i>                 | G         |                     |
| <i>ledipasvir-sofosbuvir tablet 90-400mg</i> | NPD, SP   | PA, QL              |
| <b>Levaquin</b>                              | NPD       |                     |
| <i>levofloxacin</i>                          | G         |                     |
| <b>Lexiva</b>                                | NPD       |                     |
| <i>linezolid</i>                             | G         | QL                  |
| <i>lopinavir/ritonavir</i>                   | G         |                     |
| <b>Luliconazole cream</b>                    | NPD       | PA                  |
| <b>Macrochantin</b>                          | NPD       |                     |
| <b>Malarone</b>                              | NPD       |                     |
| <b>Mavyret</b>                               | PB, SP    | PA, QL, Q/T         |
| <i>mefloquine</i>                            | G         |                     |
| <b>Mepron</b>                                | NPD       |                     |
| <i>methenamine hippurate</i>                 | G         |                     |
| <i>metronidazole</i>                         | G         |                     |
| <b>Minocin +</b>                             | NPD       | PA                  |
| <i>minocycline caps</i>                      | G         |                     |
| <i>minocycline ER cap</i>                    | NPD       | PA                  |
| <i>minocycline ER tablet</i>                 | G         | Q/T                 |
| <i>minocycline tablet</i>                    | G         |                     |
| <b>Minolira</b>                              | NPD       | PA, Q/T             |
| <i>moderiba</i>                              | G, SP     |                     |
| <b>Moxatag</b>                               | NPD       |                     |
| <i>moxifloxacin hcl</i>                      | G         |                     |
| <b>Myambutol</b>                             | NPD       |                     |
| <b>Mycobutin</b>                             | NPD       |                     |
| <b>Mytesi +</b>                              | NPD       | PA                  |
| <b>Nebupent INH</b>                          | NPD       |                     |
| <i>nevirapine</i>                            | G         |                     |

| DRUG NAME   | DRUG TIER | REQUIREMENTS/LIMITS |
|---|-----------|---------------------|
| <i>nevirapine ER</i>  | G         |                     |
| <i>nitrofurantoin macrocrystals</i>                           | LCG       |                     |
| <i>nitrofurantoin susp</i>                                    | G         | AL                  |
| <b>Norvir powder</b>  | PB        |                     |
| <b>Norvir tablet</b>  | NPD       |                     |
| <b>Noxafil</b>  | NPD       | PA, QL              |
| <b>Nuzyra</b>   | NPD       | QL                  |
| <b>Onmel</b>  | NPD       | PA                  |
| <b>Oracea</b>   | NPD       | PA                  |
| <b>Orkambi tablet/packet</b>                                  | NPD, SP   | PA, LDD             |
| <i>oseltamivir caps/soln</i>                                  | G         | QL                  |
| <b>Pegasys</b>  | NPD, SP   |                     |
| <b>PegIntron</b>  | NPD, SP   |                     |
| <i>penicillin v potassium</i>                                 | LCG       |                     |
| <i>pentamidine INH</i>  | G         |                     |
| <b>Pifeltro</b>   | NPD       |                     |
| <b>Plaquenil</b>  | NPD       | QL                  |
| <i>posaconazole</i>   | G         | QL                  |
| <i>praziquantel</i>   | G         |                     |
| <b>Pretomanid</b>   | NPD       | PA                  |
| <b>Prevymis</b>   | NPD, SP   |                     |
| <b>Prezista</b>   | PB        |                     |
| <i>pyrimethamin</i>   | G, SP     |                     |
| <b>Qualaquin</b>  | NPD       | PA                  |
| <i>quinine sulfate</i>  | G         | PA                  |
| <b>Relenza</b>  | NPD       | QL, AL              |
| <b>Retrovir</b>   | NPD       |                     |
| <b>Reyataz</b>  | NPD       |                     |
| <b>Ribasphere Ribapak 200mg &amp; 400mg/400mg &amp; 600mg</b> | G, SP     |                     |
| <i>rifabutin</i>  | G         |                     |
| <b>Rifadin</b>  | NPD       |                     |

**Bold type** = Brand Name Drug *Lower case italic* = Generic drug

**PA** = Prior Authorization **QL** = Quantity Limits Apply **SP** = Specialty Drug **AL** = Age Limit **LCG** = Low Cost Generic **LDD** = Limited Distribution Drug **5DS** = Day Supply Limit **R** = Requires Rider **+** = PA for Selected NPD **NF** = Non Formulary **G** = Generic **Q/T** = Quantity Over Time **PB** = Preferred Brand **NPD** = Non Preferred Drug **ACA** = \$0 Preventative Drug **MME** = Morphine Milligram Equivalent

| DRUG NAME                                      | DRUG TIER | REQUIREMENTS/LIMITS |
|--|-----------|---------------------|
| <i>rifampin</i>                                | G         |                     |
| <i>rimantadine</i>                             | G         |                     |
| <i>ritonavir</i>                               | G         |                     |
| <b>Selzentry</b>                               | PB        |                     |
| <b>Seysara</b>                                 | NPD       | Q/T, PA             |
| <b>Sivextro</b>                                | NPD       | PA, QL              |
| <i>sofosbuvir-velpatasvir tablet 400-100mg</i> | NPD, SP   | PA, QL              |
| <b>Solodyn +</b>                               | NPD       | PA, QL, Q/T         |
| <b>Solosec GRA</b>                             | NPD       |                     |
| <b>Sovaldi</b>                                 | NPD, SP   | PA, QL, Q/T         |
| <b>Sporanox</b>                                | NPD       |                     |
| <b>SSKI Solution</b>                           | NPD       |                     |
| <i>stavudine</i>                               | G         |                     |
| <b>Stribild</b>                                | PB        |                     |
| <b>Stromectol</b>                              | NPD       |                     |
| <i>sulfamethoxazole/tmp</i>                    | G         |                     |
| <b>Suprax Susp 100mg/5ml, 200mg/5ml</b>        | NPD       |                     |
| <b>Sustiva</b>                                 | NPD       |                     |
| <b>Symfi</b>                                   | PB        |                     |
| <b>Symfi-Lo</b>                                | PB        |                     |
| <b>Symtuza</b>                                 | NPD       |                     |
| <b>Talicia</b>                                 | NPD       |                     |
| <b>Tamiflu</b>                                 | NPD       | QL                  |
| <b>Targadox</b>                                | NPD       | PA                  |
| <b>Technivie</b>                               | NPD, SP   | PA, QL, Q/T         |
| <b>Temixys</b>                                 | NPD       | PA                  |
| <i>tenofovir</i>                               | G         |                     |
| <i>terbinafine tabs</i>                        | G         |                     |
| <b>Tindamax</b>                                | NPD       |                     |
| <i>tinidazole</i>                              | G         |                     |
| <b>Tobi</b>                                    | NPD, SP   |                     |
| <b>Tobramycin nebulization soln.</b>           | PB, SP    |                     |

| DRUG NAME                   | DRUG TIER | REQUIREMENTS/LIMITS |
|-----------------------------|-----------|---------------------|
| <b>Tolsura</b>              | NPD       |                     |
| <b>Trikafta</b>             | NPD, SP   | PA                  |
| <b>Triumeq</b>              | PB        |                     |
| <b>Trizivir</b>             | NPD       |                     |
| <b>Truvada</b>              | PB        |                     |
| <i>valacyclovir tab</i>     | G         |                     |
| <b>Valcyte</b>              | NPD       |                     |
| <i>valganciclovir</i>       | G         |                     |
| <b>Valtrex +</b>            | NPD       | PA                  |
| <i>vancomycin</i>           | G         |                     |
| <b>Vemlidy</b>              | NPD, SP   |                     |
| <b>Vfend</b>                | NPD       |                     |
| <b>Vibramycin +</b>         | NPD       | PA                  |
| <b>Videx EC</b>             | NPD       |                     |
| <b>Viekira Pak</b>          | NPD, SP   | PA, QL, Q/T         |
| <b>Viekira XR</b>           | NPD, SP   | PA, QL, Q/T         |
| <b>Viramune</b>             | NPD       |                     |
| <b>Viramune XR</b>          | NPD       |                     |
| <b>Viread</b>               | NPD       |                     |
| <i>voriconazole</i>         | G         |                     |
| <b>Vosevi</b>               | PB, SP    | PA, QL, Q/T         |
| <b>Xenleta</b>              | NPD       | QL                  |
| <b>Xepi Cream 1%</b>        | NPD       | PA                  |
| <b>Xifaxan 200mg</b>        | NPD       | QL                  |
| <b>Xifaxan 550mg</b>        | NPD       | PA, QL, Q/T         |
| <b>Ximino ER +</b>          | NPD       | PA                  |
| <b>Xofluza therapy pack</b> | NPD       | Q/T                 |
| <b>Zepatier</b>             | NPD       | PA, QL, Q/T         |
| <b>Zerit</b>                | NPD       |                     |
| <b>Ziagen</b>               | NPD       |                     |
| <i>zidovudine</i>           | G         |                     |
| <b>Zithromax</b>            | NPD       | QL                  |
| <b>Zmax +</b>               | NPD       | PA, QL              |
| <b>Zovirax</b>              | NPD       |                     |
| <b>Zyvox</b>                | NPD       | PA, QL              |

**Bold type** = Brand Name Drug *Lower case italic* = Generic drug

**PA** = Prior Authorization **QL** = Quantity Limits Apply **SP** = Specialty Drug **AL** = Age Limit **LCG** = Low Cost Generic

**LDD** = Limited Distribution Drug **5DS** = Day Supply Limit **R** = Requires Rider **+** = PA for Selected NPD **NF** = Non Formulary

**G** = Generic **Q/T** = Quantity Over Time **PB** = Preferred Brand **NPD** = Non Preferred Drug **ACA** = \$0 Preventative Drug

**MME** = Morphine Milligram Equivalent

| DRUG NAME                                  | DRUG TIER | REQUIREMENTS/LIMITS |
|--|-----------|---------------------|
| <b>CANCER &amp; ORGAN TRANSPLANT DRUGS</b> |           |                     |
| <i>abiraterone</i>                         | G, SP     | PA                  |
| <b>Afinitor</b>                            | NPD, SP   | PA                  |
| <b>Alecensa</b>                            | NPD, SP   | PA                  |
| <b>Alkeran</b>                             | NPD, SP   |                     |
| <b>Alunbrig tab/pak</b>                    | NPD, SP   | PA                  |
| <i>anastrozole</i>                         | G         |                     |
| <b>Arimidex</b>                            | NPD       |                     |
| <b>Aromasin</b>                            | NPD       |                     |
| <b>Ayvakit</b>                             | NPD, SP   | PA, QL              |
| <i>azathioprine</i>                        | G         |                     |
| <b>Balversa</b>                            | NPD, SP   | PA                  |
| <b>Benlysta</b>                            | NPD, SP   | PA                  |
| <i>bexarotene</i>                          | G, SP     | PA                  |
| <i>bicalutamide</i>                        | G         |                     |
| <b>Bosulif</b>                             | NPD, SP   | PA                  |
| <b>Braftovi</b>                            | NPD, SP   | PA                  |
| <b>Brukinsa</b>                            | NPD, SP   | PA                  |
| <b>Cabometyx</b>                           | NPD, SP   | PA                  |
| <b>Calquence</b>                           | NPD, SP   | PA                  |
| <i>capecitabine</i>                        | G, SP     |                     |
| <b>Caprelsa</b>                            | NPD, SP   | PA                  |
| <b>Casodex</b>                             | NPD       |                     |
| <b>Cellcept</b>                            | NPD       |                     |
| <b>Cometriq</b>                            | NPD, SP   | PA                  |
| <b>Copiktra</b>                            | NPD, SP   | PA                  |
| <b>Cotellic</b>                            | NPD, SP   | PA, LDD             |
| <i>cyclophosphamide</i>                    | G, SP     |                     |
| <i>cyclosporine</i>                        | G         |                     |
| <b>Cytosan</b>                             | NPD, SP   |                     |
| <i>danazol</i>                             | G         |                     |
| <b>Danocrine</b>                           | NPD       |                     |
| <b>Daurismo</b>                            | NPD, SP   | PA                  |
| <b>Deltasone</b>                           | NPD       |                     |
| <b>Emcyt</b>                               | NPD       |                     |

| DRUG NAME                                | DRUG TIER | REQUIREMENTS/LIMITS |
|--|-----------|---------------------|
| <b>Erivedge</b>                          | NPD, SP   | PA                  |
| <b>Erleada</b>                           | NPD, SP   | PA                  |
| <i>erlotinib</i>                         | G, SP     | PA                  |
| <i>etoposide</i>                         | G, SP     |                     |
| <b>Eulexin</b>                           | NPD       |                     |
| <i>everolimus (generic for Afinitor)</i> | G, SP     | PA                  |
| <i>everolimus (generic for Zortress)</i> | G         |                     |
| <i>exemestane</i>                        | G         |                     |
| <b>Fareston tab</b>                      | NPD       |                     |
| <b>Farydak</b>                           | NPD, SP   | PA, LDD             |
| <b>Femara</b>                            | NPD       |                     |
| <i>flutamide</i>                         | G         |                     |
| <b>Gilotrif</b>                          | NPD, SP   | PA                  |
| <b>Gleevec</b>                           | NPD, SP   | PA                  |
| <b>Gleostine</b>                         | NPD, SP   |                     |
| <b>Hexalen</b>                           | NPD       |                     |
| <b>Hycamtin</b>                          | NPD, SP   | PA                  |
| <b>Hydrea</b>                            | NPD       |                     |
| <i>hydroxyurea</i>                       | G         |                     |
| <b>Ibrance</b>                           | NPD, SP   | PA, LDD             |
| <b>Iclusig</b>                           | NPD, SP   | PA                  |
| <b>Idhifa</b>                            | NPD, SP   | PA                  |
| <i>imatinib mesylate</i>                 | G, SP     | PA                  |
| <b>Imbruvica</b>                         | NPD, SP   | PA                  |
| <b>Imuran</b>                            | NPD       |                     |
| <b>Inlyta</b>                            | NPD, SP   | PA                  |
| <b>Inrebic</b>                           | NPD, SP   | PA                  |
| <b>Kisqali</b>                           | NPD, SP   | PA, LDD             |
| <b>Koselugo</b>                          | NPD, SP   | PA                  |
| <b>Lenvima</b>                           | NPD, SP   | PA, LDD             |
| <i>letrozole</i>                         | G         |                     |
| <i>leucovorin calcium</i>                | G         |                     |
| <b>Leukeran</b>                          | PB        |                     |

**Bold type** = Brand Name Drug *Lower case italic* = Generic drug

**PA** = Prior Authorization **QL** = Quantity Limits Apply **SP** = Specialty Drug **AL** = Age Limit **LCG** = Low Cost Generic

**LDD** = Limited Distribution Drug **5DS** = Day Supply Limit **R** = Requires Rider **+** = PA for Selected NPD **NF** = Non Formulary

**G** = Generic **Q/T** = Quantity Over Time **PB** = Preferred Brand **NPD** = Non Preferred Drug **ACA** = \$0 Preventative Drug

**MME** = Morphine Milligram Equivalent

| DRUG NAME                      | DRUG TIER | REQUIREMENTS/ LIMITS |
|--------------------------------|-----------|----------------------|
| <i>leuprolide</i>              | G, SP     |                      |
| <b>Lonsurf</b>                 | NPD, SP   | PA                   |
| <b>Lorbrena</b>                | NPD, SP   | PA                   |
| <b>Lynparza</b>                | PB, SP    | PA                   |
| <b>Lysodren</b>                | NPD       |                      |
| <b>Matulane</b>                | PB, SP    |                      |
| <b>Mavenclad pak +</b>         | NPD, SP   | PA                   |
| <b>Megace</b>                  | NPD       |                      |
| <i>megestrol</i>               | G         |                      |
| <i>megestrol acetate</i>       | G         |                      |
| <b>Mekinist</b>                | NPD, SP   | PA                   |
| <b>Mektovi</b>                 | NPD, SP   | PA                   |
| <i>melphalan</i>               | G, SP     |                      |
| <i>mercaptopurine</i>          | G         |                      |
| <b>Mesnex</b>                  | NPD, SP   |                      |
| <i>methotrexate sodium inj</i> | G         | PA                   |
| <i>methotrexate tab</i>        | G         |                      |
| <i>mycophenolate</i>           | G         |                      |
| <i>mycophenolic acid</i>       | G         |                      |
| <b>Myfortic</b>                | NPD       |                      |
| <b>Myleran</b>                 | NPD       |                      |
| <b>Neoral</b>                  | NPD       |                      |
| <b>Nerlynx</b>                 | NPD, SP   | PA                   |
| <b>Nexavar</b>                 | NPD, SP   | PA                   |
| <b>Nilandron</b>               | NPD, SP   |                      |
| <i>nilutamide</i>              | G, SP     |                      |
| <b>Ninlaro</b>                 | NPD, SP   | PA                   |
| <b>Nubeqa</b>                  | NPD, SP   | PA                   |
| <b>Odomzo</b>                  | NPD, SP   | PA                   |
| <b>Pemazyre</b>                | NPD, SP   | PA                   |
| <b>Piqray</b>                  | NPD, SP   | PA                   |
| <b>Pomalyst</b>                | NPD, SP   | PA                   |
| <i>prednisone</i>              | LCG       |                      |
| <b>Prograf cap/ packets</b>    | NPD       |                      |
| <b>Protopic</b>                | NPD       | PA                   |

| DRUG NAME                  | DRUG TIER | REQUIREMENTS/ LIMITS |
|----------------------------|-----------|----------------------|
| <b>Purixan</b>             | NPD, SP   |                      |
| <b>Rapamune 1mg/ml Sol</b> | NPD       |                      |
| <b>Rapamune tab</b>        | NPD       |                      |
| <b>Revlimid</b>            | NPD, SP   | PA                   |
| <b>Rozlytrek</b>           | NPD, SP   | PA                   |
| <b>Rubraca</b>             | PB, SP    | PA                   |
| <b>Rydapt</b>              | NPD, SP   | PA                   |
| <b>Sandimmune, Neoral</b>  | NPD       |                      |
| <b>Siklos</b>              | NPD       |                      |
| <i>sirolimus tab/ soln</i> | G         |                      |
| <b>Sprycel</b>             | NPD, SP   | PA                   |
| <b>Stivarga</b>            | NPD, SP   | PA                   |
| <b>Sutent</b>              | NPD, SP   | PA                   |
| <b>Tabloid</b>             | NPD       |                      |
| <i>tacrolimus</i>          | G         |                      |
| <b>Tafinlar</b>            | NPD, SP   | PA                   |
| <b>Tagrisso</b>            | NPD, SP   | PA                   |
| <b>Talzenna</b>            | NPD, SP   | PA                   |
| <i>tamoxifen 10mg</i>      | G         |                      |
| <b>Tarceva</b>             | NPD, SP   | PA                   |
| <b>Targretin cap</b>       | NPD, SP   | PA                   |
| <b>Tasigna</b>             | NPD, SP   | PA                   |
| <b>Tazverik 200mg</b>      | NPD, SP   | PA                   |
| <b>Temodar</b>             | NPD, SP   | PA                   |
| <i>temozolomide</i>        | G, SP     | PA                   |
| <b>Thalomid</b>            | NPD, SP   | PA                   |
| <i>thioguanine</i>         | G         |                      |
| <b>Tibsovo</b>             | NPD, SP   | PA                   |
| <i>toremifene tab</i>      | G         |                      |
| <i>tretinoin caps</i>      | G, SP     |                      |
| <b>Trexall tab</b>         | NPD       |                      |
| <b>Tukysa</b>              | NPD, SP   | PA                   |
| <b>Turalio</b>             | NPD, SP   | PA                   |
| <b>Tykerb</b>              | NPD, SP   | PA                   |
| <b>Valchlor</b>            | NPD, SP   | PA                   |

**Bold type** = Brand Name Drug *Lower case italic* = Generic drug

**PA** = Prior Authorization **QL** = Quantity Limits Apply **SP** = Specialty Drug **AL** = Age Limit **LCG** = Low Cost Generic

**LDD** = Limited Distribution Drug **5DS** = Day Supply Limit **R** = Requires Rider **+** = PA for Selected NPD **NF** = Non Formulary

**G** = Generic **Q/T** = Quantity Over Time **PB** = Preferred Brand **NPD** = Non Preferred Drug **ACA** = \$0 Preventative Drug

**MME** = Morphine Milligram Equivalent

| DRUG NAME         | DRUG TIER | REQUIREMENTS/LIMITS |
|-------------------|-----------|---------------------|
| <b>Venclexta</b>  | NPD, SP   | PA                  |
| <b>Verzenio</b>   | NPD, SP   | PA                  |
| <b>Vitrakvi</b>   | NPD, SP   | PA                  |
| <b>Vizimpro</b>   | NPD, SP   | PA                  |
| <b>Votrient</b>   | NPD, SP   | PA                  |
| <b>Xalkori</b>    | NPD, SP   | PA                  |
| <b>Xatmep</b>     | NPD       | AL                  |
| <b>Xeloda</b>     | NPD, SP   |                     |
| <b>Xospata</b>    | NPD, SP   | PA                  |
| <b>Xpovio Pak</b> | NPD, SP   | PA                  |
| <b>Xtandi</b>     | NPD, SP   | PA, LDD             |
| <b>Yonsa</b>      | NPD, SP   | PA                  |
| <b>Zejula</b>     | PB, SP    | PA, LDD             |
| <b>Zelboraf</b>   | NPD, SP   | PA, LDD             |
| <b>Zolinza</b>    | NPD, SP   | PA, LDD             |
| <b>Zortress</b>   | NPD       |                     |
| <b>Zydelig</b>    | NPD, SP   | PA, LDD             |
| <b>Zykadia</b>    | NPD, SP   | PA, LDD             |
| <b>Zytiga</b>     | NPD, SP   | PA, LDD             |

### PAIN, NERVOUS SYSTEM, & PSYCH

|                                 |     |                  |
|---------------------------------|-----|------------------|
| <b>Abilify</b>                  | NPD | PA               |
| <b>Abilify Mycite</b>           | NPD | PA               |
| <b>Abstral</b>                  | NPD | PA, QL, MME      |
| <i>acamprosate DR tab 333mg</i> | G   |                  |
| <i>acetaminophen/codeine</i>    | LCG | AL, QL, 5DS, MME |
| <b>Actiq</b>                    | NPD | PA, QL, MME      |
| <b>Adderall</b>                 | NPD | PA, QL           |
| <b>Adderall XR</b>              | NPD | QL               |
| <b>Adhansia XR Capsule</b>      | NPD | PA, QL           |
| <b>Adipex-P</b>                 | NPD | PA, R            |
| <b>Adzenys ER Susp</b>          | NPD | PA, QL           |
| <b>Adzenys XR ODT</b>           | NPD | PA, QL           |

| DRUG NAME  | DRUG TIER | REQUIREMENTS/LIMITS |
|--|-----------|---------------------|
| <b>Aimovig</b>   | PB        | PA                  |
| <b>Ajovy</b>   | PB        | PA                  |
| <b>Allzital 25-325mg</b>   | NPD       | PA, QL, 5DS         |
| <i>almotriptan maleate</i>   | G         | QL, AL              |
| <i>alprazolam</i>  | G         | AL                  |
| <i>alprazolam ER</i>   | G         | AL                  |
| <i>amantadine</i>  | G         |                     |
| <b>Ambien</b>  | NPD       | PA, QL              |
| <b>Ambien CR</b>   | NPD       | PA, QL              |
| <b>Amerge</b>  | NPD       | PA, QL, AL          |
| <i>amitriptyline hcl</i>   | LCG       |                     |
| <i>amoxapine</i>   | G         |                     |
| <i>amphetamine aspartate/amphetamine sulfate/dextro-amphetamine</i>    | G         | QL                  |
| <i>amphetamine aspartate/amphetamine sulfate/dextro-amphetamine ER</i> | G         | QL                  |
| <i>amphetamine tablet</i>  | G         | QL                  |
| <i>amphetamine tablet (generic Evekeo)</i>                             | G         | PA, QL              |
| <i>amphetamine ER suspension</i>                                       | NPD       | PA, QL              |
| <b>Anafranil</b>   | NPD       |                     |
| <b>Antabuse</b>  | NPD       |                     |
| <b>Apadaz +</b>  | NPD       | PA, QL, 5DS, MME    |
| <b>Aplenzin +</b>  | NPD       | PA                  |
| <b>Aptensio XR</b>   | NPD       | PA, QL              |
| <b>Aptiom</b>  | NPD       | PA                  |
| <b>Aricept</b>   | NPD       | AL                  |
| <i>aripiprazole</i>  | G         |                     |
| <i>armodafinil</i>   | G         | PA                  |

**Bold type** = Brand Name Drug *Lower case italic* = Generic drug

**PA** = Prior Authorization **QL** = Quantity Limits Apply **SP** = Specialty Drug **AL** = Age Limit **LCG** = Low Cost Generic **LDD** = Limited Distribution Drug **5DS** = Day Supply Limit **R** = Requires Rider **+** = PA for Selected NPD **NF** = Non Formulary **G** = Generic **Q/T** = Quantity Over Time **PB** = Preferred Brand **NPD** = Non Preferred Drug **ACA** = \$0 Preventative Drug **MME** = Morphine Milligram Equivalent

| DRUG NAME                               | DRUG TIER | REQUIREMENTS/ LIMITS |
|---|-----------|----------------------|
| <b>Arymo ER</b>                         | NPD       | PA, QL, MME          |
| <b>Ativan</b>                           | NPD       | PA, AL               |
| <i>atomoxetine</i>                      | G         | QL                   |
| <b>Aubagio</b>                          | NPD, SP   |                      |
| <b>Austedo</b>                          | NPD, SP   | PA                   |
| <b>Avonex</b>                           | PB, SP    | QL                   |
| <b>Axert</b>                            | NPD       | PA, QL, AL           |
| <b>Azilect</b>                          | NPD       |                      |
| <b>Banzel</b>                           | NPD       | PA                   |
| <b>Banzel Susp</b>                      | NPD       | PA, AL               |
| <b>Belbuca</b>                          | PB        | PA, QL, MME          |
| <b>Belsomra +</b>                       | NPD       | PA, QL               |
| <b>Belviiq [XR]</b>                     | NPD       | PA, R                |
| <i>benzphetamine</i>                    | G         | R, PA                |
| <i>benzhydro-codone-acetaminophen +</i> | NPD       | PA, QL, 5DS, MME     |
| <i>benztropine</i>                      | LCG       |                      |
| <b>Betaseron</b>                        | PB, SP    | QL                   |
| <b>Brisdelle</b>                        | NPD       |                      |
| <b>Briviact +</b>                       | NPD       | PA                   |
| <b>Briviact soln +</b>                  | NPD       | PA, AL               |
| <i>bromocriptine mesylate</i>           | G         |                      |
| <b>Bunavail</b>                         | NPD       | QL                   |
| <i>buprenorphine hcl/naloxone hcl</i>   | G         | QL                   |
| <i>buprenorphine patch</i>              | G         | PA, QL, MME          |
| <i>buprenorphine SL</i>                 | G         | QL                   |
| <i>bupropion</i>                        | G         |                      |
| <i>bupropion ER 150mg</i>               | G         | QL                   |
| <i>bupropion ER 450mg</i>               | NPD       |                      |
| <i>bupropion SR</i>                     | G         |                      |
| <i>bupropion XL</i>                     | G         |                      |
| <b>Buspar</b>                           | NPD       |                      |

| DRUG NAME                                  | DRUG TIER | REQUIREMENTS/ LIMITS |
|--|-----------|----------------------|
| <i>bupirone</i>                            | G         |                      |
| <i>butalbital-acetaminophen 50-325mg</i>   | G         | QL, 5DS              |
| <i>butalbital-acetaminophen 50-300mg</i>   | NPD       | PA, QL, 5DS          |
| <i>butalbital/apap/caffeine</i>            | G         | QL, 5DS              |
| <i>butalbital/apap/caffeine/codeine</i>    | G         | QL, 5DS, AL, MME     |
| <i>butalbital/aspirin/caffeine/codeine</i> | G         | QL, 5DS, AL, MME     |
| <i>butorphanol tartrate nasal</i>          | G         | QL, 5DS, AL, MME     |
| <b>Butrans</b>                             | NPD       | PA, QL, MME          |
| <b>Cafegot</b>                             | NPD       |                      |
| <b>Caplyta</b>                             | NPD       | PA                   |
| <i>carbamazepine</i>                       | G         |                      |
| <i>carbamazepine susp</i>                  | G         | AL                   |
| <i>carbamazepine XR</i>                    | G         |                      |
| <b>Carbatrol</b>                           | NPD       | PA                   |
| <i>carbidopa</i>                           | G         |                      |
| <i>carbidopa/levodopa</i>                  | G         |                      |
| <i>carbidopa/levodopa ER</i>               | G         |                      |
| <i>carbidopa/levodopa ODT</i>              | G         |                      |
| <i>carbidopa/levodopa/entacapone</i>       | G         |                      |
| <i>carisoprodol-aspirin-codeine</i>        | G         | QL, 5DS, AL, MME     |
| <b>Celexa</b>                              | NPD       |                      |
| <b>Celontin</b>                            | PB        |                      |
| <b>Chantix</b>                             | ACA       | QL                   |
| <i>chlordiazepoxide</i>                    | LCG       | AL                   |

**Bold type** = Brand Name Drug *Lower case italic* = Generic drug

**PA** = Prior Authorization **QL** = Quantity Limits Apply **SP** = Specialty Drug **AL** = Age Limit **LCG** = Low Cost Generic

**LDD** = Limited Distribution Drug **5DS** = Day Supply Limit **R** = Requires Rider **+** = PA for Selected NPD **NF** = Non Formulary

**G** = Generic **Q/T** = Quantity Over Time **PB** = Preferred Brand **NPD** = Non Preferred Drug **ACA** = \$0 Preventative Drug

**MME** = Morphine Milligram Equivalent



| DRUG NAME                      | DRUG TIER | REQUIREMENTS/ LIMITS |
|--------------------------------|-----------|----------------------|
| <i>chlorpromazine HCl</i>      | G         |                      |
| <i>citalopram</i>              | G         |                      |
| <i>clobazam</i>                | G         | PA                   |
| <i>clobazam susp</i>           | G         | PA, AL               |
| <i>clomipramine HCl</i>        | G         |                      |
| <i>clonazepam</i>              | LCG       |                      |
| <i>clorazepate dipotassium</i> | G         | AL                   |
| <i>clozapine</i>               | G         |                      |
| <i>clozapine ODT</i>           | G         |                      |
| <b>Clozaril</b>                | NPD       |                      |
| <i>codeine tabs</i>            | LCG       | QL, 5DS, AL, MME     |
| <b>Comtan</b>                  | NPD       |                      |
| <b>Concerta +</b>              | NPD       | PA, QL               |
| <b>Contrave ER</b>             | NPD       | PA, R                |
| <b>Conzip +</b>                | NPD       | PA, AL, QL, MME      |
| <b>Copaxone</b>                | PB, SP    | QL                   |
| <b>Cotempla XR ODT +</b>       | NPD       | PA, QL               |
| <b>Cymbalta</b>                | NPD       | PA                   |
| <b>Dantrium</b>                | NPD       |                      |
| <i>dantrolene</i>              | NPD       |                      |
| <b>Daypro</b>                  | NPD       | PA                   |
| <b>Daytrana +</b>              | NPD       | PA, QL               |
| <b>Dayvigo</b>                 | NPD       | PA, QL               |
| <b>Demerol</b>                 | NPD       | PA, QL, 5DS, MME     |
| <b>Depakene</b>                | NPD       |                      |
| <b>Depakote</b>                | NPD       |                      |
| <b>Depakote ER</b>             | NPD       |                      |
| <b>Depakote Sprinkle Caps</b>  | NPD       |                      |
| <i>desipramine</i>             | G         |                      |
| <b>Desoxyn +</b>               | NPD       | PA, QL               |
| <b>Desvenlafaxine ER 24 HR</b> | PB        |                      |
| <b>Dexedrine +</b>             | NPD       | PA, QL               |

| DRUG NAME                              | DRUG TIER | REQUIREMENTS/ LIMITS |
|--|-----------|----------------------|
| <i>dexmethylphenidate ER</i>           | G         | QL                   |
| <i>dexmethylphenidate hcl</i>          | G         | QL                   |
| <i>dextroamphetamine</i>               | G         | QL                   |
| <i>dextroamphetamine ER</i>            | G         | QL                   |
| <b>D.H.E.45</b>                        | NPD       | PA                   |
| <b>Diacomit</b>                        | NPD, SP   | PA                   |
| <b>Diastat</b>                         | NPD       |                      |
| <i>diazepam</i>                        | LCG       |                      |
| <i>diazepam rectal gel</i>             | G         |                      |
| <i>diclofenac potassium</i>            | G         |                      |
| <i>diclofenac sodium</i>               | G         |                      |
| <i>diclofenac sodium gel 1%</i>        | G         |                      |
| <i>diethylpropion</i>                  | G         | R, PA                |
| <i>diflunisal</i>                      | G         |                      |
| <i>dihydrocodein/APAP/caff</i>         | G         | QL, 5DS, AL, MME     |
| <i>dihydrocodeine/aspirin/caffeine</i> | G         | QL, 5DS, AL, MME     |
| <i>dihydroergotamine inj</i>           | G         | PA                   |
| <i>dihydroergotamine nasal spray</i>   | G         | PA                   |
| <b>Dilantin chewable tablets</b>       | PB        |                      |
| <b>Dilaudid</b>                        | NPD       | PA, QL, 5DS, MME     |
| <i>disulfiram</i>                      | G         |                      |
| <i>divalproex sodium</i>               | G         |                      |
| <i>divalproex sodium ER</i>            | G         |                      |

**Bold type** = Brand Name Drug *Lower case italic* = Generic drug

**PA** = Prior Authorization **QL** = Quantity Limits Apply **SP** = Specialty Drug **AL** = Age Limit **LCG** = Low Cost Generic

**LDD** = Limited Distribution Drug **5DS** = Day Supply Limit **R** = Requires Rider **+** = PA for Selected NPD **NF** = Non Formulary

**G** = Generic **Q/T** = Quantity Over Time **PB** = Preferred Brand **NPD** = Non Preferred Drug **ACA** = \$0 Preventative Drug

**MME** = Morphine Milligram Equivalent

| DRUG NAME                           | DRUG TIER | REQUIREMENTS/ LIMITS |
|-------------------------------------|-----------|----------------------|
| <i>divalproex sprinkle cap</i>      | G         |                      |
| <b>Dolophine</b>                    | NPD       | PA, QL, MME          |
| <i>donepezil hydrochloride</i>      | G         | AL                   |
| <b>Doral +</b>                      | NPD       | PA, AL               |
| <i>doxepin capsule</i>              | G         |                      |
| <i>doxepin tablet</i>               | G         | PA                   |
| <b>Drizalma Sprinkle</b>            | NPD       | PA                   |
| <i>duloxetine</i>                   | G         |                      |
| <b>Duragesic patch</b>              | NPD       | PA, QL, MME          |
| <b>Dyanavel XR +</b>                | NPD       | PA, QL               |
| <b>Effexor XR +</b>                 | NPD       | PA                   |
| <b>Eldepryl</b>                     | NPD       |                      |
| <i>eletriptan</i>                   | G         | QL, AL               |
| <b>Embeda</b>                       | NPD       | PA, QL, MME          |
| <b>Emgality</b>                     | PB        | PA, QL               |
| <i>endocet</i>                      | G         | 5DS, QL, MME         |
| <i>entacapone</i>                   | G         |                      |
| <b>Epidiolex Soln</b>               | NPD, SP   | PA                   |
| <i>ergotamine tartrate/caffeine</i> | G         |                      |
| <i>escitalopram</i>                 | G         |                      |
| <b>Esgic capsule</b>                | G         | QL, 5DS              |
| <b>Esgic tablet</b>                 | NPD       | QL, 5DS              |
| <i>estazolam</i>                    | G         | QL, AL               |
| <i>eszopiclone</i>                  | G         | PA, QL (3mg only)    |
| <i>ethosuximide</i>                 | G         |                      |
| <i>etodolac</i>                     | G         |                      |
| <b>Evekeo [ODT] +</b>               | NPD       | PA, QL               |
| <b>Evzio</b>                        | NPD       | PA, QL               |
| <b>Exalgo</b>                       | NPD       | PA, QL, MME          |
| <b>Exelon</b>                       | NPD       | AL                   |
| <b>Extavia +</b>                    | NPD, SP   | PA                   |
| <b>Fanapt +</b>                     | NPD       | PA                   |
| <b>Fazaclio</b>                     | NPD       |                      |
| <i>felbamate</i>                    | G         |                      |

| DRUG NAME                      | DRUG TIER | REQUIREMENTS/ LIMITS |
|--------------------------------|-----------|----------------------|
| <b>Felbatol</b>                | NPD       | PA                   |
| <b>Feldene</b>                 | NPD       |                      |
| <i>fenoprofen calcium</i>      | NPD       | PA                   |
| <i>fentanyl citrate OTFC</i>   | G         | PA, QL, MME          |
| <b>Fentanyl citrate tablet</b> | NPD       | PA, QL, MME          |
| <i>fentanyl transdermal</i>    | G         | PA, QL, MME          |
| <b>Fentora</b>                 | NPD       | PA, QL, MME          |
| <b>Fetzima +</b>               | NPD       | PA                   |
| <b>Fioricet</b>                | NPD       | QL, 5DS              |
| <b>Fioricet with codeine</b>   | NPD       | QL, AL, 5DS, PA, MME |
| <b>Fiorinal with codeine</b>   | NPD       | QL, AL, 5DS, PA, MME |
| <i>fluoxetine</i>              | G         | QL (Weekly Only)     |
| <i>fluphenazine</i>            | G         |                      |
| <i>flurazepam</i>              | G         | QL, AL               |
| <i>furbiprofen</i>             | G         |                      |
| <i>fluvoxamine</i>             | G         |                      |
| <i>fluvoxamine ER</i>          | G         |                      |
| <b>Focalin</b>                 | NPD       | QL                   |
| <b>Focalin XR +</b>            | NPD       | PA, QL               |
| <b>ForFivo XL</b>              | NPD       |                      |
| <b>Frova</b>                   | NPD       | PA, QL, AL           |
| <i>frovatriptan succinate</i>  | NPD       | QL, AL               |
| <b>Fycompa</b>                 | NPD       |                      |
| <i>gabapentin</i>              | G         |                      |
| <i>gabapentin soln</i>         | G         | AL                   |
| <b>Gabitril</b>                | NPD       |                      |
| <i>galantamine</i>             | G         | AL                   |
| <i>galantamine ER</i>          | G         | AL                   |
| <b>Geodon</b>                  | NPD       |                      |
| <b>Gilenya</b>                 | NPD, SP   |                      |
| <i>glatiramer acetate</i>      | G, SP     | QL                   |

**Bold type** = Brand Name Drug    *Lower case italic* = Generic drug

**PA** = Prior Authorization    **QL** = Quantity Limits Apply    **SP** = Specialty Drug    **AL** = Age Limit    **LCG** = Low Cost Generic  
**LDD** = Limited Distribution Drug    **5DS** = Day Supply Limit    **R** = Requires Rider    **+** = PA for Selected NPD    **NF** = Non Formulary  
**G** = Generic    **Q/T** = Quantity Over Time    **PB** = Preferred Brand    **NPD** = Non Preferred Drug    **ACA** = \$0 Preventative Drug  
**MME** = Morphine Milligram Equivalent

| DRUG NAME                                    | DRUG TIER | REQUIREMENTS/LIMITS  |
|--|-----------|----------------------|
| <i>glatopa</i>                               | G, SP     | QL                   |
| <b>Gocovri</b>                               | NPD       |                      |
| <i>guaifenesin-codeine soln 10mg/5ml</i>     | LCG       | QL, AL, 5DS, MME     |
| <i>guanfacine ER</i>                         | G         | QL                   |
| <b>Halcion +</b>                             | NPD       | PA, QL, AL           |
| <i>haloperidol</i>                           | LCG       |                      |
| <b>Hetlioz</b>                               | NPD, SP   | PA, QL               |
| <b>Horizant</b>                              | NPD       | PA                   |
| <i>hydrocodone ER</i>                        | G         | PA, QL, MME          |
| <i>hydrocodone/acetaminophen</i>             | G         | QL, 5DS, AL, MME     |
| <i>hydrocodone-homatropine tab</i>           | LCG       | QL, 5DS, AL, MME     |
| <i>hydromorphone ER</i>                      | G         | PA, QL, MME          |
| <i>hydromorphone IR</i>                      | G         | QL, 5DS, MME         |
| <b>Hysingla ER</b>                           | NPD       | PA, QL, MME          |
| <b>Ibudone</b>                               | NPD       | QL, AL, 5DS, PA, MME |
| <i>ibuprofen/hydrocodone</i>                 | G         | QL, 5DS, MME, AL     |
| <i>imipramine</i>                            | G         |                      |
| <b>Imitrex</b>                               | NPD       | AL                   |
| <b>Inbrija</b>                               | NPD, SP   | PA                   |
| <b>Indocin susp</b>                          | NPD       | AL                   |
| <b>Ingrezza</b>                              | NPD, SP   | PA                   |
| <b>Intermezzo</b>                            | NPD       | PA, QL               |
| <b>Intuniv +</b>                             | NPD       | PA, QL               |
| <b>Invega ER tablet +</b>                    | NPD       | PA                   |
| <i>isometheptene/dichloralphenazone/apap</i> | G         |                      |
| <b>Jakafi</b>                                | NPD, SP   | PA, LDD              |
| <b>Jornay PM Capsule</b>                     | NPD       | PA, QL               |

| DRUG NAME                   | DRUG TIER | REQUIREMENTS/LIMITS |
|-----------------------------|-----------|---------------------|
| <b>Kadian ER</b>            | NPD       | PA, QL, MME         |
| <b>Kapvay +</b>             | NPD       | PA, QL              |
| <b>Keppra +</b>             | NPD       | PA                  |
| <b>Keppra XR</b>            | NPD       | PA                  |
| <i>ketoprofen</i>           | G         |                     |
| <i>ketorolac</i>            | LCG       |                     |
| <b>Khedeza +</b>            | NPD       | PA                  |
| <b>Klonopin</b>             | NPD       | PA                  |
| <b>Lamictal +</b>           | NPD       | PA                  |
| <b>Lamictal ODT</b>         | NPD       | PA                  |
| <b>Lamictal XR</b>          | NPD       | PA                  |
| <i>lamotrigine</i>          | G         |                     |
| <i>lamotrigine ER</i>       | G         |                     |
| <i>lamotrigine ODT</i>      | G         |                     |
| <b>Latuda +</b>             | NPD       | PA                  |
| <b>Lazanda</b>              | NPD       | PA, QL, MME         |
| <i>levetiracetam</i>        | G         |                     |
| <i>levetiracetam ER</i>     | G         |                     |
| <i>levorphanol</i>          | G         | QL, 5DS, MME        |
| <b>Lexapro +</b>            | NPD       | PA                  |
| <b>Librax</b>               | NPD       |                     |
| <i>lithium carbonate</i>    | LCG       |                     |
| <i>lithium carbonate ER</i> | LCG       |                     |
| <b>Lithobid</b>             | NPD       |                     |
| <b>Lodine</b>               | NPD       |                     |
| <b>Lodosyn</b>              | NPD       |                     |
| <b>Lomaira</b>              | NPD       | PA, R               |
| <i>lorazepam</i>            | LCG       | AL                  |
| <b>Lortab</b>               | NPD       | QL, 5DS, AL, PA     |
| <i>loxapine</i>             | G         |                     |
| <b>Lucemyra</b>             | NPD       | QL, Q/T             |
| <b>Lunesta</b>              | NPD       | PA, QL              |
| <b>Lyrica</b>               | NPD       | PA                  |
| <b>Lyrica CR</b>            | NPD       | PA                  |
| <i>maprotiline</i>          | G         |                     |

**Bold type** = Brand Name Drug *Lower case italic* = Generic drug

**PA** = Prior Authorization **QL** = Quantity Limits Apply **SP** = Specialty Drug **AL** = Age Limit **LCG** = Low Cost Generic **LDD** = Limited Distribution Drug **5DS** = Day Supply Limit **R** = Requires Rider **+** = PA for Selected NPD **NF** = Non Formulary **G** = Generic **Q/T** = Quantity Over Time **PB** = Preferred Brand **NPD** = Non Preferred Drug **ACA** = \$0 Preventative Drug **MME** = Morphine Milligram Equivalent

| DRUG NAME                          | DRUG TIER | REQUIREMENTS/ LIMITS |
|------------------------------------|-----------|----------------------|
| <b>Maxalt, Maxalt-MLT</b>          | NPD       | AL, QL               |
| <b>Mayzent tablet, starter pak</b> | NPD, SP   |                      |
| <i>meclofenamate</i>               | G         |                      |
| <i>memantine</i>                   | G         | AL                   |
| <i>memantine ER</i>                | G         | AL                   |
| <i>meperidine HCl</i>              | G         | QL, 5DS, MME         |
| <i>meprobamate</i>                 | G         |                      |
| <b>Mestinon syrup</b>              | NPD       | AL                   |
| <b>Mestinon tablet</b>             | NPD       |                      |
| <i>methadone</i>                   | G         | PA, QL, MME          |
| <i>methamphetamine</i>             | NPD       | QL                   |
| <i>methocarbamol</i>               | G         |                      |
| <b>Methylin</b>                    | NPD       | QL                   |
| <i>methylphenidate</i>             | G         | QL                   |
| <i>methylphenidate ER</i>          | G         | QL                   |
| <i>methylphenidate ER (CD)</i>     | G         | QL                   |
| <i>methylphenidate ER (LA)</i>     | G         | QL                   |
| <b>Midrin</b>                      | NPD       |                      |
| <b>Migranal</b>                    | NPD       | PA                   |
| <b>Mirapex</b>                     | NPD       |                      |
| <b>Mirapex ER</b>                  | NPD       |                      |
| <i>mirtazapine</i>                 | G         |                      |
| <i>modafinil</i>                   | G         | PA                   |
| <i>molindone hcl</i>               | G         |                      |
| <b>MorphaBond ER</b>               | NPD       | PA, QL, MME          |
| <i>morphine IR</i>                 | G         | QL, 5DS, MME         |
| <i>morphine sulfate ER</i>         | G         | PA, QL, MME          |
| <i>morphine suppositories</i>      | G         | QL, 5DS, MME         |
| <b>MS Contin</b>                   | NPD       | PA, QL, MME          |

| DRUG NAME                          | DRUG TIER | REQUIREMENTS/ LIMITS |
|------------------------------------|-----------|----------------------|
| <b>Mydayis +</b>                   | NPD       | PA, QL               |
| <b>Mysoline</b>                    | NPD       |                      |
| <i>nabumetone</i>                  | G         |                      |
| <b>Nalfon</b>                      | NPD       | PA                   |
| <b>Nalocet</b>                     | NPD       | QL, 5DS, MME         |
| <b>Naloxone Injection 2mg</b>      | NPD       | QL                   |
| <i>naltrexone 50mg</i>             | G         |                      |
| <b>Namenda [XR]</b>                | NPD       | AL                   |
| <b>Namzaric</b>                    | NPD       | AL                   |
| <i>naratriptan</i>                 | G         | QL, AL               |
| <b>Narcan 4mg/ actuation spray</b> | PB        | QL                   |
| <b>Nardil</b>                      | NPD       |                      |
| <b>Nayzilam</b>                    | NPD       | PA, QL               |
| <i>nefazodone</i>                  | G         |                      |
| <b>Neurontin</b>                   | NPD       | PA                   |
| <b>Neurontin soln</b>              | NPD       | PA, AL               |
| <b>Norpramin</b>                   | NPD       |                      |
| <i>nortriptyline</i>               | G         |                      |
| <i>nortriptyline soln</i>          | G         | AL                   |
| <b>Nourianz</b>                    | NPD       | PA                   |
| <b>Nucynta</b>                     | NPD       | QL, 5DS, MME         |
| <b>Nucynta ER</b>                  | NPD       | PA, QL, MME          |
| <b>Nuplazid</b>                    | NPD       | PA                   |
| <b>Nurtec chw 75mg ODT</b>         | NPD       | PA, QL               |
| <b>Nuvigil</b>                     | NPD       | PA                   |
| <i>olanzapine</i>                  | G         |                      |
| <i>olanzapine ODT</i>              | G         |                      |
| <i>olanzapine/ fluoxetine hcl</i>  | G         |                      |
| <b>Onfi</b>                        | NPD       | PA                   |
| <b>Onfi Susp</b>                   | NPD       | PA, AL               |
| <b>Onzetra Xsail</b>               | NPD       | PA, QL, AL           |
| <b>Opana</b>                       | NPD       | QL, 5DS, PA, MME     |
| <b>Opana ER</b>                    | NPD       | PA, QL, MME          |
| <b>Orap</b>                        | NPD       |                      |

**Bold type** = Brand Name Drug *Lower case italic* = Generic drug

**PA** = Prior Authorization **QL** = Quantity Limits Apply **SP** = Specialty Drug **AL** = Age Limit **LCG** = Low Cost Generic

**LDD** = Limited Distribution Drug **5DS** = Day Supply Limit **R** = Requires Rider **+** = PA for Selected NPD **NF** = Non Formulary

**G** = Generic **Q/T** = Quantity Over Time **PB** = Preferred Brand **NPD** = Non Preferred Drug **ACA** = \$0 Preventative Drug

**MME** = Morphine Milligram Equivalent

| DRUG NAME                       | DRUG TIER | REQUIREMENTS/LIMITS |
|---------------------------------|-----------|---------------------|
| <b>Osmolex ER</b>               | NPD       |                     |
| <i>oxaprozin</i>                | G         |                     |
| <b>Oxaydo</b>                   | NPD       | QL, 5DS, MME        |
| <i>oxazepam</i>                 | G         | AL                  |
| <i>oxcarbazepine</i>            | G         |                     |
| <b>Oxtellar XR</b>              | NPD       | PA                  |
| <i>oxycodone ER tablet</i>      | NPD       | PA, QL, MME         |
| <i>oxycodone IR</i>             | G         | QL, 5DS, MME        |
| <i>oxycodone/acetaminophen</i>  | G         | QL, 5DS, MME        |
| <i>oxycodone/aspirin</i>        | G         | QL, 5DS, MME        |
| <i>oxycodone/ibuprofen</i>      | G         | QL, 5DS, MME        |
| <b>OxyContin</b>                | NPD       | PA, QL, MME         |
| <i>oxymorphone ER</i>           | G         | PA, QL, MME         |
| <i>oxymorphone IR</i>           | G         | QL, 5DS, MME        |
| <i>paliperidone er tablet</i>   | G         |                     |
| <b>Pamelor</b>                  | NPD       | PA                  |
| <b>Parlodel</b>                 | NPD       |                     |
| <b>Parnate</b>                  | NPD       |                     |
| <i>paroxetine</i>               | G         |                     |
| <i>paroxetine ER</i>            | G         |                     |
| <b>Paxil</b>                    | NPD       |                     |
| <b>Paxil CR</b>                 | NPD       |                     |
| <i>pentazocine-naloxone</i>     | G         | QL, 5DS, MME        |
| <b>Percocet</b>                 | NPD       | QL, 5DS, PA, MME    |
| <i>perphenazine</i>             | G         |                     |
| <i>phendimetrazine tartrate</i> | G         | PA, R               |
| <i>phenelzine</i>               | G         |                     |
| <i>phenobarbital</i>            | G         |                     |
| <i>phentermine hcl</i>          | G         | PA, R               |
| <b>Phenytek</b>                 | NPD       |                     |
| <i>phenytoin</i>                | LCG       |                     |

| DRUG NAME                  | DRUG TIER | REQUIREMENTS/LIMITS |
|----------------------------|-----------|---------------------|
| <i>pimozide</i>            | G         |                     |
| <i>piroxicam</i>           | G         |                     |
| <b>Plegridy</b>            | PB, SP    | QL                  |
| <i>pramipexole</i>         | G         |                     |
| <i>pramipexole ER</i>      | G         |                     |
| <i>pregabalin</i>          | G         |                     |
| <i>primidone</i>           | LCG       |                     |
| <b>Primlev</b>             | NPD       | PA, QL, 5DS, MME    |
| <b>Pristiq +</b>           | NPD       | PA                  |
| <b>Procentra 1mg/ml</b>    | NPD       | QL                  |
| <b>Prolate tab</b>         | NPD       | PA, QL, 5DS, MME    |
| <i>promethegan supp</i>    | LCG       |                     |
| <b>Provigil</b>            | NPD       | PA                  |
| <b>Prozac +</b>            | NPD       | PA                  |
| <i>pyridostigmine</i>      | G         |                     |
| <i>pyridostigmine soln</i> | G         | AL                  |
| <b>Qmiiz ODT +</b>         | NPD       | PA                  |
| <b>Qsymia ER</b>           | NPD       | PA, R               |
| <i>quazepam</i>            | G         | QL, AL              |
| <b>Qudexy XR</b>           | NPD       | PA                  |
| <i>quetiapine ER</i>       | G         |                     |
| <i>quetiapine fumarate</i> | G         |                     |
| <b>Quillichew ER +</b>     | NPD       | PA, QL              |
| <b>Quillivant XR +</b>     | NPD       | PA, QL              |
| <i>ramelteon</i>           | G         | QL                  |
| <i>rasagiline</i>          | G         |                     |
| <b>Razadyne</b>            | NPD       | AL                  |
| <b>Razadyne ER</b>         | NPD       | AL                  |
| <b>Rebif Rebidose +</b>    | NPD, SP   | PA                  |
| <b>Regimex</b>             | NPD       | PA, R               |
| <b>Relafen DS</b>          | NPD       | PA                  |
| <b>Relpax</b>              | NPD       | PA, QL, AL          |
| <b>Remeron</b>             | NPD       |                     |
| <b>Remeron SolTab</b>      | NPD       |                     |

**Bold type** = Brand Name Drug *Lower case italic* = Generic drug

**PA** = Prior Authorization **QL** = Quantity Limits Apply **SP** = Specialty Drug **AL** = Age Limit **LCG** = Low Cost Generic

**LDD** = Limited Distribution Drug **5DS** = Day Supply Limit **R** = Requires Rider **+** = PA for Selected NPD **NF** = Non Formulary

**G** = Generic **Q/T** = Quantity Over Time **PB** = Preferred Brand **NPD** = Non Preferred Drug **ACA** = \$0 Preventative Drug

**MME** = Morphine Milligram Equivalent

| DRUG NAME                         | DRUG TIER | REQUIREMENTS/LIMITS |
|-----------------------------------|-----------|---------------------|
| <b>Requip</b>                     | NPD       |                     |
| <b>Requip XL</b>                  | NPD       |                     |
| <b>Restoril +</b>                 | NPD       | PA, AL              |
| <b>Rexulti +</b>                  | NPD       | PA                  |
| <b>Reyvow</b>                     | NPD       | PA, QL, AL          |
| <b>Rilutek</b>                    | NPD       |                     |
| <i>riluzole</i>                   | G         |                     |
| <b>Risperdal, Risperdal M-Tab</b> | NPD       |                     |
| <i>risperidone</i>                | G         |                     |
| <b>Ritalin LA</b>                 | NPD       | PA, QL              |
| <i>rivastigmine</i>               | G         | AL                  |
| <i>rizatriptan benzoate</i>       | G         | QL, AL              |
| <b>Robaxin</b>                    | NPD       |                     |
| <i>ropinirole</i>                 | G         |                     |
| <i>ropinirole ER</i>              | G         |                     |
| <b>Roxicodone</b>                 | NPD       | QL, 5DS, PA, MME    |
| <b>Roxybond</b>                   | NPD       | QL, 5DS, MME        |
| <b>Rozerem</b>                    | NPD       | QL                  |
| <b>Rytary +</b>                   | NPD       | PA                  |
| <b>Sabril</b>                     | NPD, SP   | PA                  |
| <b>Saphris +</b>                  | NPD       | PA                  |
| <b>Saxenda</b>                    | NPD       | PA, R               |
| <b>Secuado Patch</b>              | NPD       | PA                  |
| <i>selegiline HCl</i>             | G         |                     |
| <b>Seroquel</b>                   | NPD       |                     |
| <b>Seroquel XR</b>                | NPD       |                     |
| <i>sertraline</i>                 | G         |                     |
| <b>Silenor +</b>                  | NPD       | PA                  |
| <b>Sinemet</b>                    | NPD       |                     |
| <b>Sinemet CR</b>                 | NPD       |                     |
| <b>Sonata +</b>                   | NPD       | PA, QL              |
| <b>Sprix Nasal Spray</b>          | NPD       | QL                  |
| <b>Stalevo</b>                    | NPD       |                     |
| <b>Strattera +</b>                | NPD       | PA, QL              |

| DRUG NAME                            | DRUG TIER | REQUIREMENTS/LIMITS |
|--------------------------------------|-----------|---------------------|
| <b>Suboxone Sublingual Film</b>      | PB        | QL                  |
| <b>Subsys</b>                        | NPD       | PA, QL, MME         |
| <i>sulindac</i>                      | G         |                     |
| <i>sumatriptan</i>                   | G         | QL, AL              |
| <i>sumatriptan/naproxen</i>          | G         | PA, QL              |
| <b>Sunosi</b>                        | PB        | PA                  |
| <b>Sylatron</b>                      | NPD, SP   | PA                  |
| <b>Symbyax</b>                       | NPD       |                     |
| <b>Sympazan Film</b>                 | NPD       | PA                  |
| <b>Tasmar</b>                        | NPD       |                     |
| <b>Tecfidera</b>                     | PB, SP    | LDD                 |
| <b>Tegretol susp</b>                 | NPD       | PA, AL              |
| <b>Tegretol [XR]</b>                 | NPD       | PA                  |
| <i>temazepam</i>                     | LCG       | QL, AL              |
| <i>tetrabenazine</i>                 | G, SP     | PA                  |
| <i>thioridazine</i>                  | LCG       |                     |
| <i>thiothixene</i>                   | G         |                     |
| <i>tiagabine hcl</i>                 | G         |                     |
| <b>Tiglutik Susp</b>                 | NPD, SP   |                     |
| <b>Tivorbex</b>                      | NPD       | PA                  |
| <b>Tofranil</b>                      | NPD       |                     |
| <i>tolcapone</i>                     | G         |                     |
| <i>tolmetin sodium</i>               | G         |                     |
| <b>Topamax +</b>                     | NPD       | PA                  |
| <b>Topamax Sprinkle Capsules +</b>   | NPD       | PA                  |
| <i>topiramate</i>                    | G         |                     |
| <i>topiramate sprinkle cap</i>       | G         | PA                  |
| <b>Tosymra Nasal Solution</b>        | NPD       | PA, QL, AL          |
| <i>tramadol</i>                      | G         | QL, AL, MME         |
| <i>tramadol ER cap</i>               | NPD       | QL, AL, MME         |
| <i>tramadol ER (biphasic) tablet</i> | G         | QL, AL, MME         |

**Bold type** = Brand Name Drug *Lower case italic* = Generic drug

**PA** = Prior Authorization **QL** = Quantity Limits Apply **SP** = Specialty Drug **AL** = Age Limit **LCG** = Low Cost Generic **LDD** = Limited Distribution Drug **5DS** = Day Supply Limit **R** = Requires Rider **+** = PA for Selected NPD **NF** = Non Formulary **G** = Generic **Q/T** = Quantity Over Time **PB** = Preferred Brand **NPD** = Non Preferred Drug **ACA** = \$0 Preventative Drug **MME** = Morphine Milligram Equivalent

| DRUG NAME                      | DRUG TIER | REQUIREMENTS/ LIMITS |
|--------------------------------|-----------|----------------------|
| <i>tramadol ER tablet</i>      | G         | QL, AL, MME          |
| <i>tramadol/ acetaminophen</i> | LCG       | QL, AL, MME          |
| <b>Tranxene T</b>              | NPD       | AL                   |
| <i>tranycypromine sulfate</i>  | G         |                      |
| <i>trazodone</i>               | LCG       |                      |
| <b>Treximet</b>                | NPD       | PA, QL, AL           |
| <b>Trezix</b>                  | NPD       |                      |
| <i>triazolam</i>               | G         | QL, AL               |
| <i>trifluoperazine</i>         | G         |                      |
| <i>trihexyphenidyl</i>         | LCG       |                      |
| <b>Trileptal</b>               | NPD       |                      |
| <i>trimipramine</i>            | G         |                      |
| <b>Trintellix +</b>            | NPD       | PA                   |
| <b>Trokendi XR</b>             | NPD       | PA                   |
| <i>trymine CG liquid</i>       | LCG       | AL, QL, 5DS, MME     |
| <b>Tylenol w/ Codeine</b>      | NPD       | AL, QL, 5DS, PA, MME |
| <b>Ubrelvy</b>                 | NPD       | PA, QL, AL           |
| <b>Ultracet</b>                | NPD       | QL, AL, PA, MME      |
| <b>Ultram</b>                  | NPD       | QL, AL, PA, MME      |
| <b>Valium +</b>                | NPD       | PA                   |
| <i>valproic acid</i>           | G         |                      |
| <b>Valtoco</b>                 | NPD       | PA, QL               |
| <b>Vanatol S/LQ</b>            | NPD       | PA, QL, 5DS          |
| <i>venlafaxine</i>             | G         |                      |
| <i>venlafaxine ER</i>          | G         |                      |
| <i>vigabatrin</i>              | G, SP     |                      |
| <i>vigadrone</i>               | G, SP     |                      |
| <b>Vimpat tab, soln</b>        | NPD       |                      |
| <b>Vivlodex</b>                | NPD       | PA                   |
| <b>Vraylar +</b>               | NPD       | PA                   |
| <b>Vyvanse</b>                 | PB        | QL                   |
| <b>Wakix</b>                   | NPD, SP   | PA, QL               |
| <b>Wellbutrin SR</b>           | NPD       |                      |

| DRUG NAME                                       | DRUG TIER | REQUIREMENTS/ LIMITS |
|---|-----------|----------------------|
| <b>Wellbutrin XL +</b>                          | NPD       | PA                   |
| <b>Xadago +</b>                                 | NPD       | PA                   |
| <b>Xanax +</b>                                  | NPD       | PA, AL               |
| <b>Xanax XR</b>                                 | NPD       | AL                   |
| <b>Xcopri pak/tab</b>                           | NPD       | PA                   |
| <b>Xenazine</b>                                 | NPD       |                      |
| <b>Xodol, Norco</b>                             | NPD       | QL, 5DS, PA, AL, MME |
| <b>Xtampza ER</b>                               | PB        | PA, QL, MME          |
| <b>Xyrem</b>                                    | NPD, SP   | PA, QL               |
| <i>zaleplon</i>                                 | G         | QL                   |
| <b>Zarontin</b>                                 | NPD       |                      |
| <b>Zembrace Syntouch</b>                        | NPD       | PA, QL               |
| <b>Zenzedi</b>                                  | NPD       | QL                   |
| <i>ziprasidone</i>                              | G         |                      |
| <b>Zohydro ER</b>                               | NPD       | PA, QL, MME          |
| <i>zolmitriptan</i>                             | G         | QL, AL               |
| <b>Zoloft +</b>                                 | NPD       | PA                   |
| <i>zolpidem tartrate</i>                        | G         | PA, QL (10mg only)   |
| <i>zolpidem tartrate ER</i>                     | G         | PA, QL (12.5mg only) |
| <i>zolpidem tartrate SL</i>                     | G         | PA, QL (3.5mg only)  |
| <b>Zomig</b>                                    | NPD       | PA, QL, AL           |
| <b>Zonegran</b>                                 | NPD       | PA                   |
| <i>zonsinamide</i>                              | G         |                      |
| <b>Zorvolex</b>                                 | NPD       | PA                   |
| <b>Zubsolv</b>                                  | PB        | QL                   |
| <b>Zyban</b>                                    | NPD       | QL                   |
| <b>Zyprexa</b>                                  | NPD       |                      |
| <b>Zyprexa Zydis</b>                            | NPD       |                      |
| <b>HEART, BLOOD PRESSURE, &amp; CHOLESTEROL</b> |           |                      |
| <b>Accupril</b>                                 | NPD       |                      |
| <b>Accuretic</b>                                | NPD       |                      |
| <i>acebutolol</i>                               | G         |                      |

**Bold type** = Brand Name Drug *Lower case italic* = Generic drug

**PA** = Prior Authorization **QL** = Quantity Limits Apply **SP** = Specialty Drug **AL** = Age Limit **LCG** = Low Cost Generic

**LDD** = Limited Distribution Drug **5DS** = Day Supply Limit **R** = Requires Rider **+** = PA for Selected NPD **NF** = Non Formulary

**G** = Generic **Q/T** = Quantity Over Time **PB** = Preferred Brand **NPD** = Non Preferred Drug **ACA** = \$0 Preventative Drug

**MME** = Morphine Milligram Equivalent

| DRUG NAME                              | DRUG TIER | REQUIREMENTS/ LIMITS |
|--|-----------|----------------------|
| <i>acetazolamide</i>                   | G         |                      |
| <i>acetazolamide ER</i>                | G         |                      |
| <b>Actimmune</b>                       | NPD, SP   |                      |
| <b>Adalat CC</b>                       | NPD       |                      |
| <b>Adcirca</b>                         | NPD, SP   | PA                   |
| <b>Adempas</b>                         | PB, SP    | PA                   |
| <b>Advate</b>                          | PB, SP    | PA                   |
| <b>Adynovate</b>                       | NPD, SP   | PA                   |
| <b>Afstyla</b>                         | NPD, SP   | PA                   |
| <b>Aggrenox</b>                        | NPD       |                      |
| <b>Agrylin</b>                         | NPD       |                      |
| <b>Aldactazide</b>                     | NPD       |                      |
| <b>Aldactone</b>                       | NPD       |                      |
| <i>aliskiren</i>                       | G         |                      |
| <b>Alphanate</b>                       | NPD, SP   | PA                   |
| <b>Alphanine</b>                       | NPD, SP   | PA                   |
| <b>Alprolix</b>                        | NPD, SP   | PA, LDD              |
| <b>Altace</b>                          | NPD       |                      |
| <b>Altoprev</b>                        | NPD       |                      |
| <i>ambrisentan</i>                     | G, SP     | PA                   |
| <b>Amicar</b>                          | NPD       |                      |
| <i>amiloride</i>                       | LCG       |                      |
| <i>amiloride/HCTZ</i>                  | LCG       |                      |
| <i>aminocaproic acid</i>               | G         |                      |
| <i>amiodarone</i>                      | G         |                      |
| <i>amlodipine</i>                      | G         |                      |
| <i>amlodipine besylate/ olmesartan</i> | G         |                      |
| <i>amlodipine/ benazepril</i>          | G         |                      |
| <i>amlodipine/ valsartan</i>           | G         |                      |
| <i>amlodipine/ valsartan/HCTZ</i>      | G         |                      |
| <i>anagrelide</i>                      | G         |                      |
| <b>Antara</b>                          | NPD       |                      |

| DRUG NAME                               | DRUG TIER | REQUIREMENTS/ LIMITS |
|---|-----------|----------------------|
| <b>Arixtra</b>                          | NPD       |                      |
| <i>aspirin-dipyridamole er</i>          | G         |                      |
| <b>Atacand +</b>                        | NPD       | PA                   |
| <b>Atacand HCT +</b>                    | NPD       | PA                   |
| <i>atenolol</i>                         | LCG       |                      |
| <i>atenolol/ chlorthalidone</i>         | G         |                      |
| <i>atorvastatin</i>                     | G         |                      |
| <i>atorvastatin/ amlodipine</i>         | G         |                      |
| <b>Avalide +</b>                        | NPD       | PA                   |
| <b>Avapro +</b>                         | NPD       | PA                   |
| <b>Azor +</b>                           | NPD       | PA                   |
| <b>Bebulin</b>                          | NPD, SP   | PA                   |
| <i>benazepril</i>                       | LCG       |                      |
| <i>benazepril/HCTZ</i>                  | G         |                      |
| <b>BeneFIX</b>                          | PB, SP    | PA                   |
| <b>Benicar +</b>                        | NPD       | PA                   |
| <b>Benicar HCT +</b>                    | NPD       | PA                   |
| <b>Betapace AF</b>                      | NPD       |                      |
| <i>betaxolol</i>                        | G         |                      |
| <b>Bevyxxa</b>                          | NPD       | QL                   |
| <i>bisoprolol</i>                       | LCG       |                      |
| <i>bisoprolol/HCTZ</i>                  | G         |                      |
| <i>bumetanide</i>                       | G         |                      |
| <b>Bystolic</b>                         | PB        |                      |
| <b>Byvalson +</b>                       | NPD       | PA                   |
| <b>Caduet</b>                           | NPD       |                      |
| <b>Calan</b>                            | NPD       |                      |
| <b>Calan SR</b>                         | NPD       |                      |
| <i>candesartan</i>                      | G         |                      |
| <i>candesartan/ hydrochlorothiazide</i> | G         |                      |
| <i>captopril</i>                        | G         |                      |
| <i>captopril/HCTZ</i>                   | G         |                      |
| <b>Cardizem</b>                         | NPD       |                      |

**Bold type** = Brand Name Drug *Lower case italic* = Generic drug

**PA** = Prior Authorization **QL** = Quantity Limits Apply **SP** = Specialty Drug **AL** = Age Limit **LCG** = Low Cost Generic **LDD** = Limited Distribution Drug **5DS** = Day Supply Limit **R** = Requires Rider **+** = PA for Selected NPD **NF** = Non Formulary **G** = Generic **Q/T** = Quantity Over Time **PB** = Preferred Brand **NPD** = Non Preferred Drug **ACA** = \$0 Preventative Drug **MME** = Morphine Milligram Equivalent



| DRUG NAME                     | DRUG TIER | REQUIREMENTS/ LIMITS |
|-------------------------------|-----------|----------------------|
| <b>Cardizem CD</b>            | NPD       | PA                   |
| <b>Cardizem LA</b>            | NPD       |                      |
| <b>Cardura</b>                | NPD       |                      |
| <b>Carospir</b>               | NPD       |                      |
| <b>Cartia XT</b>              | LCG       |                      |
| <i>carvedilol [ER]</i>        | G         |                      |
| <b>Catapres tablets</b>       | NPD       |                      |
| <b>Catapres-TTS</b>           | NPD       |                      |
| <i>chlorothiazide</i>         | G         |                      |
| <i>chlorthalidone</i>         | LCG       |                      |
| <i>cholestyramine</i>         | G         |                      |
| <i>cholestyramine light</i>   | G         |                      |
| <i>cilostazol</i>             | G         |                      |
| <i>clonidine ER 12 HR tab</i> | G         | QL                   |
| <i>clonidine IR tablet</i>    | LCG       |                      |
| <i>clonidine patches</i>      | G         |                      |
| <i>clopidogrel</i>            | G         |                      |
| <b>Coagadex</b>               | NPD, SP   | PA                   |
| <i>colesevelam</i>            | G         |                      |
| <b>Colestid</b>               | NPD       |                      |
| <i>colestipol HCl</i>         | G         |                      |
| <b>Coreg</b>                  | NPD       |                      |
| <b>Coreg CR</b>               | NPD       |                      |
| <b>Corgard</b>                | NPD       |                      |
| <b>Corifact</b>               | NPD       | PA                   |
| <b>Corlanor</b>               | NPD       | PA                   |
| <b>Corzide</b>                | NPD       |                      |
| <b>Coumadin</b>               | PB        |                      |
| <b>Cozaar +</b>               | NPD       | PA                   |
| <b>Crestor +</b>              | NPD       | PA                   |
| <b>Demadex</b>                | NPD       |                      |
| <b>Dibenzylidine</b>          | NPD       | PA                   |
| <i>digoxin</i>                | LCG       |                      |
| <b>Dilt-CD</b>                | G         |                      |
| <i>diltiazem HCl</i>          | G         |                      |

| DRUG NAME                   | DRUG TIER | REQUIREMENTS/ LIMITS |
|-----------------------------|-----------|----------------------|
| <i>diltiazem HCl CD</i>     | LCG       |                      |
| <i>diltiazem HCl ER</i>     | LCG       |                      |
| <i>diltiazem HCl LA</i>     | LCG       |                      |
| <i>diltiazem HCl SR</i>     | LCG       |                      |
| <b>Diltzac ER</b>           | G         |                      |
| <b>Diovan +</b>             | NPD       | PA                   |
| <b>Diovan HCT +</b>         | NPD       | PA                   |
| <i>dipyridamole</i>         | G         |                      |
| <i>disopyramide</i>         | G         |                      |
| <i>dofetilide</i>           | G         |                      |
| <i>doxazosin mesylate</i>   | LCG       |                      |
| <b>Durlaza +</b>            | NPD       | PA                   |
| <b>Dutoprol</b>             | NPD       |                      |
| <b>Dyazide</b>              | NPD       |                      |
| <b>Dyrenium</b>             | NPD       |                      |
| <b>Edarbi +</b>             | NPD       | PA                   |
| <b>Edarbyclor +</b>         | NPD       | PA                   |
| <b>Edecrin</b>              | NPD       |                      |
| <b>Effient</b>              | NPD       |                      |
| <b>Eliquis</b>              | PB        |                      |
| <b>Eloctate</b>             | NPD, SP   | PA                   |
| <i>enalapril</i>            | G         |                      |
| <i>enalapril/HCTZ</i>       | LCG       |                      |
| <i>enoxaparin</i>           | G         |                      |
| <b>Entresto</b>             | PB        | QL                   |
| <b>Epaned Sol 1mg/ml</b>    | NPD       | AL                   |
| <i>eplerenone</i>           | G         |                      |
| <i>eprosartan</i>           | G         | PA                   |
| <b>Esperoct</b>             | NPD, SP   | PA                   |
| <i>ethacrynic acid</i>      | G         |                      |
| <b>Exforge +</b>            | NPD       | PA                   |
| <b>Exforge HCT +</b>        | NPD       | PA                   |
| <b>Ezzalor Sprinkle Cap</b> | NPD       | PA                   |
| <i>ezetimibe</i>            | G         |                      |

**Bold type** = Brand Name Drug *Lower case italic* = Generic drug

**PA** = Prior Authorization **QL** = Quantity Limits Apply **SP** = Specialty Drug **AL** = Age Limit **LCG** = Low Cost Generic

**LDD** = Limited Distribution Drug **5DS** = Day Supply Limit **R** = Requires Rider **+** = PA for Selected NPD **NF** = Non Formulary

**G** = Generic **Q/T** = Quantity Over Time **PB** = Preferred Brand **NPD** = Non Preferred Drug **ACA** = \$0 Preventative Drug

**MME** = Morphine Milligram Equivalent

| DRUG NAME                             | DRUG TIER | REQUIREMENTS/ LIMITS |
|---------------------------------------|-----------|----------------------|
| <i>ezetimibe/simvastatin</i>          | G         |                      |
| <b>Feiba</b>                          | NPD, SP   | PA                   |
| <i>felodipine ER</i>                  | G         |                      |
| <i>fenofibrate</i>                    | G         |                      |
| <i>fenofibrate nanocrystallized</i>   | G         |                      |
| <i>fenofibric acid</i>                | G         |                      |
| <b>Fenoglide</b>                      | NPD       |                      |
| <b>Fibricor</b>                       | NPD       |                      |
| <i>flecainide</i>                     | G         |                      |
| <b>Flolipid susp</b>                  | NPD       | AL                   |
| <i>fluvastatin sodium</i>             | G         |                      |
| <i>fondaparinux</i>                   | G         |                      |
| <i>fosinopril</i>                     | LCG       |                      |
| <i>fosinopril/HCTZ</i>                | LCG       |                      |
| <b>Fragmin</b>                        | NPD       |                      |
| <i>furosemide</i>                     | LCG       |                      |
| <i>gemfibrozil</i>                    | G         |                      |
| <i>guanfacine</i>                     | G         |                      |
| <b>Helixate FS</b>                    | PB, SP    | PA                   |
| <b>Hemlibra Soln</b>                  | NPD, SP   | PA                   |
| <b>Hemofil M</b>                      | NPD, SP   | PA                   |
| <b>Humate-P</b>                       | PB, SP    | PA                   |
| <i>hydralazine</i>                    | LCG       |                      |
| <i>hydrochlorothiazide</i>            | LCG       |                      |
| <b>Hyzaar +</b>                       | NPD       | PA                   |
| <i>indapamide</i>                     | LCG       |                      |
| <b>Inderal LA +</b>                   | NPD       | PA                   |
| <b>InnoPran XL</b>                    | NPD       |                      |
| <b>Inspra</b>                         | NPD       |                      |
| <i>irbesartan</i>                     | G         |                      |
| <i>irbesartan hydrochlorothiazide</i> | G         |                      |
| <b>Isordil Titradose Tabs</b>         | NPD       |                      |

| DRUG NAME                        | DRUG TIER | REQUIREMENTS/ LIMITS |
|----------------------------------|-----------|----------------------|
| <i>isosorbide dinitrate</i>      | G         |                      |
| <i>isosorbide dinitrate ER</i>   | G         |                      |
| <i>isosorbide mononitrate</i>    | LCG       |                      |
| <i>isosorbide mononitrate ER</i> | LCG       |                      |
| <i>isradipine</i>                | G         |                      |
| <b>Ixinity</b>                   | NPD, SP   | PA                   |
| <b>Jantoven</b>                  | LCG       |                      |
| <b>Jivi</b>                      | NPD, SP   | PA                   |
| <b>Juxtapid</b>                  | NPD, SP   | PA                   |
| <b>Kaspargo</b>                  | NPD       | PA                   |
| <b>Katerzia Susp</b>             | NPD       | PA, AL               |
| <b>Koate-DVI</b>                 | NPD, SP   | PA                   |
| <b>Kogenate FS</b>               | PB, SP    | PA                   |
| <b>Kynamro</b>                   | NPD, SP   | PA                   |
| <i>labetalol HCl</i>             | G         |                      |
| <b>Lanoxin</b>                   | NPD       |                      |
| <b>Lasix</b>                     | NPD       |                      |
| <b>Lescol</b>                    | NPD       |                      |
| <b>Letairis</b>                  | NPD, SP   | PA                   |
| <b>Lipitor +</b>                 | NPD       | PA                   |
| <b>Lipofen</b>                   | NPD       |                      |
| <i>lisinopril</i>                | LCG       |                      |
| <i>lisinopril/HCTZ</i>           | LCG       |                      |
| <b>Livalo +</b>                  | NPD       | PA                   |
| <b>Lopid</b>                     | NPD       |                      |
| <b>Lopressor HCT</b>             | NPD       |                      |
| <i>losartan</i>                  | G         |                      |
| <i>losartan-HCTZ</i>             | G         |                      |
| <b>Lotensin</b>                  | NPD       |                      |
| <b>Lotrel</b>                    | NPD       |                      |
| <i>lovastatin</i>                | G         |                      |
| <b>Lovaza</b>                    | NPD       | PA                   |
| <b>Lovenox</b>                   | NPD       |                      |
| <b>Maxzide</b>                   | NPD       |                      |

**Bold type** = Brand Name Drug *Lower case italic* = Generic drug

**PA** = Prior Authorization **QL** = Quantity Limits Apply **SP** = Specialty Drug **AL** = Age Limit **LCG** = Low Cost Generic

**LDD** = Limited Distribution Drug **5DS** = Day Supply Limit **R** = Requires Rider **+** = PA for Selected NPD **NF** = Non Formulary

**G** = Generic **Q/T** = Quantity Over Time **PB** = Preferred Brand **NPD** = Non Preferred Drug **ACA** = \$0 Preventative Drug

**MME** = Morphine Milligram Equivalent

| DRUG NAME                           | DRUG TIER | REQUIREMENTS/LIMITS |
|-------------------------------------|-----------|---------------------|
| <i>methyldopa</i>                   | LCG       |                     |
| <i>metolazone</i>                   | G         |                     |
| <i>metoprolol succinate</i>         | LCG       |                     |
| <i>metoprolol tartrate</i>          | LCG       |                     |
| <i>metoprolol tartrate/HCT</i>      | LCG       |                     |
| <b>Mevacor</b>                      | NPD       |                     |
| <i>mexiletine HCl</i>               | G         |                     |
| <b>Micardis +</b>                   | NPD       | PA                  |
| <b>Micardis HCT +</b>               | NPD       | PA                  |
| <b>Microzide</b>                    | NPD       |                     |
| <b>Minipress</b>                    | NPD       |                     |
| <i>minitran</i>                     | LCG       |                     |
| <i>minoxidil</i>                    | LCG       |                     |
| <i>moexipril</i>                    | LCG       |                     |
| <i>moexipril/HCTZ</i>               | G         |                     |
| <b>Monoclate-P</b>                  | NPD, SP   | PA                  |
| <b>Mononine</b>                     | PB, SP    | PA                  |
| <b>Mulpleta</b>                     | NPD, SP   | PA                  |
| <b>Multaq</b>                       | PB        |                     |
| <i>nadolol</i>                      | G         |                     |
| <i>nadolol-bendroflume thiazide</i> | G         |                     |
| <b>Nexletol</b>                     | NPD       | PA                  |
| <b>Nexlizet</b>                     | NPD       | PA                  |
| <i>niacin ER</i>                    | G         |                     |
| <b>Niaspan</b>                      | NPD       |                     |
| <i>nicardipine</i>                  | G         |                     |
| <b>Nifedical XL</b>                 | G         |                     |
| <i>nifedipine</i>                   | G         |                     |
| <i>nifedipine ER</i>                | G         |                     |
| <i>nimodipine</i>                   | G         |                     |
| <i>nisoldipine ER</i>               | G         |                     |
| <b>Nitro-Bid</b>                    | PB        |                     |
| <b>Nitro-Dur</b>                    | NPD       |                     |
| <i>nitroglycerin ER</i>             | LCG       |                     |

| DRUG NAME                         | DRUG TIER | REQUIREMENTS/LIMITS |
|-----------------------------------|-----------|---------------------|
| <i>nitroglycerin patches</i>      | LCG       |                     |
| <i>nitroglycerin SL</i>           | LCG       |                     |
| <i>nitroglycerin spray</i>        | LCG       |                     |
| <b>Nitrolingual Spray</b>         | NPD       |                     |
| <b>Nitromist</b>                  | NPD       |                     |
| <b>Nitrostat SL</b>               | NPD       |                     |
| <b>Nocdurna SL</b>                | NPD       |                     |
| <b>Norpace</b>                    | NPD       |                     |
| <b>Northera</b>                   | NPD, SP   | PA                  |
| <b>Norvasc</b>                    | NPD       |                     |
| <b>Novoeight</b>                  | NPD, SP   | PA                  |
| <b>NovoSeven RT</b>               | NPD, SP   | PA                  |
| <b>Nuwiq</b>                      | NPD, SP   | PA                  |
| <b>Obizur</b>                     | NPD       | PA                  |
| <i>olmesartan medoxomil</i>       | G         |                     |
| <i>olmesartan/amlodipine/hctz</i> | G         |                     |
| <i>olmesartan/hctz</i>            | G         |                     |
| <i>omega-3 acid ethyl esters</i>  | G         |                     |
| <b>Opsumit</b>                    | NPD, SP   | PA                  |
| <b>Orenitram</b>                  | NPD, SP   | PA                  |
| <b>Pacerone</b>                   | G         |                     |
| <i>pentoxifylline ER</i>          | G         |                     |
| <i>perindopril</i>                | G         |                     |
| <b>Persantine</b>                 | NPD       |                     |
| <i>phenoxybenzamine hcl</i>       | G         | PA                  |
| <i>pindolol ER</i>                | G         |                     |
| <b>Plavix</b>                     | NPD       |                     |
| <b>Pradaxa</b>                    | PB        |                     |
| <b>Praluent</b>                   | PB        | PA                  |
| <i>prasugrel</i>                  | G         |                     |
| <b>Pravachol</b>                  | NPD       |                     |

**Bold type** = Brand Name Drug *Lower case italic* = Generic drug

**PA** = Prior Authorization **QL** = Quantity Limits Apply **SP** = Specialty Drug **AL** = Age Limit **LCG** = Low Cost Generic

**LDD** = Limited Distribution Drug **5DS** = Day Supply Limit **R** = Requires Rider **+** = PA for Selected NPD **NF** = Non Formulary

**G** = Generic **Q/T** = Quantity Over Time **PB** = Preferred Brand **NPD** = Non Preferred Drug **ACA** = \$0 Preventative Drug

**MME** = Morphine Milligram Equivalent

| DRUG NAME  | DRUG TIER | REQUIREMENTS/LIMITS |
|--|-----------|---------------------|
| <i>pravastatin</i>                               | G         |                     |
| <i>prazosin</i>                                  | G         |                     |
| <b>Prevalite</b>                                 | G         |                     |
| <b>Prinivil</b>                                  | NPD       | PA                  |
| <b>Procardia</b>                                 | NPD       |                     |
| <b>Procardia XL</b>                              | NPD       |                     |
| <b>Profilnine</b>                                | NPD, SP   | PA                  |
| <b>Promacta</b>                                  | NPD, SP   | PA                  |
| <i>propafenone</i>                               | G         |                     |
| <i>propafenone ER</i>                            | G         |                     |
| <i>propranolol</i>                               | LCG       |                     |
| <i>propranolol ER</i>                            | LCG       |                     |
| <i>propranolol/HCTZ</i>                          | G         |                     |
| <b>Qbrexelis</b>                                 | NPD       | AL                  |
| <b>Questran</b>                                  | NPD       |                     |
| <b>Questran Light</b>                            | NPD       |                     |
| <i>quinapril</i>                                 | LCG       |                     |
| <i>quinapril/HCTZ</i>                            | LCG       |                     |
| <i>ramipril</i>                                  | G         |                     |
| <b>Ranexa</b>                                    | NPD       |                     |
| <i>ranolazine tab ER</i>                         | G         |                     |
| <b>Rebinyn Soln</b>                              | NPD, SP   | PA                  |
| <b>Recombinate</b>                               | PB, SP    | PA                  |
| <b>Repatha</b>                                   | PB        | PA                  |
| <b>Revatio</b>                                   | NPD, SP   | PA                  |
| <b>Riastap</b>                                   | NPD       | PA                  |
| <b>Rixubis</b>                                   | NPD, SP   | PA                  |
| <i>rosuvastatin</i>                              | G         |                     |
| <b>Rythmol</b>                                   | NPD       |                     |
| <b>Rythmol SR</b>                                | NPD       |                     |
| <b>Samsca</b>                                    | NPD, SP   | PA, LDD             |
| <i>sildenafil citrate 20mg tab, 10mg/ml susp</i> | G, SP     | PA                  |
| <i>sildenafil citrate 25mg, 50mg, 100mg</i>      | G         | QL                  |

| DRUG NAME                              | DRUG TIER | REQUIREMENTS/LIMITS |
|--|-----------|---------------------|
| <i>simvastatin</i>                     | G         |                     |
| <i>simvastatin susp</i>                | NPD       | AL                  |
| <i>sotalol HCl</i>                     | G         |                     |
| <b>Sotylize soln</b>                   | NPD       |                     |
| <i>spironolactone</i>                  | LCG       |                     |
| <i>spironolactone/HCTZ</i>             | LCG       |                     |
| <b>Stimate</b>                         | NPD       |                     |
| <b>Sular</b>                           | NPD       |                     |
| <i>tadalafil (generic Adcirca)</i>     | G, SP     | PA                  |
| <i>tadalafil (generic Cialis)</i>      | G         | PA, QL              |
| <b>Tarka</b>                           | NPD       |                     |
| <b>Taztia XT</b>                       | LCG       |                     |
| <b>Tekturna/ Tekturna HCT +</b>        | NPD       | PA                  |
| <i>telmisartan</i>                     | G         |                     |
| <i>telmisartan-amlodipine</i>          | G         |                     |
| <i>telmisartan/hydrochlorothiazide</i> | G         |                     |
| <b>Tenoretic +</b>                     | NPD       | PA                  |
| <b>Tenormin +</b>                      | NPD       | PA                  |
| <i>tiadylt ER</i>                      | LCG       |                     |
| <b>Tiazac</b>                          | NPD       |                     |
| <i>ticlopidine HCl</i>                 | G         |                     |
| <b>Tikosyn</b>                         | NPD       |                     |
| <i>timolol</i>                         | LCG       |                     |
| <b>Toprol XL</b>                       | NPD       |                     |
| <i>toremide</i>                        | LCG       |                     |
| <b>Tracleer</b>                        | PB, SP    | PA, LDD             |
| <i>trandolapril</i>                    | G         |                     |
| <i>trandolapril/verapamil ER</i>       | G         |                     |
| <b>Tretten</b>                         | NPD, SP   | PA                  |
| <i>triamterene/HCTZ</i>                | LCG       |                     |

**Bold type** = Brand Name Drug *Lower case italic* = Generic drug

**PA** = Prior Authorization **QL** = Quantity Limits Apply **SP** = Specialty Drug **AL** = Age Limit **LCG** = Low Cost Generic **LDD** = Limited Distribution Drug **5DS** = Day Supply Limit **R** = Requires Rider **+** = PA for Selected NPD **NF** = Non Formulary **G** = Generic **Q/T** = Quantity Over Time **PB** = Preferred Brand **NPD** = Non Preferred Drug **ACA** = \$0 Preventative Drug **MME** = Morphine Milligram Equivalent

| DRUG NAME                                       | DRUG TIER | REQUIREMENTS/ LIMITS |
|---|-----------|----------------------|
| <i>triamterene cap</i>                          | G         |                      |
| <b>Tribenzor +</b>                              | NPD       | PA                   |
| <b>Tricor</b>                                   | NPD       |                      |
| <b>Trilipix</b>                                 | NPD       |                      |
| <b>Twynsta +</b>                                | NPD       | PA                   |
| <b>Tyvaso</b>                                   | NPD, SP   | PA                   |
| <b>Uptravi</b>                                  | NPD, SP   | PA                   |
| <i>valsartan</i>                                | G         |                      |
| <i>valsartan/<br/>hydrochloro-<br/>thiazide</i> | G         |                      |
| <b>Vascepa</b>                                  | NPD       | PA                   |
| <b>Vaseretic</b>                                | NPD       |                      |
| <b>Vasotec</b>                                  | NPD       | PA                   |
| <b>Vecamyl +</b>                                | G         | PA                   |
| <b>Ventavis</b>                                 | NPD, SP   | PA                   |
| <i>verapamil HCl</i>                            | G         |                      |
| <i>verapamil HCl<br/>ER</i>                     | G         |                      |
| <b>Verelan ER, PM</b>                           | LCG       |                      |
| <b>Vonvendi</b>                                 | NPD, SP   | PA                   |
| <b>Vyndaqel,<br/>Vyndamax</b>                   | NPD, SP   | PA                   |
| <b>Vytorin +</b>                                | NPD       | PA                   |
| <i>warfarin</i>                                 | LCG       |                      |
| <b>Welchol</b>                                  | NPD       |                      |
| <b>Wilate</b>                                   | NPD, SP   | PA                   |
| <b>Xarelto</b>                                  | PB        |                      |
| <b>Xyntha</b>                                   | PB, SP    | PA                   |
| <b>Zestoretic</b>                               | NPD       |                      |
| <b>Zestril</b>                                  | NPD       | PA                   |
| <b>Zetia</b>                                    | NPD       | PA                   |
| <b>Ziac</b>                                     | NPD       |                      |
| <b>Zocor</b>                                    | NPD       |                      |
| <b>Zypitamag</b>                                | NPD       | PA                   |
| SKIN MEDICATIONS                                |           |                      |
| <b>Absorica +</b>                               | NPD       | PA                   |

| DRUG NAME   | DRUG TIER | REQUIREMENTS/ LIMITS |
|---|-----------|----------------------|
| <b>Absorica LD</b>                                      | NPD       | PA                   |
| <b>Acanya +</b>   | NPD       | PA                   |
| <i>acitretin</i>  | G         |                      |
| <i>acyclovir</i>  | G         |                      |
| <b>Aczone +</b>   | NPD       | PA, AL               |
| <b>Adapalene<br/>0.1% lotion</b>                        | NPD       | AL                   |
| <i>adapalene<br/>0.1% soln</i>                          | G         | AL                   |
| <i>adapalene<br/>0.3% gel</i>                           | G         | AL                   |
| <i>adapalene cream</i>                                  | G         | AL                   |
| <i>adapalene-<br/>benzoyl-peroxide<br/>gel 0.1-2.5%</i> | G         | AL                   |
| <i>adapalene pad<br/>0.1%</i>                           | NPD       | PA, AL               |
| <b>Aklief Cream<br/>0.005%</b>                          | NPD       | PA, AL               |
| <b>Aktipak</b>  | NPD       | PA                   |
| <i>ala-cort cream</i>                                   | LCG       |                      |
| <i>alclometasone<br/>cream, ointment</i>                | G         |                      |
| <b>Aldara</b>   | NPD       |                      |
| <b>Altreno<br/>0.05% lotion</b>                         | NPD       | PA, AL               |
| <i>amcinonide</i>                                       | G         |                      |
| <i>anthralin</i>  | G         |                      |
| <b>ApexiCon E</b>                                       | NPD       | PA                   |
| <b>Arazlo lotion<br/>0.045%</b>                         | NPD       | PA                   |
| <b>Atralin +</b>  | NPD       | PA, AL               |
| <b>Avita</b>  | G         | AL                   |
| <i>azelaic acid gel<br/>15%</i>                         | G         |                      |
| <b>Azelex +</b>   | NPD       | PA                   |
| <b>Benzaclin +</b>                                      | NPD       | PA                   |
| <b>Benzamycin gel +</b>                                 | NPD       | PA                   |
| <b>Benzamycinpak +</b>                                  | NPD       | PA                   |

**Bold type** = Brand Name Drug    *Lower case italic* = Generic drug

**PA** = Prior Authorization    **QL** = Quantity Limits Apply    **SP** = Specialty Drug    **AL** = Age Limit    **LCG** = Low Cost Generic

**LDD** = Limited Distribution Drug    **5DS** = Day Supply Limit    **R** = Requires Rider    **+** = PA for Selected NPD    **NF** = Non Formulary

**G** = Generic    **Q/T** = Quantity Over Time    **PB** = Preferred Brand    **NPD** = Non Preferred Drug    **ACA** = \$0 Preventative Drug

**MME** = Morphine Milligram Equivalent

| DRUG NAME   | DRUG TIER | REQUIREMENTS/LIMITS |
|---|-----------|---------------------|
| <i>benzoyl peroxide/erythromycin</i>                          | G         |                     |
| <i>betamethasone dipropionate</i>                             | G         |                     |
| <i>betamethasone valerate</i>                                 | G         |                     |
| <i>betamethasone/clotrimazole</i>                             | G         |                     |
| <b>Bryhali lotion 0.01%</b>                                   | NPD       | PA                  |
| <i>calcipotriene cream</i>                                    | G         |                     |
| <i>calcipotriene foam</i>                                     | NPD       |                     |
| <i>calcipotriene-betamethasone dp oint</i>                    | G         |                     |
| <i>calcipotriene-betamethasone dp susp</i>                    | NPD       | PA                  |
| <i>calcitriol ointment</i>                                    | G         |                     |
| <b>Capex +</b>  | NPD       | PA                  |
| <b>Carac +</b>  | NPD       | PA                  |
| <i>ciclopirox 0.77% cream</i>                                 | G         |                     |
| <i>ciclopirox 8% solution</i>                                 | G         |                     |
| <i>ciclopirox cream, gel, shampoo, suspension</i>             | G         |                     |
| <b>Cleocin T +</b>  | NPD       | PA                  |
| <b>Clindagel +</b>  | NPD       | PA                  |
| <i>clindamycin, clindamycin-benzoyl peroxide gel [w/pump]</i> | G         |                     |
| <i>clindamycin/benzoyl peroxide 1-5%</i>                      | NPD       | PA                  |

| DRUG NAME                                   | DRUG TIER | REQUIREMENTS/LIMITS |
|---|-----------|---------------------|
| <i>clindamycin/tretinoin gel</i>            | G         | AL                  |
| <i>clobetasol cream, ointment, solution</i> | G         |                     |
| <b>Clobex +</b>                             | NPD       | PA                  |
| <i>clocortolone pivalate</i>                | NPD       | PA                  |
| <i>clodan</i>                               | G         |                     |
| <b>Cloderm +</b>                            | NPD       | PA                  |
| <b>Condylox</b>                             | NPD       |                     |
| <b>Cordran +</b>                            | NPD       | PA                  |
| <b>Cosentyx</b>                             | NPD, SP   | PA                  |
| <b>Crotan lotion</b>                        | G         |                     |
| <b>Cutivate +</b>                           | NPD       | PA                  |
| <i>dapsone gel 5%</i>                       | G         | AL                  |
| <i>dapsone gel 7.5%</i>                     | NPD       | PA, AL              |
| <b>Denavir</b>                              | NPD       | QL                  |
| <b>Derma-Smoothe FS +</b>                   | NPD       | PA                  |
| <b>Dermatop</b>                             | NPD       |                     |
| <b>Desonate +</b>                           | NPD       | PA                  |
| <b>Desowen +</b>                            | NPD       | PA                  |
| <i>desoximetasone cream, gel, ointment</i>  | G         |                     |
| <i>diclofenac 3% gel</i>                    | G         | PA                  |
| <b>Differin + 0.1% cream</b>                | NPD       | PA, AL              |
| <b>Differin + 0.1% lotion</b>               | NPD       | PA, AL              |
| <b>Differin + 0.3% gel</b>                  | NPD       | PA, AL              |
| <i>diflorasone diacetate</i>                | NPD       | PA                  |
| <b>Diprolene, Diprolene AF</b>              | NPD       |                     |
| <b>Dovonex cream</b>                        | NPD       |                     |

**Bold type** = Brand Name Drug    *Lower case italic* = Generic drug

**PA** = Prior Authorization    **QL** = Quantity Limits Apply    **SP** = Specialty Drug    **AL** = Age Limit    **LCG** = Low Cost Generic  
**LDD** = Limited Distribution Drug    **5DS** = Day Supply Limit    **R** = Requires Rider    **+** = PA for Selected NPD    **NF** = Non Formulary  
**G** = Generic    **Q/T** = Quantity Over Time    **PB** = Preferred Brand    **NPD** = Non Preferred Drug    **ACA** = \$0 Preventative Drug  
**MME** = Morphine Milligram Equivalent

| DRUG NAME                                     | DRUG TIER | REQUIREMENTS/ LIMITS |
|---|-----------|----------------------|
| <i>doxepin cream 5%</i>                       | G         | QL                   |
| <b>Duac +</b>                                 | NPD       | PA                   |
| <b>Duobrii Lotion +</b>                       | NPD       | PA                   |
| <b>Dupixent</b>                               | PB, SP    | PA                   |
| <i>econazole</i>                              | G         |                      |
| <b>Ecoza +</b>                                | NPD       | PA                   |
| <b>Efudex cream</b>                           | NPD, SP   |                      |
| <b>Elidel</b>                                 | NPD       | PA                   |
| <b>Elimite</b>                                | NPD       |                      |
| <b>Elocon</b>                                 | NPD       |                      |
| <b>Enstilar +</b>                             | NPD       | PA                   |
| <b>Epiduo</b>                                 | NPD       | AL                   |
| <b>Epiduo Forte gel</b>                       | PB        | AL                   |
| <b>Ertaczo +</b>                              | NPD       | PA                   |
| <b>Erygel</b>                                 | NPD       |                      |
| <i>erythromycin gel, soln, swabs</i>          | G         |                      |
| <b>Eucrisa</b>                                | PB        | PA                   |
| <b>Eurax Lotion</b>                           | NPD       |                      |
| <b>Evoclin +</b>                              | NPD       | PA                   |
| <b>Exelderm +</b>                             | NPD       | PA                   |
| <b>Extina +</b>                               | NPD       | PA                   |
| <b>Fabior</b>                                 | NPD       | AL                   |
| <b>Fasenra</b>                                | PB, SP    | PA                   |
| <b>Finacea</b>                                | NPD       | PA                   |
| <i>fluocinolone acetonide cream, sol, oil</i> | G         |                      |
| <i>fluocinonide gel, ointment</i>             | G         |                      |
| <b>Fluorouracil cream 0.5%</b>                | PB        |                      |
| <i>fluorouracil solution 2%</i>               | G, SP     |                      |
| <i>flurandrenolide cream, lotn, oint</i>      | NPD       | PA                   |

| DRUG NAME                                 | DRUG TIER | REQUIREMENTS/ LIMITS |
|---|-----------|----------------------|
| <i>fluticasone propionate</i>             | G         |                      |
| <i>gentamicin topical cream, ointment</i> | G         |                      |
| <i>halcinonide cream 0.1%</i>             | G         |                      |
| <i>halobetasol propionate</i>             | G         |                      |
| <i>halobetasol propionate foam 0.05%</i>  | NPD       | PA                   |
| <b>Hallog +</b>                           | NPD       | PA                   |
| <i>hydrocortisone 2.5%</i>                | LCG       |                      |
| <i>hydrocortisone butyrate 0.1%</i>       | G         |                      |
| <i>hydrocortisone lot 0.1%</i>            | LCG       |                      |
| <i>hydrocortisone butyrate/emoll</i>      | G         |                      |
| <i>hydrocortisone supp</i>                | G         |                      |
| <i>hydrocortisone valerate 0.2%</i>       | G         |                      |
| <i>hydrocortisone/lidocaine HCl</i>       | G         |                      |
| <i>imiquimod cream</i>                    | G         |                      |
| <b>Imiquimod Cream 3.75% Pump</b>         | NPD       |                      |
| <b>Impoyz Cream 0.025%</b>                | NPD       |                      |
| <i>isotretinoin</i>                       | G         |                      |
| <b>Jublia</b>                             | NPD       | PA                   |
| <b>Kenalog Spray +</b>                    | NPD       | PA                   |
| <b>Kerydin</b>                            | NPD       | PA                   |
| <i>ketoconazole cream</i>                 | G         |                      |

**Bold type** = Brand Name Drug *Lower case italic* = Generic drug

**PA** = Prior Authorization **QL** = Quantity Limits Apply **SP** = Specialty Drug **AL** = Age Limit **LCG** = Low Cost Generic

**LDD** = Limited Distribution Drug **5DS** = Day Supply Limit **R** = Requires Rider **+** = PA for Selected NPD **NF** = Non Formulary

**G** = Generic **Q/T** = Quantity Over Time **PB** = Preferred Brand **NPD** = Non Preferred Drug **ACA** = \$0 Preventative Drug

**MME** = Morphine Milligram Equivalent

| DRUG NAME                                   | DRUG TIER | REQUIREMENTS/ LIMITS |
|---|-----------|----------------------|
| <i>ketoconazole shampoo</i>                 | G         |                      |
| <b>Klaron</b>                               | NPD       |                      |
| <b>Lexette Foam 0.05%</b>                   | NPD       | PA                   |
| <i>lidocaine patch 5%</i>                   | G         |                      |
| <i>lidocaine solution, gel, ointment</i>    | G         |                      |
| <b>Lidoderm +</b>                           | NPD       | PA                   |
| <b>Locoid +</b>                             | NPD       | PA                   |
| <b>Locoid Lipocream +</b>                   | NPD       | PA                   |
| <b>Loprox +</b>                             | NPD       | PA                   |
| <b>Lotrisone</b>                            | NPD       |                      |
| <b>Luxiq +</b>                              | NPD       | PA                   |
| <b>Luzu +</b>                               | NPD       | PA                   |
| <i>malathion lotion</i>                     | G         |                      |
| <i>methoxsalen</i>                          | G         |                      |
| <b>MetroCream</b>                           | NPD       |                      |
| <b>MetroGel</b>                             | NPD       |                      |
| <b>MetroLotion</b>                          | NPD       |                      |
| <i>metronidazole cream, lotion, gel</i>     | G         |                      |
| <i>miconazole-zinc ointment</i>             | NPD       | PA                   |
| <b>Mirvaso</b>                              | PB        |                      |
| <i>mometasone cream, ointment, solution</i> | LCG       |                      |
| <i>mupirocin cream, ointment</i>            | G         |                      |
| <i>naftifine cream, gel</i>                 | G         |                      |
| <b>Naftin</b>                               | NPD       |                      |
| <b>Natroba</b>                              | NPD       |                      |
| <b>Nizoral shampoo</b>                      | NPD       |                      |
| <b>Noritate</b>                             | NPD       | PA                   |

| DRUG NAME                                      | DRUG TIER | REQUIREMENTS/ LIMITS |
|--|-----------|----------------------|
| <i>nystatin/ triamcinolone cream, ointment</i> | G         |                      |
| <b>Olux [E] +</b>                              | NPD       | PA                   |
| <b>Onexton +</b>                               | NPD       | PA                   |
| <b>Ovide</b>                                   | NPD       |                      |
| <i>oxiconazole nitrate +</i>                   | NPD       | PA                   |
| <b>Oxistat +</b>                               | NPD       | PA                   |
| <b>Oxsoralen Ultra</b>                         | NPD       |                      |
| <b>Pandel +</b>                                | NPD       | PA                   |
| <b>Penlac</b>                                  | NPD       | PA                   |
| <i>permethrin</i>                              | G         |                      |
| <i>pimecrolimus cre 1%</i>                     | G         |                      |
| <i>podofilox soln</i>                          | G         |                      |
| <i>prednicarbate ointment</i>                  | G         |                      |
| <i>prilocaine/ lidocaine</i>                   | G         |                      |
| <b>Proctofoam HC</b>                           | PB        |                      |
| <b>Prudoxin cream 5%</b>                       | NPD       | QL                   |
| <b>Qbrexza Pad 2.4%</b>                        | NPD       | PA, QL               |
| <b>Retin-A +</b>                               | NPD       | PA, AL               |
| <b>Retin-A Micro +</b>                         | NPD       | PA, AL               |
| <b>Rhofade 1% cream</b>                        | NPD       | PA                   |
| <b>Sernivo</b>                                 | NPD       | PA                   |
| <b>Siliq</b>                                   | NPD, SP   | PA                   |
| <b>Silvadene</b>                               | NPD       |                      |
| <i>silver sulfadiazine</i>                     | LCG       |                      |
| <b>Skyrizi Inj</b>                             | PB, SP    | PA                   |
| <i>sodium sulfacetamide suspension</i>         | G         |                      |
| <b>Solaraze</b>                                | NPD       | PA                   |

**Bold type** = Brand Name Drug    *Lower case italic* = Generic drug

**PA** = Prior Authorization    **QL** = Quantity Limits Apply    **SP** = Specialty Drug    **AL** = Age Limit    **LCG** = Low Cost Generic  
**LDD** = Limited Distribution Drug    **5DS** = Day Supply Limit    **R** = Requires Rider    **+** = PA for Selected NPD    **NF** = Non Formulary  
**G** = Generic    **Q/T** = Quantity Over Time    **PB** = Preferred Brand    **NPD** = Non Preferred Drug    **ACA** = \$0 Preventative Drug  
**MME** = Morphine Milligram Equivalent



| DRUG NAME                         | DRUG TIER | REQUIREMENTS/LIMITS |
|-----------------------------------|-----------|---------------------|
| <b>Soolantra</b>                  | PB        |                     |
| <b>Soriatane</b>                  | NPD       |                     |
| <i>spinosad</i>                   | G         |                     |
| <i>sulconazole cream/solution</i> | NPD       | PA                  |
| <b>Sulfamylon</b>                 | NPD       |                     |
| <b>Synalar +</b>                  | NPD       | PA                  |
| <b>Taclonex +</b>                 | NPD       | PA                  |
| <b>Taltz Autoinjector</b>         | NPD, SP   | PA                  |
| <b>Targretin gel</b>              | PB        | PA                  |
| <i>tazarotene cream 0.1%</i>      | G         | AL                  |
| <b>Tazorac cream 0.1%</b>         | NPD       | AL                  |
| <b>Temovate</b>                   | NPD       |                     |
| <b>Topicort +</b>                 | NPD       | PA                  |
| <b>Tremfya</b>                    | PB, SP    | PA                  |
| <i>tretinoin gel, cream</i>       | G         | AL                  |
| <i>tretinoin microspheres gel</i> | NPD       | AL                  |
| <i>triamcinolone acetamide</i>    | LCG       |                     |
| <i>triamcinolone oint 0.05%</i>   | NPD       | PA                  |
| <b>Triamex</b>                    | NPD       | PA                  |
| <i>triderm cream</i>              | LCG       |                     |
| <b>Ultravate +</b>                | NPD       | PA                  |
| <b>Vectical</b>                   | NPD       |                     |
| <b>Veltin +</b>                   | NPD       | PA, AL              |
| <b>Verdeso +</b>                  | NPD       | PA                  |
| <b>Vusion +</b>                   | NPD       | PA                  |
| <b>Xolegel +</b>                  | NPD       | PA                  |
| <b>Ziana</b>                      | NPD       | PA, AL              |
| <b>Zonalon cream 5%</b>           | NPD       | QL                  |

| DRUG NAME            | DRUG TIER | REQUIREMENTS/LIMITS |
|----------------------|-----------|---------------------|
| <b>Zovirax cream</b> | NPD       | QL                  |
| <b>Zovirax oint</b>  | NPD       |                     |
| <b>Ztlido Patch</b>  | NPD       | PA, QL              |

### EAR, NOSE, THROAT MEDICATIONS

|  |         |    |
|--|---------|----|
| <i>acetasol HC, acetic acid HC otic</i>        | LCG     |    |
| <i>azelastine</i>                              | G       |    |
| <b>Bactroban nasal oint</b>                    | PB      |    |
| <b>Cetraxal</b>                                | NPD     |    |
| <i>cevimeline hcl</i>                          | G       |    |
| <b>Ciprodex</b>                                | PB      |    |
| <i>ciprofloxacin</i>                           | LCG     |    |
| <i>ciprofloxacin-fluocinolone PF otic soln</i> | NPD     |    |
| <i>cortane B otic drops</i>                    | G       |    |
| <b>Dermotic</b>                                | NPD     |    |
| <b>Evoxac</b>                                  | NPD     |    |
| <i>fluocinolone acetamide oil</i>              | G       |    |
| <i>mometasone furoate nasal spray</i>          | G       | PA |
| <b>Nasonex</b>                                 | NPD     | PA |
| <i>neomycin/polymyxin/hydrocortisone</i>       | LCG     |    |
| <i>ofloxacin otic</i>                          | LCG     |    |
| <i>olopatadine</i>                             | G       |    |
| <b>Omnaris</b>                                 | NPD     | PA |
| <b>Patanase</b>                                | NPD     |    |
| <i>pilocarpine HCl</i>                         | G       |    |
| <b>Qnasl</b>                                   | NPD     | PA |
| <i>ribavirin</i>                               | G, SP   |    |
| <b>Salagen</b>                                 | NPD     |    |
| <b>Virazole</b>                                | NPD, SP |    |

**Bold type** = Brand Name Drug *Lower case italic* = Generic drug

**PA** = Prior Authorization **QL** = Quantity Limits Apply **SP** = Specialty Drug **AL** = Age Limit **LCG** = Low Cost Generic

**LDD** = Limited Distribution Drug **5DS** = Day Supply Limit **R** = Requires Rider **+** = PA for Selected NPD **NF** = Non Formulary

**G** = Generic **Q/T** = Quantity Over Time **PB** = Preferred Brand **NPD** = Non Preferred Drug **ACA** = \$0 Preventative Drug

**MME** = Morphine Milligram Equivalent

| DRUG NAME  | DRUG TIER | REQUIREMENTS/LIMITS |
|--|-----------|---------------------|
| <b>Xhance</b>  | NPD       | PA                  |
| <b>Zetonna</b>   | NPD       | PA                  |
| <b>DIABETES, THYROID, STEROIDS, &amp; OTHER MISCELLANEOUS HORMONES</b> |           |                     |
| <i>acarbose</i>  | G         |                     |
| <b>Actos</b>   | NPD       |                     |
| <b>Adlyxin +</b>   | NPD       | PA                  |
| <b>Admelog</b>   | NPD       | PA, QL              |
| <b>Afrezza</b>   | NPD       | PA                  |
| <b>Alogliptin benz/metformin hcl</b>                                   | PB        |                     |
| <b>Alogliptin benz/pioglitazone</b>                                    | PB        |                     |
| <b>Alogliptin benzoate</b>   | PB        |                     |
| <b>Amaryl</b>  | NPD       |                     |
| <b>Androderm patch</b>   | NPD       | PA                  |
| <b>Androgel 1.62% Packet, Pump</b>                                     | NPD       | PA                  |
| <b>Androgel 1%</b>   | NPD       | PA                  |
| <b>Apidra</b>  | NPD       | PA, QL              |
| <b>Aveed Soln</b>  | NPD       | PA                  |
| <b>Axiron</b>  | NPD       | PA                  |
| <b>Baqsimi</b>   | PB        |                     |
| <b>Basaglar +</b>  | NPD       | PA, QL              |
| <b>Breeze2 Glucometer</b>  | PB        | PA, QL              |
| <b>Breeze2 Test Strips</b>   | NPD       | PA, QL              |
| <b>Bydureon</b>  | PB        |                     |
| <b>Byetta</b>  | PB        |                     |
| <i>calcitriol capsules</i>   | G         |                     |
| <b>Carnitor</b>  | NPD       |                     |
| <b>Cetrotide Kit</b>   | NPD, SP   | R                   |
| <i>cinacalcet</i>  | G         |                     |
| <b>Contour Glucometer</b>  | PB        | PA, QL              |

| DRUG NAME   | DRUG TIER | REQUIREMENTS/LIMITS |
|---|-----------|---------------------|
| <b>Contour Next Test Strips</b>                             | NPD       | PA, QL              |
| <b>Contour Test Strips</b>                                  | NPD       | PA, QL              |
| <b>Cortef</b>   | NPD       |                     |
| <b>Cytomel</b>  | NPD       |                     |
| <i>danazol</i>  | G         |                     |
| <b>DDAVP +</b>  | NPD       | PA                  |
| <b>Delatestryl</b>  | NPD       | PA                  |
| <b>Depo-Testosterone</b>                                    | NPD       | PA                  |
| <i>desmopressin acetate</i>                                 | G         |                     |
| <b>Dexabliss tab 1.5mg</b>                                  | NPD       |                     |
| <i>dexamethasone</i>  | G         |                     |
| <i>dexamethasone tablet 6-day, 10-day, 13-day</i>           | G         |                     |
| <b>Dexcom Continuous Glucose Monitor Receiver</b>           | NPD       | PA                  |
| <b>Dexcom Continuous Glucose Monitor Transmitter</b>        | NPD       | PA                  |
| <b>Dexcom Continuous Glucose Monitor G6, G5, G4 Sensors</b> | NPD       | PA                  |
| <b>Dexpak pak 10-day, 13-day</b>                            | NPD       |                     |
| <i>diazoxide suspension 50mg/ml</i>                         | G         |                     |
| <i>doxercalciferol</i>                                      | G         |                     |
| <b>Duetact</b>  | NPD       |                     |
| <b>Dxevo 11-day Pak 1.5mg</b>                               | NPD       |                     |

**Bold type** = Brand Name Drug *Lower case italic* = Generic drug

**PA** = Prior Authorization **QL** = Quantity Limits Apply **SP** = Specialty Drug **AL** = Age Limit **LCG** = Low Cost Generic  
**LDD** = Limited Distribution Drug **5DS** = Day Supply Limit **R** = Requires Rider **+** = PA for Selected NPD **NF** = Non Formulary  
**G** = Generic **Q/T** = Quantity Over Time **PB** = Preferred Brand **NPD** = Non Preferred Drug **ACA** = \$0 Preventative Drug  
**MME** = Morphine Milligram Equivalent

| DRUG NAME                             | DRUG TIER | REQUIREMENTS/ LIMITS |
|---------------------------------------|-----------|----------------------|
| <b>Emflaza</b>                        | NPD       | PA                   |
| <i>euthyrox</i>                       | LCG       |                      |
| <b>Farxiga</b>                        | PB        |                      |
| <b>Fiasp</b>                          | NPD       | QL                   |
| <i>fludrocortisone acetate</i>        | LCG       |                      |
| <b>Fortamet +</b>                     | NPD       | PA                   |
| <b>Forteo</b>                         | NPD, SP   | PA, Q/T              |
| <b>Fortesta</b>                       | NPD       | PA                   |
| <b>Freestyle Glucometer</b>           | PB        | PA, QL               |
| <b>Freestyle InsuLinx Test Strips</b> | NPD       | PA, QL               |
| <b>Freestyle Lite Test Strips</b>     | NPD       | PA, QL               |
| <b>Freestyle Test Strips</b>          | NPD       | PA, QL               |
| <b>Genotropin</b>                     | NPD, SP   | PA                   |
| <i>glimepiride</i>                    | LCG       |                      |
| <i>glipizide</i>                      | LCG       |                      |
| <i>glipizide ER</i>                   | LCG       |                      |
| <i>glipizide XL</i>                   | LCG       |                      |
| <b>Glucagen Inj Hypokit</b>           | NPD       | PA                   |
| <b>Glucagon Emergency Kit</b>         | PB        |                      |
| <b>Glucophage</b>                     | NPD       |                      |
| <b>Glucophage XR</b>                  | NPD       |                      |
| <b>Glucotrol</b>                      | NPD       |                      |
| <b>Glucotrol XL</b>                   | NPD       |                      |
| <b>Glucovance</b>                     | NPD       |                      |
| <i>glyburide</i>                      | LCG       |                      |
| <i>glyburide micronized</i>           | LCG       |                      |
| <b>Glynase</b>                        | NPD       |                      |
| <b>Glyset</b>                         | NPD       |                      |
| <b>Glyxambi</b>                       | PB        |                      |
| <b>Gvoke hypo inj</b>                 | PB        |                      |
| <b>Gvoke PFS inj</b>                  | PB        |                      |

| DRUG NAME                                    | DRUG TIER | REQUIREMENTS/ LIMITS |
|--|-----------|----------------------|
| <b>Hectorol</b>                              | NPD       |                      |
| <b>Humalog +</b>                             | NPD       | PA, QL               |
| <b>Humatrope</b>                             | NPD, SP   | PA                   |
| <b>Humulin +</b>                             | NPD       | PA, QL               |
| <i>hydrocortisone</i>                        | LCG       |                      |
| <b>Increlex</b>                              | NPD, SP   | PA, LDD              |
| <i>insulin aspart inj +</i>                  | NPD       | PA, QL               |
| <i>insulin aspart protamin inj flexpen +</i> | NPD       | PA, QL               |
| <i>insulin lispro 100 units/ml +</i>         | NPD       | PA, QL               |
| <i>insulin lispro inj junior +</i>           | NPD       | PA, QL               |
| <i>insulin lispro inj protamin+</i>          | NPD       | PA, QL               |
| <b>Invokamet [XR]</b>                        | NPD       | PA                   |
| <b>Invokana</b>                              | NPD       | PA                   |
| <b>Janumet</b>                               | PB        |                      |
| <b>Janumet XR</b>                            | PB        |                      |
| <b>Januvia</b>                               | PB        |                      |
| <b>Jardiance</b>                             | PB        |                      |
| <b>Jatenzo</b>                               | NPD       | PA                   |
| <b>Jentadueto tablet +</b>                   | NPD       | PA                   |
| <b>Jentadueto XR</b>                         | NPD       | PA                   |
| <b>Kazano tablet +</b>                       | NPD       | PA                   |
| <b>Kombiglyze XR</b>                         | PB        |                      |
| <b>Korlym tablet</b>                         | NPD, SP   | PA                   |
| <b>Lantus</b>                                | PB        | QL                   |
| <b>Levemir +</b>                             | NPD       | PA, QL, AL           |
| <i>levocarnitine</i>                         | G         |                      |
| <i>levothyroxine</i>                         | LCG       |                      |
| <b>Levoxyl</b>                               | LCG       |                      |
| <i>liothyronine</i>                          | G         |                      |

**Bold type** = Brand Name Drug *Lower case italic* = Generic drug

**PA** = Prior Authorization **QL** = Quantity Limits Apply **SP** = Specialty Drug **AL** = Age Limit **LCG** = Low Cost Generic **LDD** = Limited Distribution Drug **SDS** = Day Supply Limit **R** = Requires Rider **+** = PA for Selected NPD **NF** = Non Formulary **G** = Generic **Q/T** = Quantity Over Time **PB** = Preferred Brand **NPD** = Non Preferred Drug **ACA** = \$0 Preventative Drug **MME** = Morphine Milligram Equivalent

| DRUG NAME  | DRUG TIER | REQUIREMENTS/ LIMITS |
|--|-----------|----------------------|
| <b>Medtronic Continuous Glucose Monitor Receiver</b>                         | NPD       | PA                   |
| <b>Medtronic Continuous Glucose Monitor Guardian Transmitter</b>             | NPD       | PA                   |
| <b>Medtronic Continuous Glucose Monitor Enlite, MiniMed Guardian Sensors</b> | NPD       | PA                   |
| <b>Medrol</b>  | NPD       |                      |
| <i>metformin</i>   | G         |                      |
| <i>metformin ER (generic for Glucophage XR)</i>                              | G         |                      |
| <i>metformin HCL 500mg/5ml soln</i>  | NPD       |                      |
| <i>metformin/ glyburide</i>  | G         |                      |
| <i>methimazole</i>   | LCG       |                      |
| <i>methylpred-nisolone</i>   | LCG       |                      |
| <i>methyltest-osterone</i>   | G         | PA                   |
| <i>miglitol</i>  | G         |                      |
| <b>Millipred</b>   | NPD       |                      |
| <b>Myalept</b>   | NPD, SP   | PA                   |
| <i>nateglinide</i>   | G         |                      |
| <b>Natesto</b>   | NPD       | PA                   |
| <b>Natpara</b>   | NPD, SP   | PA                   |
| <b>Nesina tablet +</b>   | NPD       | PA                   |
| <b>Noctiva Emulsion</b>  | NPD       |                      |

| DRUG NAME                            | DRUG TIER | REQUIREMENTS/ LIMITS |
|--------------------------------------|-----------|----------------------|
| <b>Non Preferred Diabetic Meters</b> | PB        | PA, QL               |
| <b>Norditropin</b>                   | PB, SP    | PA                   |
| <b>Novolin</b>                       | PB        | QL                   |
| <b>Novolin R</b>                     | PB        | QL                   |
| <b>Novolog</b>                       | PB        | QL                   |
| <b>Nutropin AQ</b>                   | PB, SP    | PA                   |
| <b>Omnitrope</b>                     | NPD, SP   | PA                   |
| <b>One Touch Glucometer</b>          | PB        | QL                   |
| <b>One Touch Test Strips</b>         | PB        | QL                   |
| <b>Onglyza</b>                       | PB        |                      |
| <b>Orapred ODT</b>                   | NPD       |                      |
| <b>Orilissa</b>                      | NPD       | PA, QL               |
| <b>Oseni +</b>                       | NPD       | PA                   |
| <b>Oxandrin</b>                      | NPD       |                      |
| <i>oxandrolone</i>                   | G         |                      |
| <b>Ozempic</b>                       | PB        |                      |
| <i>paricalcitol</i>                  | G         |                      |
| <i>pioglitazone</i>                  | G         |                      |
| <i>pioglitazone/ glimepiride</i>     | G         |                      |
| <b>Prandin</b>                       | NPD       |                      |
| <b>Precision Glucometer</b>          | PB        | PA, QL               |
| <b>Precision XTRA Test Strips</b>    | NPD       | PA, QL               |
| <b>Precose</b>                       | NPD       |                      |
| <i>prednisolone</i>                  | G         |                      |
| <b>Prelone</b>                       | NPD       |                      |
| <b>Procysbi</b>                      | NPD, SP   | PA                   |
| <i>propylthiouracil</i>              | LCG       |                      |
| <b>Qtern</b>                         | NPD       | PA                   |
| <b>Rayos</b>                         | NPD       | PA                   |
| <b>Regranex gel</b>                  | NPD       | PA                   |
| <i>repaglinide</i>                   | G         |                      |

**Bold type** = Brand Name Drug *Lower case italic* = Generic drug

**PA** = Prior Authorization **QL** = Quantity Limits Apply **SP** = Specialty Drug **AL** = Age Limit **LCG** = Low Cost Generic **LDD** = Limited Distribution Drug **SDS** = Day Supply Limit **R** = Requires Rider **+** = PA for Selected NPD **NF** = Non Formulary **G** = Generic **Q/T** = Quantity Over Time **PB** = Preferred Brand **NPD** = Non Preferred Drug **ACA** = \$0 Preventative Drug **MME** = Morphine Milligram Equivalent

| DRUG NAME                              | DRUG TIER | REQUIREMENTS/LIMITS |
|--|-----------|---------------------|
| <b>Rocaltrol capsules</b>              | NPD       |                     |
| <b>Rybelsus</b>                        | PB        | QL                  |
| <b>Saizen</b>                          | NPD, SP   | PA                  |
| <b>Segluromet</b>                      | NPD       | PA                  |
| <b>Sensipar</b>                        | NPD       |                     |
| <b>Serostim</b>                        | NPD, SP   | PA, LDD             |
| <b>Signifor</b>                        | NPD, SP   | PA                  |
| <b>Soliqua +</b>                       | PB        | PA                  |
| <b>Somavert</b>                        | NPD, SP   |                     |
| <b>Starlix</b>                         | NPD       |                     |
| <b>Steglatro</b>                       | NPD       | PA                  |
| <b>Steglujan</b>                       | NPD       | PA                  |
| <b>Striant buccal system</b>           | NPD       | PA                  |
| <b>Symlin +</b>                        | PB        | PA                  |
| <b>Synjardy</b>                        | PB        |                     |
| <b>Synjardy XR</b>                     | PB        |                     |
| <b>Synthroid</b>                       | NPD       |                     |
| <b>Tanzeum +</b>                       | NPD       | PA                  |
| <b>Tapazole</b>                        | NPD       |                     |
| <b>Teriparatide inj</b>                | NPD, SP   | PA, 5DS             |
| <b>Testim Gel</b>                      | NPD       | PA                  |
| <i>testosterone cypionate solution</i> | G         | PA                  |
| <i>testosterone gel 10mg/act (2%)</i>  | G         | PA                  |
| <i>testosterone gel 1%, 1.62%</i>      | G         | PA                  |
| <i>testosterone solution 30mg/act</i>  | G         | PA                  |
| <b>Tirosint</b>                        | NPD       | PA                  |
| <i>tolbutamide</i>                     | G         |                     |
| <b>Toujeo Solostar</b>                 | PB        | QL                  |
| <b>Tradjenta tablet +</b>              | NPD       | PA                  |
| <b>Tresiba +</b>                       | NPD       | PA, QL, AL          |
| <b>Trijardy XR</b>                     | PB        |                     |

| DRUG NAME                     | DRUG TIER | REQUIREMENTS/LIMITS |
|-------------------------------|-----------|---------------------|
| <b>Trulicity</b>              | PB        |                     |
| <b>Tymlos</b>                 | NPD, SP   | PA, Q/T             |
| <b>Uceris</b>                 | NPD       |                     |
| <b>Unithroid</b>              | LCG       |                     |
| <b>Veripred soln 20mg/5ml</b> | NPD       |                     |
| <b>Victoza</b>                | PB        |                     |
| <b>Vogelxo</b>                | NPD       | PA                  |
| <b>Xigduo XR</b>              | PB        |                     |
| <b>Xultophy +</b>             | NPD       | PA                  |
| <b>Xyosted Soln</b>           | NPD       | PA                  |
| <b>Zemplar</b>                | NPD       |                     |
| <b>Zomacton</b>               | NPD, SP   | PA                  |

### STOMACH, ULCER, & BOWEL MEDS

|   |         |            |
|---|---------|------------|
| <b>Aciphex</b>                          | NPD     | PA, QL     |
| <b>Aciphex Sprinkle</b>                 | NPD     | PA, QL, AL |
| <b>Actigall</b>                         | NPD     |            |
| <b>Amitiza +</b>                        | NPD     | PA         |
| <i>amoxicill-clarithro-lansoprazole</i> | G       |            |
| <b>Ampyra</b>                           | NPD, SP | PA, QL     |
| <b>Anusol-HC cream</b>                  | NPD     |            |
| <i>aprepitant</i>                       | G       | QL         |
| <b>Asacol HD</b>                        | NPD     | PA         |
| <b>Azulfidine</b>                       | NPD     |            |
| <i>balsalazide</i>                      | G       |            |
| <b>Bentyl</b>                           | NPD     |            |
| <b>Bonjesta</b>                         | NPD     | PA         |
| <i>budesonide ER tab</i>                | G       |            |
| <b>Canasa supp</b>                      | NPD     |            |
| <b>Carafate susp</b>                    | PB      |            |
| <b>Carafate tabs</b>                    | NPD     |            |
| <b>Chenodal</b>                         | NPD, SP |            |

**Bold type** = Brand Name Drug *Lower case italic* = Generic drug

**PA** = Prior Authorization **QL** = Quantity Limits Apply **SP** = Specialty Drug **AL** = Age Limit **LCG** = Low Cost Generic **LDD** = Limited Distribution Drug **5DS** = Day Supply Limit **R** = Requires Rider **+** = PA for Selected NPD **NF** = Non Formulary **G** = Generic **Q/T** = Quantity Over Time **PB** = Preferred Brand **NPD** = Non Preferred Drug **ACA** = \$0 Preventative Drug **MME** = Morphine Milligram Equivalent

| DRUG NAME                              | DRUG TIER | REQUIREMENTS/LIMITS |
|--|-----------|---------------------|
| <i>chlordiazepoxide/clidinium</i>      | G         |                     |
| <b>Cholbam</b>                         | NPD, SP   | PA                  |
| <i>cimetidine</i>                      | G         |                     |
| <b>Clenpiq Soln</b>                    | NPD       |                     |
| <b>Colazal</b>                         | NPD       |                     |
| <b>Colocort</b>                        | NPD       |                     |
| <b>Creon</b>                           | PB        |                     |
| <i>cromolyn sodium solution</i>        | G         |                     |
| <b>Cytotec</b>                         | NPD       |                     |
| <b>Delzicol</b>                        | NPD       |                     |
| <b>Dexilant</b>                        | NPD       | PA, QL              |
| <b>Diclegis</b>                        | NPD       | PA                  |
| <i>dicyclomine</i>                     | LCG       |                     |
| <i>diphenoxylate HCl/atropine</i>      | G         |                     |
| <i>doxylamine-pyridoxine</i>           | G         | PA                  |
| <i>dronabinol</i>                      | G         |                     |
| <b>Emend</b>                           | NPD       | QL                  |
| <b>Emverm</b>                          | NPD       | QL                  |
| <b>Endari powder</b>                   | NPD       | PA                  |
| <b>Entocort EC</b>                     | NPD       |                     |
| <i>esomeprazole</i>                    | G         | PA, QL              |
| <i>esomeprazole strontium</i>          | NPD       | PA, QL              |
| <i>famotidine 40mg tab, suspension</i> | G         |                     |
| <b>Gastrocrom</b>                      | NPD       |                     |
| <b>Gattex</b>                          | NPD, SP   | PA                  |
| <i>granisetron</i>                     | G         |                     |
| <i>hydrocortisone cream</i>            | LCG       |                     |
| <i>hydrocortisone retention enema</i>  | G         |                     |
| <b>Kristalose Pak</b>                  | NPD       | PA                  |
| <i>lactulose pak</i>                   | NPD       | PA                  |

| DRUG NAME                          | DRUG TIER | REQUIREMENTS/LIMITS |
|------------------------------------|-----------|---------------------|
| <i>lactulose soln</i>              | G         |                     |
| <i>lansoprazole cap</i>            | G         | QL                  |
| <i>lansoprazole solutab</i>        | G         | PA, QL              |
| <b>Lialda</b>                      | NPD       |                     |
| <b>Linzess</b>                     | PB        |                     |
| <b>Lomotil</b>                     | NPD       |                     |
| <i>loperamide</i>                  | LCG       |                     |
| <b>Marinol</b>                     | NPD       |                     |
| <i>meclizine</i>                   | LCG       |                     |
| <i>mesalamine</i>                  | G         |                     |
| <i>mesalamine DR</i>               | G         |                     |
| <i>mesalamine rectal susp</i>      | G         |                     |
| <i>metoclopramide</i>              | LCG       |                     |
| <i>misoprostol</i>                 | LCG       |                     |
| <b>Motegrity tab +</b>             | NPD       | PA                  |
| <b>Movantik</b>                    | NPD       | PA                  |
| <b>Nexium capsule</b>              | NPD       | PA, QL              |
| <b>Nexium packets</b>              | NPD       | PA, QL, AL          |
| <i>nizatidine solution</i>         | G         |                     |
| <b>Nulytely</b>                    | NPD       | QL                  |
| <i>omeprazole</i>                  | G         | QL                  |
| <i>ondansetron HCl</i>             | G         |                     |
| <i>orlistat</i>                    | G         | PA, R               |
| <b>Pancreaze</b>                   | NPD       | PA                  |
| <i>pancrelipase EC/SA</i>          | G         |                     |
| <i>pantoprazole</i>                | G         | QL                  |
| <b>PEG 3350 &amp; electrolytes</b> | G         |                     |
| <b>Pentasa</b>                     | PB        |                     |
| <b>Pepcid tabs, suspension</b>     | NPD       |                     |
| <b>Pertzye</b>                     | NPD       | PA                  |
| <b>Plenvu Soln</b>                 | NPD       |                     |
| <b>Prevacid caps</b>               | NPD       | PA, QL              |

**Bold type** = Brand Name Drug *Lower case italic* = Generic drug

**PA** = Prior Authorization **QL** = Quantity Limits Apply **SP** = Specialty Drug **AL** = Age Limit **LCG** = Low Cost Generic

**LDD** = Limited Distribution Drug **5DS** = Day Supply Limit **R** = Requires Rider **+** = PA for Selected NPD **NF** = Non Formulary

**G** = Generic **Q/T** = Quantity Over Time **PB** = Preferred Brand **NPD** = Non Preferred Drug **ACA** = \$0 Preventative Drug

**MME** = Morphine Milligram Equivalent

| DRUG NAME                            | DRUG TIER | REQUIREMENTS/LIMITS |
|--------------------------------------|-----------|---------------------|
| <b>Prevacid SoluTab</b>              | NPD       | PA, QL              |
| <b>Prilosec packets</b>              | NPD       | PA, QL              |
| <i>prochlorperazine suppository</i>  | G         |                     |
| <i>prochlorperazine tabs</i>         | LCG       |                     |
| <b>Protonix</b>                      | NPD       | PA, QL              |
| <b>Protonix packets</b>              | NPD       | PA, QL              |
| <i>rabeprazole DR tab 20mg</i>       | G         | QL                  |
| <b>Rabeprazole Sprinkle Cap 10mg</b> | NPD       | PA, QL              |
| <i>ranitidine 300mg</i>              | G         |                     |
| <b>Reglan</b>                        | NPD       |                     |
| <b>Relistor +</b>                    | NPD       | PA                  |
| <i>scopolamine patch</i>             | G         |                     |
| <b>SFRowasa enema</b>                | NPD       |                     |
| <i>sucralfate tabs</i>               | G         |                     |
| <i>sulfasalazine</i>                 | LCG       |                     |
| <b>Symproic</b>                      | PB        |                     |
| <b>Syndros</b>                       | NPD       |                     |
| <b>Tigan</b>                         | NPD       |                     |
| <b>Transderm-Scop patch</b>          | NPD       |                     |
| <i>trimetho-benzamide</i>            | G         |                     |
| <b>Trulance +</b>                    | NPD       | PA                  |
| <i>ursodiol</i>                      | G         |                     |
| <b>Varubi</b>                        | NPD       |                     |
| <b>Viberzi +</b>                     | NPD       | PA                  |
| <b>Viokace</b>                       | NPD       | PA                  |
| <b>Xenical</b>                       | NPD       | PA, R               |
| <b>Xermelo</b>                       | NPD       | PA                  |
| <b>Zantac</b>                        | NPD       |                     |

| DRUG NAME  | DRUG TIER | REQUIREMENTS/LIMITS |
|--|-----------|---------------------|
| <b>Zegerid packets</b>                             | NPD       | PA, QL              |
| <b>Zelnorm</b>                                     | NPD       | PA                  |
| <b>Zenpep</b>                                      | PB        |                     |
| <b>Zofran</b>                                      | NPD       |                     |
| <b>Zorbtive</b>                                    | NPD, SP   | PA                  |
| <b>Zuplenz</b>                                     | NPD       |                     |
| BONE, JOINT, & MUSCLE                              |           |                     |
| <b>Actemra SC</b>                                  | NPD, SP   | PA                  |
| <b>Actonel</b>                                     | NPD       | QL                  |
| <i>alendronate</i>                                 | G         | QL                  |
| <i>allopurinol</i>                                 | LCG       |                     |
| <i>alosetron hcl</i>                               | G         |                     |
| <b>Amrix +</b>                                     | NPD       | PA                  |
| <b>Anaprox DS +</b>                                | NPD       | PA                  |
| <b>Arava</b>                                       | NPD       |                     |
| <b>Arcalyst</b>                                    | NPD, SP   | PA                  |
| <b>Arthrotec +</b>                                 | NPD       | PA                  |
| <b>Atelvia</b>                                     | NPD       | QL                  |
| <i>baclofen</i>                                    | G         |                     |
| <b>Binosto</b>                                     | NPD       | QL                  |
| <b>Boniva</b>                                      | NPD       | QL                  |
| <i>calcitonin-salmon (rDNA origin) nasal spray</i> | G         |                     |
| <i>carisoprodol</i>                                | LCG       |                     |
| <b>Celebrex +</b>                                  | NPD       | PA                  |
| <i>celecoxib</i>                                   | G         |                     |
| <i>chlorzoxazone 375mg, 500mg, 750mg</i>           | G         |                     |
| <b>Cimzia</b>                                      | PB, SP    | PA                  |
| <b>Colchicine +</b>                                | NPD       | PA                  |
| <i>colchicine/probenecid</i>                       | LCG       |                     |
| <b>Colcrys</b>                                     | PB        |                     |
| <b>Cuprimine +</b>                                 | NPD, SP   | PA                  |
| <b>Cuvposa</b>                                     | NPD       |                     |

**Bold type** = Brand Name Drug *Lower case italic* = Generic drug

**PA** = Prior Authorization **QL** = Quantity Limits Apply **SP** = Specialty Drug **AL** = Age Limit **LCG** = Low Cost Generic

**LDD** = Limited Distribution Drug **5DS** = Day Supply Limit **R** = Requires Rider **+** = PA for Selected NPD **NF** = Non Formulary

**G** = Generic **Q/T** = Quantity Over Time **PB** = Preferred Brand **NPD** = Non Preferred Drug **ACA** = \$0 Preventative Drug

**MME** = Morphine Milligram Equivalent

| DRUG NAME                                    | DRUG TIER | REQUIREMENTS/LIMITS |
|--|-----------|---------------------|
| <i>cyclobenzaprine</i>                       | G         |                     |
| <i>cyclobenzaprine ER</i>                    | NPD       | PA                  |
| <b>Dantrium</b>                              | NPD       |                     |
| <i>dantrolene</i>                            | G         |                     |
| <i>diclofenac epolamine transdermal 1.3%</i> | NPD       | PA, QL              |
| <i>diclofenac potassium</i>                  | G         |                     |
| <i>diclofenac sodium DR</i>                  | G         |                     |
| <i>diclofenac sodium ER</i>                  | G         |                     |
| <i>diclofenac sodium soln 1.5%</i>           | G         |                     |
| <i>diclofenac/misoprostol</i>                | G         |                     |
| <b>EC-Naprosyn +</b>                         | NPD       | PA                  |
| <b>Enbrel</b>                                | NPD, SP   | PA                  |
| <i>etidronate disodium</i>                   | G         |                     |
| <i>etodolac</i>                              | G         |                     |
| <b>Evista</b>                                | NPD       |                     |
| <i>febuxostat</i>                            | G         | PA                  |
| <b>Feldene</b>                               | NPD       |                     |
| <i>fenoprofen calcium</i>                    | NPD       | PA                  |
| <b>Fenortho</b>                              | NPD       | PA                  |
| <b>Fexmid</b>                                | NPD       |                     |
| <b>Flector Patch</b>                         | NPD       | PA, QL              |
| <i>flurbiprofen</i>                          | G         |                     |
| <b>Fosamax</b>                               | NPD       | QL                  |
| <b>Fosamax Plus D</b>                        | NPD       | QL                  |
| <b>Gloperba Soln</b>                         | NPD       | PA                  |
| <b>Humira</b>                                | PB, SP    | PA                  |
| <i>ibandronate</i>                           | G         | QL                  |
| <i>ibuprofen</i>                             | LCG       |                     |
| <i>indomethacin</i>                          | LCG       |                     |

| DRUG NAME                         | DRUG TIER | REQUIREMENTS/LIMITS |
|-----------------------------------|-----------|---------------------|
| <i>indomethacin 20mg capsule</i>  | NPD       | PA                  |
| <i>indomethacin SR</i>            | LCG       |                     |
| <i>ketoprofen</i>                 | G         |                     |
| <i>ketoprofen ER</i>              | G         |                     |
| <i>ketorolac</i>                  | G         |                     |
| <i>ketorolac sol tromethamine</i> | NPD       | QL                  |
| <b>Kevzara</b>                    | NPD, SP   | PA                  |
| <b>Kineret</b>                    | NPD, SP   | PA                  |
| <i>leflunomide</i>                | G         |                     |
| <b>Lorzzone +</b>                 | NPD       | PA                  |
| <b>Lotronex</b>                   | NPD       | PA                  |
| <i>meclofenamate</i>              | G         |                     |
| <i>meloxicam</i>                  | G         |                     |
| <i>metaxalone</i>                 | NPD       |                     |
| <i>methocarbamol</i>              | LCG       |                     |
| <b>Miacalcin</b>                  | NPD       |                     |
| <b>Mitigare +</b>                 | PB        | PA                  |
| <b>Mobic +</b>                    | NPD       | PA                  |
| <i>nabumetone</i>                 | G         |                     |
| <b>Nalfon</b>                     | NPD       | PA                  |
| <b>Naprelan +</b>                 | NPD       | PA                  |
| <b>Naprosyn +</b>                 | NPD       | PA                  |
| <b>Naprosyn susp</b>              | NPD       | AL                  |
| <i>naproxen sodium</i>            | G         |                     |
| <i>naproxen sodium DR</i>         | G         |                     |
| <i>naproxen sodium ER</i>         | G         |                     |
| <i>naproxen sodium susp</i>       | G         | AL                  |
| <b>Olumiant</b>                   | NPD, SP   | PA                  |
| <b>Orencia</b>                    | NPD, SP   | PA                  |
| <i>orphenadrine ER</i>            | G         |                     |
| <b>Otezla</b>                     | PB, SP    | PA                  |
| <b>Otrexup</b>                    | NPD       | PA                  |
| <i>oxaprozin</i>                  | G         |                     |

**Bold type** = Brand Name Drug *Lower case italic* = Generic drug

**PA** = Prior Authorization **QL** = Quantity Limits Apply **SP** = Specialty Drug **AL** = Age Limit **LCG** = Low Cost Generic

**LDD** = Limited Distribution Drug **5DS** = Day Supply Limit **R** = Requires Rider **+** = PA for Selected NPD **NF** = Non Formulary

**G** = Generic **Q/T** = Quantity Over Time **PB** = Preferred Brand **NPD** = Non Preferred Drug **ACA** = \$0 Preventative Drug

**MME** = Morphine Milligram Equivalent



| DRUG NAME             | DRUG TIER | REQUIREMENTS/LIMITS |
|-----------------------|-----------|---------------------|
| <b>Ozobax Soln</b>    | NPD       | PA                  |
| <b>Pennsaid</b>       | NPD       | PA                  |
| <i>piroxicam</i>      | G         |                     |
| <i>probenecid</i>     | G         |                     |
| <i>raloxifene hcl</i> | G         |                     |
| <b>Rasuvo</b>         | NPD       | PA                  |
| <i>risedronate</i>    | G         | QL                  |
| <i>risedronate DR</i> | G         | QL                  |
| <b>Robaxin</b>        | NPD       |                     |
| <i>silodosin</i>      | G         |                     |
| <b>Simponi</b>        | PB, SP    | PA                  |
| <b>Skelaxin +</b>     | NPD       | PA                  |
| <b>Soma +</b>         | NPD       | PA                  |
| <b>Stelara</b>        | PB        | PA                  |
| <i>sulindac</i>       | G         |                     |
| <i>tizanidine</i>     | G         |                     |
| <i>tolmetin</i>       | G         |                     |
| <b>Toviaz +</b>       | NPD       | PA                  |
| <b>Uloric +</b>       | NPD       | PA                  |
| <b>Viibryd +</b>      | NPD       | PA                  |
| <b>Voltaren Gel</b>   | NPD       |                     |
| <b>Xeljanz [XR]</b>   | PB, SP    | PA                  |
| <b>Zanaflex +</b>     | NPD       | PA                  |
| <b>Zipsor +</b>       | NPD       | PA, QL              |
| <b>Zurampic 200mg</b> | NPD       | PA                  |
| <b>Zyloprim</b>       | NPD       |                     |

### FEMALE, HORMONE REPLACEMENT, & BIRTH CONTROL

The Injectable Fertility Agents in this section are covered only under certain benefits programs. Please check your handbook to determine coverage.

|                     |     |    |
|---------------------|-----|----|
| <b>Activella</b>    | NPD |    |
| <b>Addyi</b>        | NPD | PA |
| <b>Alora</b>        | NPD |    |
| <b>Annovera Mis</b> | NPD | QL |
| <b>Aygestin</b>     | NPD |    |
| <b>Balcoltra</b>    | NPD |    |

| DRUG NAME                             | DRUG TIER | REQUIREMENTS/LIMITS |
|---------------------------------------|-----------|---------------------|
| <b>Beyaz +</b>                        | NPD       | PA                  |
| <b>Bijuva cap</b>                     | NPD       |                     |
| <b>Bravelle +</b>                     | NPD, SP   | PA, QL, R           |
| <b>Brevicon</b>                       | NPD       |                     |
| <b>Cenestin</b>                       | PB        |                     |
| <b>Cleocin vaginal</b>                | NPD       |                     |
| <b>Climara patch</b>                  | NPD       |                     |
| <i>clomiphene citrate</i>             | G         |                     |
| <b>Cyclessa</b>                       | NPD       |                     |
| <b>Depo SubqQ Provera</b>             | NPD       | QL                  |
| <b>Depo-Provera</b>                   | NPD       | QL                  |
| <b>Desogen</b>                        | NPD       |                     |
| <i>desogestrel-ethinyl estradiol</i>  | ACA       |                     |
| <b>Diflucan</b>                       | NPD       |                     |
| <b>Divigel</b>                        | NPD       |                     |
| <i>drospirenone-ethinyl estradiol</i> | ACA       |                     |
| <i>eluryng mis</i>                    | ACA       | QL                  |
| <b>Estrace</b>                        | NPD       |                     |
| <i>estradiol</i>                      | G         |                     |
| <i>estradiol cream 0.1%</i>           | G         |                     |
| <i>estradiol transdermal</i>          | G         |                     |
| <b>Estring</b>                        | PB        |                     |
| <i>estropipate</i>                    | G         |                     |
| <b>Estrostep FE</b>                   | NPD       |                     |
| <b>Evista</b>                         | NPD       |                     |
| <b>Femcon FE</b>                      | NPD       |                     |
| <b>FemHRT</b>                         | NPD       |                     |
| <i>fluconazole 150mg</i>              | G         |                     |
| <b>Follistim AQ +</b>                 | NPD, SP   | PA, QL, R           |
| <b>Generess FE</b>                    | NPD       |                     |
| <b>Gonal</b>                          | PB, SP    | QL, R               |

**Bold type** = Brand Name Drug *Lower case italic* = Generic drug

**PA** = Prior Authorization **QL** = Quantity Limits Apply **SP** = Specialty Drug **AL** = Age Limit **LCG** = Low Cost Generic

**LDD** = Limited Distribution Drug **5DS** = Day Supply Limit **R** = Requires Rider **+** = PA for Selected NPD **NF** = Non Formulary

**G** = Generic **Q/T** = Quantity Over Time **PB** = Preferred Brand **NPD** = Non Preferred Drug **ACA** = \$0 Preventative Drug

**MME** = Morphine Milligram Equivalent

| DRUG NAME  | DRUG TIER | REQUIREMENTS/LIMITS |
|--|-----------|---------------------|
| <i>hailey 1.5/30</i>                             | ACA       |                     |
| <b>Imvexxy</b>                                   | NPD       |                     |
| <b>Intrarosa</b>                                 | NPD       |                     |
| <i>levonorgestrel-ethinyl estradiol</i>          | ACA       |                     |
| <i>levonorgestrel/my way/next dose</i>           | ACA       |                     |
| <b>Loestrin</b>                                  | NPD       |                     |
| <b>Lo Loestrin FE</b>                            | NPD       | PA                  |
| <b>Loseasonique</b>                              | NPD       |                     |
| <b>Lysteda</b>                                   | NPD       |                     |
| <i>medroxyprogesterone acetate suspension IM</i> | ACA       | QL                  |
| <i>medroxyprogesterone acetate tab</i>           | LCG       |                     |
| <b>Menopur</b>                                   | NPD, SP   | QL, R               |
| <b>Metrogel vaginal</b>                          | NPD       |                     |
| <i>metronidazole</i>                             | G         |                     |
| <i>metronidazole vaginal gel</i>                 | G         |                     |
| <b>Minastrin 24 FE +</b>                         | NPD       | PA                  |
| <b>Minivelle</b>                                 | NPD       |                     |
| <b>Mircette</b>                                  | NPD       |                     |
| <b>Natazia</b>                                   | ACA       |                     |
| <i>norethindrone</i>                             | G         |                     |
| <i>norethindrone acetate</i>                     | G         |                     |
| <i>norethindrone-ethinyl estradiol</i>           | ACA       |                     |
| <i>norethindrone-mestranol</i>                   | ACA       |                     |
| <i>norgestimate-ethinyl estradiol</i>            | ACA       |                     |
| <i>norgestrel-ethinyl estradiol</i>              | ACA       |                     |
| <b>Nuvaring</b>                                  | NPD       | QL                  |

| DRUG NAME                       | DRUG TIER | REQUIREMENTS/LIMITS |
|---------------------------------|-----------|---------------------|
| <b>OB Complete</b>              | NPD       | PA                  |
| <b>Ortho Micronor</b>           | NPD       |                     |
| <b>Ortho Novum</b>              | NPD       |                     |
| <b>Ortho Tri-Cyclen</b>         | NPD       |                     |
| <b>Ortho Tri-Cyclen Lo</b>      | NPD       |                     |
| <b>Ortho Cyclen</b>             | NPD       |                     |
| <b>Ovidrel</b>                  | NPD, SP   | R                   |
| <b>Plan B One-Step</b>          | NPD       | QL                  |
| <b>Premarin</b>                 | PB        |                     |
| <b>Premarin vaginal cream</b>   | PB        |                     |
| <b>Premphase</b>                | PB        |                     |
| <b>Prempro</b>                  | PB        |                     |
| <i>progesterone, micronized</i> | G         |                     |
| <b>Prometrium</b>               | NPD       |                     |
| <b>Provera</b>                  | NPD       |                     |
| <b>Quartette</b>                | NPD       |                     |
| <i>raloxifene</i>               | G         |                     |
| <b>Safyral +</b>                | NPD       | PA                  |
| <b>Seasonique</b>               | NPD       |                     |
| <b>Slynd</b>                    | NPD       |                     |
| <b>Synarel</b>                  | NPD       |                     |
| <b>Taytulla</b>                 | NPD       |                     |
| <i>terconazole cream</i>        | G         |                     |
| <b>Tri-norinyl</b>              | NPD       |                     |
| <b>Vagifem</b>                  | NPD       |                     |
| <b>Vandazole</b>                | NPD       |                     |
| <b>Vivelle Dot</b>              | NPD       |                     |
| <b>Vyleesi</b>                  | NPD       | PA, QL              |
| <i>xulane</i>                   | ACA       | QL                  |
| <b>Yasmin</b>                   | NPD       |                     |
| <b>YAZ</b>                      | NPD       |                     |
| <i>yuvafem</i>                  | G         |                     |

**Bold type** = Brand Name Drug *Lower case italic* = Generic drug

**PA** = Prior Authorization **QL** = Quantity Limits Apply **SP** = Specialty Drug **AL** = Age Limit **LCG** = Low Cost Generic

**LDD** = Limited Distribution Drug **5DS** = Day Supply Limit **R** = Requires Rider **+** = PA for Selected NPD **NF** = Non Formulary

**G** = Generic **Q/T** = Quantity Over Time **PB** = Preferred Brand **NPD** = Non Preferred Drug **ACA** = \$0 Preventative Drug

**MME** = Morphine Milligram Equivalent

| DRUG NAME                                | DRUG TIER | REQUIREMENTS/LIMITS |
|--|-----------|---------------------|
| <b>EYE MEDICATIONS</b>                   |           |                     |
| <b>Acular/Acular LS</b>                  | NPD       |                     |
| <b>Alcaine</b>                           | NPD       |                     |
| <b>Alphagan P 0.15% soln</b>             | NPD       |                     |
| <b>Alphagan P 0.01% soln</b>             | PB        |                     |
| <b>Alrex</b>                             | NPD       |                     |
| <i>apraclonidine</i>                     | G         |                     |
| <i>atropine sulfate</i>                  | G         |                     |
| <i>azelastine HCL drops</i>              | G         |                     |
| <b>Azopt</b>                             | PB        |                     |
| <i>bacitracin ophth</i>                  | G         |                     |
| <i>bacitracin/polymyxin B ophth oint</i> | LCG       |                     |
| <b>Besivance</b>                         | PB        |                     |
| <b>Betagan</b>                           | NPD       |                     |
| <i>betaxolol</i>                         | G         |                     |
| <b>Betimol</b>                           | NPD       |                     |
| <b>Betoptic S</b>                        | NPD       |                     |
| <i>bimatoprost</i>                       | G         |                     |
| <b>Bleph 10</b>                          | NPD       |                     |
| <b>Blephamide S.O.P. ointment</b>        | PB        |                     |
| <i>brimonidine tartrate</i>              | G         |                     |
| <b>Bromsite sol 0.075%</b>               | NPD       | PA                  |
| <i>carteolol</i>                         | G         |                     |
| <b>Cequa Sol 0.09%</b>                   | NPD       | PA, QL              |
| <b>Ciloxan Sol</b>                       | NPD       |                     |
| <i>ciprofloxacin</i>                     | G         |                     |
| <b>Combigan soln 0.2-0.5%</b>            | PB        |                     |
| <b>Cosopt</b>                            | NPD       |                     |

| DRUG NAME                                | DRUG TIER | REQUIREMENTS/LIMITS |
|--|-----------|---------------------|
| <b>Cosopt PF</b>                         | NPD       |                     |
| <i>cromolyn ophth</i>                    | LCG       |                     |
| <b>Cyclogyl</b>                          | NPD       |                     |
| <i>cyclopentolate HCl</i>                | LCG       |                     |
| <i>dexamethasone ophth</i>               | G         |                     |
| <b>Diamox Sequels</b>                    | NPD       |                     |
| <i>diclofenac soln 0.1% ophth</i>        | LCG       |                     |
| <i>dorzolamide HCl 2%</i>                | G         |                     |
| <i>dorzolamide-timolol</i>               | G         |                     |
| <b>Elestat</b>                           | NPD       |                     |
| <i>epinastine HCl</i>                    | G         |                     |
| <i>erythromycin etyhylsuccinate susp</i> | G         |                     |
| <i>erythromycin ophth oint</i>           | G         |                     |
| <i>fluorometholone</i>                   | G         |                     |
| <i>flurbiprofen</i>                      | G         |                     |
| <b>FML Liquifilm suspension</b>          | NPD       |                     |
| <b>Gentak</b>                            | NPD       |                     |
| <i>gentamicin ophth</i>                  | LCG       |                     |
| <i>homatropine ophthalmic</i>            | LCG       |                     |
| <b>Ilevro Susp 0.3%</b>                  | NPD       | PA                  |
| <b>Inveltys Susp 1%</b>                  | NPD       |                     |
| <b>Iopidine</b>                          | NPD       |                     |
| <b>Isopto Carpine</b>                    | NPD       |                     |
| <b>Istalol Drops</b>                     | NPD       |                     |
| <i>ketorolac ophth soln</i>              | G         |                     |
| <i>latanoprost</i>                       | G         |                     |
| <i>levobunolol</i>                       | LCG       |                     |
| <b>Lotemax [SM]</b>                      | NPD       |                     |

**Bold type** = Brand Name Drug *Lower case italic* = Generic drug

**PA** = Prior Authorization **QL** = Quantity Limits Apply **SP** = Specialty Drug **AL** = Age Limit **LCG** = Low Cost Generic **LDD** = Limited Distribution Drug **SDS** = Day Supply Limit **R** = Requires Rider **+** = PA for Selected NPD **NF** = Non Formulary **G** = Generic **Q/T** = Quantity Over Time **PB** = Preferred Brand **NPD** = Non Preferred Drug **ACA** = \$0 Preventative Drug **MME** = Morphine Milligram Equivalent

| DRUG NAME                                   | DRUG TIER | REQUIREMENTS/ LIMITS |
|---|-----------|----------------------|
| <i>loteprednol susp 0.5%</i>                | G         |                      |
| <b>Lumigan</b>                              | PB        |                      |
| <b>Maxitrol</b>                             | NPD       |                      |
| <i>methazolamide</i>                        | G         |                      |
| <b>Moxeza</b>                               | PB        |                      |
| <i>moxifloxacin ophthalmic soln</i>         | G         |                      |
| <b>Mydrinacil</b>                           | NPD       |                      |
| <i>neomycin/ polymyxin B/ dexamethasone</i> | LCG       |                      |
| <b>Neosporin soln</b>                       | NPD       |                      |
| <b>Nevanac Susp 0.1%</b>                    | NPD       | PA                   |
| <b>Ocufen</b>                               | NPD       |                      |
| <b>Ocuflox</b>                              | NPD       |                      |
| <i>ofloxacin</i>                            | G         |                      |
| <i>olopatadine hcl</i>                      | G         |                      |
| <b>Omnipred</b>                             | NPD       |                      |
| <b>Oxervate soln 200mcg/ml</b>              | NPD, SP   | PA, QL               |
| <b>Patanol</b>                              | NPD       |                      |
| <b>Phospholine Iodide</b>                   | PB        |                      |
| <i>pilocarpine</i>                          | G         |                      |
| <i>polymyxin B/neo/ bacitracin</i>          | G         |                      |
| <i>polymyxin B/neo/ gramicidin</i>          | G         |                      |
| <b>Polytrim</b>                             | NPD       |                      |
| <b>Pred-Forte</b>                           | NPD       |                      |
| <i>prednisolone acetate</i>                 | G         |                      |
| <i>prednisolone sodium phosphate</i>        | LCG       |                      |
| <i>prednisolone/ sodium sulfacetamide</i>   | G         |                      |

| DRUG NAME                                | DRUG TIER | REQUIREMENTS/ LIMITS |
|--|-----------|----------------------|
| <b>Prolensa sol 0.07%</b>                | PB        |                      |
| <i>proparacaine</i>                      | G         |                      |
| <b>Rescula +</b>                         | NPD       | PA                   |
| <b>Restasis</b>                          | PB        | QL                   |
| <b>Rhopressa Soln 0.02%</b>              | PB        |                      |
| <b>Rocklatan Soln 0.02-0.005% +</b>      | NPD       | PA                   |
| <b>Simbrinza Susp 1-0.2%</b>             | PB        | PA                   |
| <i>sulfacetamide</i>                     | G         |                      |
| <i>timolol ophth</i>                     | G         |                      |
| <b>Timoptic</b>                          | NPD       |                      |
| <b>Timoptic XE</b>                       | NPD       |                      |
| <b>Tobradex</b>                          | NPD       |                      |
| <i>tobramycin- dexamethasone</i>         | G         |                      |
| <i>tobramycin ophthalmic</i>             | LCG       |                      |
| <b>Tobrex</b>                            | NPD       |                      |
| <b>Travatan Z</b>                        | NPD       |                      |
| <i>travoprost</i>                        | G         |                      |
| <i>trifluridine</i>                      | G         |                      |
| <i>trimethoprim sulfate/ polymyxin B</i> | G         |                      |
| <i>trimethoprim tab</i>                  | LCG       |                      |
| <i>tropicamide</i>                       | LCG       |                      |
| <b>Trusopt</b>                           | NPD       |                      |
| <b>Vigamox</b>                           | NPD       |                      |
| <b>Viroptic</b>                          | NPD       |                      |
| <b>Vyzulta Soln 0.024% OP</b>            | NPD       | PA                   |
| <b>Xalatan</b>                           | NPD       |                      |
| <b>Xelpros Emulsion 0.005%</b>           | NPD       | PA                   |
| <b>Xiidra</b>                            | PB        |                      |

**Bold type** = Brand Name Drug *Lower case italic* = Generic drug

**PA** = Prior Authorization **QL** = Quantity Limits Apply **SP** = Specialty Drug **AL** = Age Limit **LCG** = Low Cost Generic **LDD** = Limited Distribution Drug **5DS** = Day Supply Limit **R** = Requires Rider **+** = PA for Selected NPD **NF** = Non Formulary **G** = Generic **Q/T** = Quantity Over Time **PB** = Preferred Brand **NPD** = Non Preferred Drug **ACA** = \$0 Preventative Drug **MME** = Morphine Milligram Equivalent

| DRUG NAME  | DRUG TIER | REQUIREMENTS/LIMITS |
|--|-----------|---------------------|
| <b>Zioptan +</b>   | NPD       | PA                  |
| <b>Zymaxid</b>   | NPD       |                     |
| ALLERGY, COUGH & COLD, LUNG MEDS   |           |                     |
| <b>Accolate</b>  | NPD       | AL                  |
| <i>acetylcysteine</i>  | G         |                     |
| <b>Advair Diskus</b>   | PB        |                     |
| <b>Advair HFA</b>  | PB        |                     |
| <b>Aerospan +</b>  | NPD       | PA                  |
| <b>AirDuo<br/>RespiClick +</b>   | NPD       | PA                  |
| <b>Albuterol<br/>AER HFA<br/>(authorized<br/>generic for<br/>Ventolin HFA)</b> | NPD       | QL                  |
| <i>albuterol AER<br/>HFA (generic of<br/>ProAir HFA and<br/>Proventil HFA)</i> | G         | QL                  |
| <i>albuterol<br/>sulfate er</i>  | G         |                     |
| <i>albuterol sulfate<br/>nebulizer soln,<br/>syrup, tab</i>                    | G         |                     |
| <b>Alvesco +</b>   | NPD       | PA                  |
| <b>Anoro Ellipta</b>   | PB        |                     |
| <b>ArmonAir<br/>RespiClick +</b>   | NPD       | PA                  |
| <b>Arnuity<br/>Ellipta</b>   | PB        |                     |
| <b>Asmanex</b>   | NPD       | PA                  |
| <b>Asmanex HFA</b>   | NPD       | PA                  |
| <b>Atrovent HFA</b>  | PB        |                     |
| <b>Auvi-Q 0.1mg</b>  | NPD       | QL, AL              |
| <b>Auvi-Q 0.15mg<br/>and 0.3mg</b>   | NPD       | PA, QL              |
| <i>azelastine<br/>nasal spray</i>  | G         |                     |
| <i>azelastine/<br/>fluticasone spray<br/>137-50</i>                            | G         | PA                  |

| DRUG NAME                                 | DRUG TIER | REQUIREMENTS/LIMITS |
|---|-----------|---------------------|
| <b>Beconase AQ</b>                        | NPD       | PA                  |
| <i>benzonatate</i>                        | G         |                     |
| <b>Bevespi<br/>Aerosphere +</b>           | NPD       | PA                  |
| <i>bosentan</i>                           | G, SP     | PA                  |
| <b>Breo Ellipta</b>                       | PB        |                     |
| <b>Bromfed DM</b>                         | G         |                     |
| <i>budesonide susp.</i>                   | G         |                     |
| <i>budesonide-<br/>formoterol</i>         | NPD       | PA                  |
| <i>carbinoxamine</i>                      | G         |                     |
| <b>Cayston</b>                            | NPD, SP   | PA                  |
| <b>Cheratussin AC</b>                     | G         | 5DS, QL, AL,<br>MME |
| <b>Cheratussin<br/>DAC</b>                | G         | 5DS, QL, AL,<br>MME |
| <b>Clarinex</b>                           | NPD       |                     |
| <i>clemastine</i>                         | G         |                     |
| <b>Combivent<br/>Respimat</b>             | PB        |                     |
| <i>cromolyn<br/>inhalation soln</i>       | G         |                     |
| <i>cyproheptadine</i>                     | LCG       |                     |
| <i>dalfampridin ER</i>                    | G, SP     | PA, QL              |
| <b>Daliresp</b>                           | NPD       |                     |
| <i>dexchlor-<br/>pheniramine<br/>soln</i> | NPD       | PA                  |
| <b>Duaklir</b>                            | NPD       | PA                  |
| <b>Dulera +</b>                           | NPD       | PA                  |
| <b>Dymista</b>                            | NPD       | PA                  |
| <b>Elixophyllin<br/>Elixir</b>            | NPD       |                     |
| <b>Epinephrine<br/>pen 0.15mg</b>         | PB        | QL                  |
| <i>epinephrine pen<br/>0.3mg</i>          | G         | QL                  |
| <b>EpiPen</b>                             | NPD       | QL                  |
| <b>EpiPen Jr.</b>                         | NPD       | QL                  |

**Bold type** = Brand Name Drug    *Lower case italic* = Generic drug

**PA** = Prior Authorization    **QL** = Quantity Limits Apply    **SP** = Specialty Drug    **AL** = Age Limit    **LCG** = Low Cost Generic  
**LDD** = Limited Distribution Drug    **5DS** = Day Supply Limit    **R** = Requires Rider    **+** = PA for Selected NPD    **NF** = Non Formulary  
**G** = Generic    **Q/T** = Quantity Over Time    **PB** = Preferred Brand    **NPD** = Non Preferred Drug    **ACA** = \$0 Preventative Drug  
**MME** = Morphine Milligram Equivalent

| DRUG NAME                                | DRUG TIER | REQUIREMENTS/LIMITS |
|--|-----------|---------------------|
| <b>Esbriet</b>                           | NPD, SP   | PA, LDD             |
| <b>Flovent Diskus</b>                    | PB        |                     |
| <b>Flovent HFA</b>                       | PB        |                     |
| <i>flunisolide</i>                       | G         |                     |
| <i>fluticasone propionate</i>            | LCG       |                     |
| <i>fluticasone-salmeterol AER powder</i> | G         |                     |
| <b>Grastek</b>                           | NPD       | PA                  |
| <b>Hycofenix</b>                         | NPD       | QL, 5DS             |
| <i>hydrocodon-cpm-phenylephrine</i>      | G         | QL, 5DS, AL, MME    |
| <i>hydrocod-cpm-pseudoephedrine</i>      | G         | QL, 5DS, AL, MME    |
| <i>hydrocodone bit/homatrop syrup</i>    | LCG       | QL, 5DS, AL, MME    |
| <i>hydrocodone-chlorpheniramine susp</i> | LCG       | QL, 5DS, AL, MME    |
| <i>hydromet</i>                          | LCG       | QL, 5DS, AL, MME    |
| <i>hydroxyzine HCl</i>                   | LCG       |                     |
| <i>hydroxyzine pamoate</i>               | LCG       |                     |
| <b>Hypersal</b>                          | G         |                     |
| <b>Incruse Ellipta</b>                   | PB        |                     |
| <i>ipratropium-albuterol</i>             | G         |                     |
| <i>ipratropium inhalation soln</i>       | G         |                     |
| <i>ipratropium nasal spray</i>           | G         |                     |
| <b>Isturisa</b>                          | NPD, SP   | PA                  |
| <b>Kitabis Pak</b>                       | NPD, SP   | LDD                 |
| <i>levalbuterol neb</i>                  | G         |                     |
| <b>Levalbuterol tartrate HFA</b>         | NPD       | QL                  |
| <b>Lonhala Magnair Soln</b>              | NPD       | PA                  |
| <i>metaproterenol</i>                    | G         |                     |

| DRUG NAME                            | DRUG TIER | REQUIREMENTS/LIMITS |
|--------------------------------------|-----------|---------------------|
| <i>montelukast sodium</i>            | G         |                     |
| <b>Nucala Soln</b>                   | PB, SP    | PA                  |
| <b>Obredon</b>                       | NPD       | QL, 5DS, AL, MME    |
| <b>Odactra SL</b>                    | NPD       | PA                  |
| <b>Ofev</b>                          | NPD, SP   | PA                  |
| <b>Oralair</b>                       | NPD       | PA                  |
| <b>Palforzia cap/powder</b>          | NPD, SP   | PA                  |
| <b>ProAir Digihaler</b>              | NPD       | PA, QL              |
| <b>ProAir HFA</b>                    | PB        | QL                  |
| <b>ProAir RespiClick</b>             | PB        | QL                  |
| <i>promethazine</i>                  | LCG       |                     |
| <i>promethazine/codeine</i>          | LCG       | QL, 5DS, AL, MME    |
| <i>promethazine/dextromethorphan</i> | LCG       |                     |
| <i>promethazine/phenylephrine</i>    | G         |                     |
| <b>Proventil HFA +</b>               | NPD       | PA, QL              |
| <b>Pulmicort Flexhaler</b>           | PB        |                     |
| <b>Pulmicort Respules</b>            | NPD       |                     |
| <b>Pulmozyme</b>                     | PB, SP    |                     |
| <b>Qvar</b>                          | NPD       | PA                  |
| <b>Ragwitek</b>                      | NPD       | PA                  |
| <b>Rebetol</b>                       | NPD, SP   |                     |
| <b>Rezira</b>                        | NPD       | QL, 5DS, AL, MME    |
| <b>Ryclora</b>                       | NPD       | PA                  |
| <b>Ryvent</b>                        | NPD       |                     |
| <b>Seebri</b>                        | NPD       | PA                  |
| <b>Semprex-D</b>                     | NPD       | QL                  |
| <b>Serevent Diskus</b>               | PB        |                     |
| <b>Singulair</b>                     | NPD       |                     |

**Bold type** = Brand Name Drug    *Lower case italic* = Generic drug

**PA** = Prior Authorization    **QL** = Quantity Limits Apply    **SP** = Specialty Drug    **AL** = Age Limit    **LCG** = Low Cost Generic  
**LDD** = Limited Distribution Drug    **5DS** = Day Supply Limit    **R** = Requires Rider    **+** = PA for Selected NPD    **NF** = Non Formulary  
**G** = Generic    **Q/T** = Quantity Over Time    **PB** = Preferred Brand    **NPD** = Non Preferred Drug    **ACA** = \$0 Preventative Drug  
**MME** = Morphine Milligram Equivalent

| DRUG NAME                            | DRUG TIER | REQUIREMENTS/LIMITS |
|--------------------------------------|-----------|---------------------|
| <i>sodium chloride inhalation</i>    | G         |                     |
| <b>Spiriva</b>                       | PB        |                     |
| <b>Stiolto Respimat</b>              | PB        |                     |
| <b>Symbicort</b>                     | PB        |                     |
| <b>Symdeko</b>                       | NPD, SP   | PA                  |
| <b>Symjepi Inj</b>                   | NPD       | QL                  |
| <i>terbutaline sulfate tabs</i>      | G         |                     |
| <b>Tessalon Perles</b>               | NPD       |                     |
| <b>Theo-24</b>                       | PB        |                     |
| <b>Theochron</b>                     | G         |                     |
| <i>theophylline soln</i>             | G         |                     |
| <i>theophylline extended release</i> | G         |                     |
| <b>Thiola [EC]</b>                   | NPD, SP   | PA                  |
| <b>Tracleer</b>                      | NPD, SP   | PA                  |
| <b>Trelegy Ellipta</b>               | PB        |                     |
| <b>Tudorza Pressair</b>              | NPD       | PA                  |
| <b>Tussicap</b>                      | NPD       | QL, 5DS, AL, MME    |
| <b>Tuxarin ER tabs</b>               | NPD       | QL, 5DS, AL, MME    |
| <b>Tuzistra XR</b>                   | NPD       | QL, 5DS, AL, MME    |
| <b>Utibron Neohaler +</b>            | NPD       | PA                  |
| <b>Ventolin HFA +</b>                | NPD       | PA, QL              |
| <b>Vistaril</b>                      | NPD       |                     |
| <b>Vituz</b>                         | NPD       | QL, 5DS, AL, MME    |
| <b>VoSpire ER</b>                    | NPD       |                     |
| <i>wixela inhub aer</i>              | G         |                     |
| <b>Xhance</b>                        | NPD       | PA                  |
| <b>Xopenex</b>                       | NPD       |                     |
| <b>Xopenex HFA +</b>                 | NPD       | PA, QL              |
| <b>Yupelri Soln</b>                  | NPD       | PA                  |
| <b>Z-Tuss AC</b>                     | NPD       | QL, 5DS, AL, MME    |
| <i>zafirlukast</i>                   | G         | AL                  |
| <i>zileuton ER 600mg</i>             | G         | AL                  |

| DRUG NAME                         | DRUG TIER | REQUIREMENTS/LIMITS |
|-----------------------------------|-----------|---------------------|
| <b>Zutripuro</b>                  | NPD       | QL, 5DS, AL, MME    |
| <b>Zyflo 600mg tab</b>            | NPD       | AL                  |
| <b>Zyflo CR 600mg</b>             | NPD       | AL                  |
| URINARY & PROSTATE MEDS           |           |                     |
| <i>alfuzosin</i>                  | G         |                     |
| <b>Avodart</b>                    | NPD       | AL                  |
| <i>bethanechol</i>                | G         |                     |
| <b>Cardura</b>                    | NPD       |                     |
| <b>Caverject</b>                  | PB        | PA, QL              |
| <b>Cialis</b>                     | NPD       | PA, QL              |
| <i>darifenacin ER</i>             | G         |                     |
| <b>Detrol</b>                     | NPD       |                     |
| <b>Detrol LA</b>                  | NPD       |                     |
| <b>Ditropan XL</b>                | NPD       |                     |
| <i>doxazosin mesylate</i>         | G         |                     |
| <i>dutasteride</i>                | G         | AL                  |
| <i>dutasteride/tamsulosin hcl</i> | G         |                     |
| <b>Edex</b>                       | NPD       | PA, QL              |
| <b>Elmiron</b>                    | NPD       | PA                  |
| <b>Enablex</b>                    | NPD       |                     |
| <i>finasteride</i>                | G         | AL                  |
| <i>flavoxate</i>                  | G         |                     |
| <b>Flomax</b>                     | NPD       |                     |
| <b>IFE-PG 20</b>                  | NPD       | PA, QL              |
| <b>Jalyn</b>                      | NPD       |                     |
| <b>Levitra</b>                    | NPD       | PA, QL              |
| <b>Muse</b>                       | PB        | PA, QL              |
| <b>Myrbetriq</b>                  | PB        |                     |
| <i>oxybutynin</i>                 | LCG       |                     |
| <i>oxybutynin ER</i>              | G         |                     |
| <i>potassium citrate ER</i>       | G         |                     |
| <b>Proscar</b>                    | NPD       | AL                  |
| <b>Rapaflo</b>                    | NPD       |                     |
| <i>solifenacin</i>                | G         |                     |

**Bold type** = Brand Name Drug *Lower case italic* = Generic drug

**PA** = Prior Authorization **QL** = Quantity Limits Apply **SP** = Specialty Drug **AL** = Age Limit **LCG** = Low Cost Generic  
**LDD** = Limited Distribution Drug **5DS** = Day Supply Limit **R** = Requires Rider **+** = PA for Selected NPD **NF** = Non Formulary  
**G** = Generic **Q/T** = Quantity Over Time **PB** = Preferred Brand **NPD** = Non Preferred Drug **ACA** = \$0 Preventative Drug  
**MME** = Morphine Milligram Equivalent

| DRUG NAME                      | DRUG TIER | REQUIREMENTS/ LIMITS |
|--------------------------------|-----------|----------------------|
| <b>Staxyn</b>                  | NPD       | PA, QL               |
| <b>Stendra</b>                 | NPD       | PA, QL               |
| <i>tamsulosin</i>              | G         |                      |
| <i>terazosin</i>               | G         |                      |
| <i>tolterodine tartrate</i>    | G         |                      |
| <i>tolterodine tartrate LA</i> | G         |                      |
| <i>tropium chloride</i>        | G         |                      |
| <b>Urecholine</b>              | NPD       |                      |
| <b>Urocit-K</b>                | NPD       |                      |
| <b>Uroxatral</b>               | NPD       |                      |
| <i>vardefafil</i>              | G         | PA, QL               |
| <i>vardefafil ODT</i>          | G         | PA, QL               |
| <b>Vesicare</b>                | NPD       |                      |
| <b>Viagra</b>                  | NPD       | PA, QL               |

### VITAMINS & ELECTROLYTES

|   |         |    |
|---|---------|----|
| <b>Brand Prenatal Vitamins</b>          | NPD     | PA |
| <b>Buphenyl +</b>                       | NPD, SP | PA |
| <b>Calciferol</b>                       | NPD     |    |
| <b>Citranatal</b>                       | NPD     | PA |
| <b>Dailyvite w/Zinc &amp; NephlexRx</b> | NPD     |    |
| <b>Duzallo</b>                          | NPD     | PA |
| <i>ergocalciferol</i>                   | G       |    |
| <b>Fosrenol</b>                         | NPD     |    |
| <b>Jynarque</b>                         | NPD     | PA |
| <b>K-Phos</b>                           | NPD     |    |
| <b>K-Tab</b>                            | NPD     |    |
| <b>Klor-Con</b>                         | G       |    |
| <i>lanthanum chewable tab</i>           | G       |    |
| <b>Lokelma PAK</b>                      | NPD     |    |
| <b>Mephyton</b>                         | NPD     |    |

| DRUG NAME  | DRUG TIER | REQUIREMENTS/ LIMITS |
|--|-----------|----------------------|
| <i>multivitamin with fluoride drops, tabs</i>                | G         |                      |
| <b>Nascobal</b>  | NPD       | PA                   |
| <b>Nestabs One</b>   | NPD       | PA                   |
| <i>phytonadione tab</i>                                      | G         |                      |
| <i>potassium bicarbonate/ potassium citrate effervescent</i> | G         |                      |
| <i>potassium chloride</i>                                    | G         |                      |
| <b>Quflora</b>   | NPD       |                      |
| <b>Rayaldee +</b>  | NPD       | PA                   |
| <i>sodium phenylbutyrate tab</i>                             | G, SP     |                      |
| <b>Tri-Vi-Flor, Poly-Vi-Flor with and without iron</b>       | NPD       |                      |

### DIAGNOSTICS & MISCELLANEOUS AGENTS

|                                 |         |    |
|---------------------------------|---------|----|
| <b>Beriner</b>                  | NPD, SP | PA |
| <b>Cablivi Kit</b>              | NPD, SP | QL |
| <i>calcium acetate</i>          | G       |    |
| <b>Carbaglu</b>                 | NPD, SP | PA |
| <b>Cerdelga</b>                 | NPD, SP | PA |
| <b>Chemet</b>                   | PB      |    |
| <b>Chorionic gonadotropin</b>   | NPD, SP |    |
| <b>Cinryze</b>                  | NPD, SP | PA |
| <i>clovique</i>                 | G, SP   |    |
| <b>Cystadane</b>                | NPD, SP |    |
| <b>Cystagon</b>                 | NPD, SP | PA |
| <i>deferisirox</i>              | G       | PA |
| <b>D-Penammine 125mg tablet</b> | NPD, SP |    |
| <b>Doptelet</b>                 | NPD, SP | PA |
| <b>Exjade</b>                   | NPD     | PA |

**Bold type** = Brand Name Drug *Lower case italic* = Generic drug

**PA** = Prior Authorization **QL** = Quantity Limits Apply **SP** = Specialty Drug **AL** = Age Limit **LCG** = Low Cost Generic

**LDD** = Limited Distribution Drug **5DS** = Day Supply Limit **R** = Requires Rider **+** = PA for Selected NPD **NF** = Non Formulary

**G** = Generic **Q/T** = Quantity Over Time **PB** = Preferred Brand **NPD** = Non Preferred Drug **ACA** = \$0 Preventative Drug

**MME** = Morphine Milligram Equivalent



| DRUG NAME                     | DRUG TIER | REQUIREMENTS/ LIMITS |
|-------------------------------|-----------|----------------------|
| <b>Ferriprox</b>              | NPD       | PA                   |
| <b>Firazyr</b>                | NPD, SP   | PA, QL               |
| <b>Firdapse</b>               | NPD, SP   | PA                   |
| <b>Galafold</b>               | NPD, SP   | PA, QL               |
| <i>ganirelix acetate soln</i> | G, SP     | R                    |
| <b>Haegarda</b>               | NPD, SP   | PA                   |
| <i>icatibant inj</i>          | G, SP     | PA                   |
| <b>Idelvion</b>               | NPD, SP   | PA                   |
| <b>Jadenu</b>                 | NPD       | PA                   |
| <b>Keveyis</b>                | NPD, SP   | PA                   |
| <b>Metopirone</b>             | NPD       |                      |
| <i>midodrine HCl</i>          | G         |                      |
| <i>miglustat</i>              | G, SP     | PA                   |
| <i>nitisinone</i>             | G, SP     | PA                   |
| <b>Nityr</b>                  | NPD, SP   |                      |
| <b>Novarel 5000 units</b>     | NPD, SP   |                      |
| <b>Novarel 10000 units</b>    | PB, SP    |                      |
| <b>Ocaliva</b>                | NPD, SP   | PA                   |
| <b>Orfadin</b>                | NPD, SP   | PA                   |
| <b>Oxbryta</b>                | NPD, SP   | PA                   |
| <b>Palynziq</b>               | NPD, SP   | PA                   |
| <i>penicillamine capsule</i>  | G, SP     | PA                   |
| <i>penicillamine tablet</i>   | G, SP     |                      |
| <b>PhosLo</b>                 | NPD       |                      |
| <i>phospha</i>                | LCG       |                      |
| <b>Potaba</b>                 | NPD       |                      |
| <b>Pregnyl</b>                | PB, SP    |                      |
| <b>Renagel</b>                | NPD       |                      |
| <b>Renvela</b>                | NPD       |                      |
| <b>Ridaura</b>                | NPD, SP   |                      |
| <b>Rinvoq</b>                 | PB, SP    | PA                   |
| <b>Ruconest</b>               | NPD, SP   | PA                   |
| <b>Ruzurgi</b>                | NPD, SP   | PA                   |

| DRUG NAME                  | DRUG TIER | REQUIREMENTS/ LIMITS |
|----------------------------|-----------|----------------------|
| <i>sevelamer carbonate</i> | G         |                      |
| <b>Strensiq</b>            | NPD, SP   | PA                   |
| <b>Syprine +</b>           | NPD, SP   | PA                   |
| <b>Takhzyro Inj</b>        | NPD, SP   | PA                   |
| <b>Tavalisse</b>           | NPD, SP   | PA                   |
| <b>Tegsedi</b>             | NPD, SP   | PA                   |
| <i>trientine</i>           | G, SP     |                      |
| <b>V-GO</b>                | PB        |                      |
| <b>Vumerity</b>            | NPD, SP   | PA                   |
| <b>Xuriden</b>             | NPD, SP   | PA                   |
| <b>Zavesca</b>             | NPD, SP   | PA                   |

**Bold type** = Brand Name Drug    *Lower case italic* = Generic drug

**PA** = Prior Authorization    **QL** = Quantity Limits Apply    **SP** = Specialty Drug    **AL** = Age Limit    **LCG** = Low Cost Generic

**LDD** = Limited Distribution Drug    **5DS** = Day Supply Limit    **R** = Requires Rider    **+** = PA for Selected NPD    **NF** = Non Formulary

**G** = Generic    **Q/T** = Quantity Over Time    **PB** = Preferred Brand    **NPD** = Non Preferred Drug    **ACA** = \$0 Preventative Drug

**MME** = Morphine Milligram Equivalent

## PROCEDURES THAT SUPPORT SAFE PRESCRIBING

Independence Blue Cross utilizes an independent pharmacy benefits management (PBM) company, FutureScripts®, to manage the administration of its prescription drug programs. As our PBM, FutureScripts® is responsible for providing a network of participating pharmacies, administering pharmacy benefits, and providing customer service to our members and their providers. The effectiveness and safety of drugs and drug-prescribing patterns are monitored by FutureScripts®. Several procedures, such as prior authorization, age limits, and quantity limits, have been established to support safe prescribing patterns and to provide optimal clinical outcomes for members.

### **Prior authorization**

Prior authorization is a requirement that your provider obtain approval from your health plan for coverage of, or payment for, prescription drugs. Independence requires prior authorization of certain covered drugs to confirm that the drug prescribed is medically necessary, clinically appropriate, and is being prescribed according to FDA approved labeled or medically accepted use. The approval criteria were developed and approved by the Pharmacy and Therapeutics Committee, a group of physicians and pharmacists from the area.

Using these approved criteria, clinical pharmacists evaluate requests for these drugs based on clinical data, information submitted by the member's provider, and the member's available prescription drug therapy history. The clinical pharmacists' evaluation may include a review of potential drug-drug interactions or contraindications, appropriate dosing and length of therapy, and utilization of other drug therapies, if necessary. Please note, coverage of certain drugs on the formulary (e.g., weight loss drugs, fertility drugs) requires a benefit rider. Please contact the health insurance plan for member eligibility information and benefit details.

### **Prior Authorization Requirements for Selected Drugs**

Prior Authorization Requirements for Selected Drugs is in place for certain medications. This expedites the review process by using information available in the member's pharmacy benefit claim history to determine coverage for the requested medication at the pharmacy. For example, Tirosint® is a medication that requires previous trial of generic levothyroxine. With the Prior Authorization Requirements for Selected Drugs, a member will be able to immediately receive coverage for Tirosint® if the claim history shows a previous paid claim for generic levothyroxine. A manual prior authorization request will not be needed. If the claim history does not show a previous use of either drug (e.g., if the prescriber provided a sample for the member to try) then a prior authorization request will be needed in accordance with the standard prior authorization process.

**Without prior authorization, the member's prescription will not be covered at the retail or mail-order pharmacy.** The prior authorization process may take up to two business days once complete information from the provider has been received. Incomplete information may result in a delayed decision.

Prior authorization approvals for some drugs may have a limited timeframe, for example six to twelve months. If the prior authorization approval for a drug is limited to a certain time frame, an expiration date will be given at the time the approval is made. If the provider wants a member to continue the drug therapy as requested after the expiration date, a new prior authorization request will need to be submitted and approved for coverage to continue.

*(continued)*

## 96-Hour Temporary Supply Program

The 96-Hour Temporary Supply Program is available for certain drugs that require prior authorization. Under the 96-Hour Temporary Supply Program, the dispensing pharmacist has the option to release a 96-hour supply as follows:

1. The dispensing pharmacist may place an override to release a 96-hour supply of the drug to the member with either no out-of-pocket co-pay or the appropriate percentage cost-sharing as defined by the member's benefit.
2. The next business day, FutureScripts®, will contact the member's provider to request that he or she submit documentation of medical necessity or medical appropriateness for review.
3. Once the completed medical documentation is received by FutureScripts®, the review will be completed, and the request will either be approved or denied.
4. If approved, the remainder of the prescription may be filled, and the appropriate prescription drug out-of-pocket cost-sharing will be applied.
5. If denied, notification will be sent to both the provider and the member.

Obtaining a 96-hour temporary supply does not guarantee that the prior authorization request will be approved. This program limits a one-time release of 96-hour supply per drug. Some drugs, such as branded medications with available generic equivalents, anti-infectives, specialty medications, medications that have risk mitigation evaluation strategies (REMS), products whose packaging cannot be broken (e.g., topical products, injectable kits), are not eligible for the 96-Hour Temporary Supply Program due to packaging or other limitations.

**Prior authorization applies to all formulations of the following specific drugs, including but not limited to, tablet, capsule, and oral suspensions.\***

|   |   |                                      |  |
|---|---|--------------------------------------|--|
| Abilify                                     | Androgel <sup>®</sup>                     | Bevespi Aerosphere <sup>™</sup>      | Colchicine                               |
| Absorica <sup>™</sup>                       | Apidra <sup>®</sup>                       | bexarotene                           | Cometriq <sup>™</sup>                    |
| Absorica LD <sup>™</sup>                    | Apidra <sup>®</sup> SoloSTAR <sup>®</sup> | Beyaz <sup>®</sup>                   | Comtempla XR ODT <sup>™</sup>            |
| Abstral <sup>®</sup>                        | Aplenzin <sup>™</sup>                     | Bonjesta <sup>®</sup>                | Concerta <sup>®</sup>                    |
| Acanya <sup>®</sup>                         | Aptensio XR <sup>®</sup>                  | bosentan                             | Contour Glucometer                       |
| Aciphex <sup>®</sup>                        | Aptiom <sup>®</sup>                       | Bosulif <sup>®</sup>                 | Contour Next Test Strips                 |
| Actemra <sup>®</sup> SC                     | Arazlo <sup>™</sup> lotion                | Brand prenatal vitamins <sup>1</sup> | Contour Test Strips                      |
| Acticlate <sup>™</sup>                      | armodafinil                               | Bravelle <sup>®</sup>                | Contrave ER <sup>®</sup>                 |
| Actiq <sup>®</sup>                          | ArmonAir <sup>™</sup>                     | Breeze2 test strips/<br>glucometer   | Conzip <sup>™</sup>                      |
| Aczone <sup>®</sup>                         | RespiClick <sup>®</sup>                   | Briviact <sup>®</sup>                | Cordran <sup>®</sup>                     |
| adapalene pad                               | Arthrotec <sup>®</sup>                    | Brukinsa <sup>™</sup>                | Corifac <sup>®</sup>                     |
| Adcirca <sup>™</sup>                        | Arymo <sup>™</sup> ER                     | budesonide-formoterol                | Corlanor <sup>®</sup>                    |
| Adderall <sup>®</sup>                       | Asacol <sup>®</sup> HD                    | butalbital-acetaminophen             | Cosentyx <sup>™</sup>                    |
| Addyi <sup>®</sup>                          | Asmanex <sup>®</sup>                      | 50-300mg                             | Cotellic <sup>™</sup>                    |
| Adempas <sup>®</sup>                        | Asmanex <sup>®</sup> HFA                  | Buphenyl <sup>®</sup>                | Cozaar <sup>®</sup> /Hyzaar <sup>®</sup> |
| Adhansia <sup>™</sup> XR                    | Atacand <sup>®</sup> (HCT)                | buprenorphine patch                  | Cresemba <sup>®</sup>                    |
| Adipex-P <sup>®</sup>                       | Ativan <sup>®</sup>                       | Butrans <sup>®</sup>                 | Crestor <sup>®</sup>                     |
| Adlyxin <sup>™</sup>                        | Atralin <sup>®</sup>                      | Byvalson <sup>™</sup>                | Cuprimine <sup>®</sup>                   |
| Admelog <sup>®</sup>                        | Aubagio <sup>®</sup>                      | Cabometyx <sup>™</sup>               | Cutivate <sup>®</sup>                    |
| Advate <sup>®</sup>                         | Austedo <sup>™</sup>                      | calcipotriene-                       | cyclobenzaprine ER                       |
| Adynovate <sup>®</sup>                      | Auvi-Q <sup>®</sup>                       | betamethasone dp susp                | Cystaran <sup>™</sup>                    |
| Adzenys <sup>™</sup> XR-ODT                 | Avapro <sup>®</sup> /Avalide <sup>®</sup> | Calquence <sup>®</sup>               | Daklinza <sup>™</sup>                    |
| Aerospan <sup>™</sup>                       | Aveed <sup>®</sup>                        | Capex <sup>®</sup>                   | dapsone gel 7.5%                         |
| Afinitor <sup>®</sup>                       | Avita <sup>®</sup>                        | Caplyta <sup>™</sup>                 | Daypro <sup>®</sup>                      |
| Afrezza <sup>®</sup>                        | Axert <sup>®</sup>                        | Caprelsa <sup>®</sup>                | Daytrana <sup>™</sup>                    |
| Afstyla <sup>®</sup>                        | Axiron <sup>®</sup>                       | Carac <sup>®</sup>                   | Dayvigo <sup>™</sup>                     |
| AirDuo <sup>™</sup> RespiClick <sup>®</sup> | Ayvakit <sup>™</sup>                      | Carbaglu <sup>®</sup>                | DDAVP <sup>®</sup>                       |
| Ajovy <sup>®</sup>                          | azelastine/fluticasone                    | Carbatrol <sup>®</sup>               | deferasirox                              |
| Aklief <sup>®</sup>                         | spray                                     | Cardizem <sup>®</sup> CD             | Delatestryl <sup>®</sup>                 |
| Alecensa <sup>®</sup>                       | Azelex <sup>®</sup>                       | Caverject <sup>®</sup>               | Demerol <sup>®</sup>                     |
| Alphanate <sup>®</sup>                      | Azor <sup>®</sup>                         | Cayston <sup>™</sup>                 | Depo <sup>®</sup> -Testosterone          |
| Alphanine <sup>®</sup> SD                   | Banzel <sup>®</sup>                       | Celebrex <sup>®</sup>                | Desonate <sup>®</sup>                    |
| Alprolix <sup>™</sup>                       | Basaglar <sup>®</sup>                     | Cerdelga <sup>™</sup>                | Desowen <sup>®</sup>                     |
| Altabax <sup>™</sup>                        | Bebulin <sup>®</sup>                      | Cholbam <sup>®</sup>                 | Desoxyn <sup>®</sup>                     |
| Alunbrig <sup>™</sup>                       | Beconase AQ <sup>®</sup>                  | Cialis <sup>®</sup>                  | dexchlorpheniramine soln                 |
| Alvesco <sup>®</sup>                        | Belbuca <sup>™</sup>                      | Ciclodan <sup>®</sup>                | Dexedrine <sup>®</sup>                   |
| Ambien <sup>®</sup>                         | Belsomra <sup>®</sup>                     | Cimzia <sup>®</sup>                  | Dexilant <sup>™</sup>                    |
| Ambien CR <sup>®</sup>                      | Belviq <sup>®</sup> [XR]                  | Cinryze <sup>®</sup>                 | D.H.E. <sup>®</sup> 45                   |
| Amerge <sup>®</sup>                         | BeneFIX <sup>®</sup>                      | Cleocin T <sup>®</sup>               | Diabetic test strips <sup>2</sup>        |
| Amitiza <sup>®</sup>                        | Benicar <sup>®</sup>                      | Clindagel <sup>®</sup>               | Dibenzylidine <sup>®</sup>               |
| amphetamine ER susp                         | Benicar HCT <sup>®</sup>                  | clindamycin/benzoyl                  | Diclegis <sup>®</sup>                    |
| amphetamine                                 | Benlysta <sup>®</sup>                     | peroxide 1%/5%                       | diclofenac gel 3%                        |
| (generic Evekeo)                            | Benzaclin <sup>®</sup>                    | clobazam                             | diethylpropion HCL                       |
| Ampyra <sup>™</sup>                         | Benzamycin <sup>®</sup>                   | Clobex <sup>®</sup>                  | Differin <sup>®</sup>                    |
| Amzeeq <sup>™</sup>                         | Benzamycinpak <sup>®</sup>                | Cloderm <sup>®</sup>                 | dihydroergotamine                        |
| Anaprox <sup>®</sup> DS                     | benzphetamine                             | Coagadex <sup>®</sup>                | Dilaudid <sup>®</sup>                    |
| Androderm <sup>®</sup>                      | Berinerit <sup>®</sup>                    |                                      | Diovan <sup>®</sup> (HCT)                |

*(continued)*

|                                      |  |                             |   |
|--------------------------------------|--|-----------------------------|---|
| Dolophine <sup>®</sup>               | Exelderm <sup>®</sup>                      | Humalog <sup>®</sup>        | Kenalog <sup>™</sup>                      |
| Doral <sup>®</sup>                   | Exforge <sup>®</sup> (HCT)                 | Humate-P <sup>®</sup>       | Keppra <sup>®</sup>                       |
| Doryx <sup>®</sup> DR                | Exjade <sup>®</sup>                        | Humatrope <sup>®</sup>      | Kerydin <sup>™</sup>                      |
| doxepin tablet                       | Extavia <sup>®</sup>                       | Humira <sup>®</sup>         | Keveyis <sup>™</sup>                      |
| doxycycline DR 40 mg                 | Extina <sup>®</sup>                        | Humulin <sup>®</sup>        | Kevzara <sup>®</sup>                      |
| doxylamine-pyridoxine                | Ezzalor <sup>™</sup> Sprinkle Cap          | Hycamtin <sup>®</sup>       | Khedezla <sup>®</sup>                     |
| Drizalma Sprinkle <sup>™</sup>       | Factive <sup>®</sup>                       | hydrocodone ER              | Kineret <sup>®</sup>                      |
| Duac <sup>®</sup>                    | Fanapt <sup>™</sup>                        | hydromorphone ER            | Kisqali <sup>™</sup>                      |
| Duaklir <sup>®</sup>                 | Farydak <sup>®</sup>                       | Hysingla <sup>™</sup>       | Klonopin <sup>®</sup>                     |
| Dulera <sup>®</sup>                  | Fasenra <sup>®</sup>                       | Ibrance <sup>®</sup>        | Koate <sup>®</sup> -DVI                   |
| Duobrii <sup>™</sup>                 | febuxostat                                 | Ibudone <sup>®</sup>        | Kogenate <sup>®</sup> FS                  |
| Dupixent <sup>®</sup>                | Feiba <sup>®</sup>                         | icatibant inj               | Korlym <sup>™</sup>                       |
| Duragesic <sup>®</sup>               | Felbatol <sup>®</sup>                      | Iclusig <sup>™</sup>        | Koselugo <sup>™</sup>                     |
| Durlaza <sup>®</sup>                 | fentanyl citrate-OTFC                      | Idelvion <sup>®</sup>       | Kynamro <sup>®</sup>                      |
| Duzallo <sup>®</sup>                 | Fentanyl citrate tablet                    | Idhifa <sup>®</sup>         | Lamictal <sup>®</sup> (ODT)               |
| Dyanavel XR <sup>™</sup>             | fentanyl transdermal                       | imatinib mesylate           | Lansoprazole Solutab                      |
| Dymista <sup>®</sup>                 | Fentora <sup>®</sup>                       | Imbruvica <sup>™</sup>      | Latuda <sup>®</sup>                       |
| EC-Naprosyn <sup>®</sup>             | Feriprox <sup>®</sup>                      | Imitrex <sup>®</sup>        | Lazanda <sup>®</sup>                      |
| Ecoza <sup>™</sup>                   | Fetzima <sup>™</sup>                       | Impavido <sup>®</sup>       | ledipasvir-sofosbuvir                     |
| Edarbi <sup>™</sup>                  | Fioricet <sup>®</sup> with Codeine         | Increlex <sup>®</sup>       | Lenvima <sup>™</sup>                      |
| Edarbyclor <sup>™</sup>              | Fiorinal <sup>®</sup> with Codeine         | Inderal <sup>®</sup> LA     | Letairis <sup>®</sup>                     |
| Edex <sup>®</sup>                    | Firazyr <sup>®</sup>                       | indomethacin 20mg           | Levemir <sup>®</sup>                      |
| Edluar <sup>™</sup>                  | Flector <sup>®</sup> patch                 | Ingrezza <sup>™</sup>       | Levitra <sup>®</sup>                      |
| Effexor XR <sup>®</sup>              | Focalin <sup>®</sup> XR                    | Inlynta <sup>®</sup>        | Lexapro <sup>®</sup>                      |
| Elidel <sup>®</sup>                  | Follistim <sup>®</sup> AQ                  | Inrebic <sup>®</sup>        | Lidoderm <sup>®</sup>                     |
| Elmiron <sup>®</sup>                 | Fortamet <sup>®</sup>                      | insulin aspart              | Lipitor <sup>®</sup>                      |
| Eloctate <sup>™</sup>                | Forteo <sup>™</sup>                        | insulin aspart protamin     | Livalo <sup>®</sup>                       |
| Embeda <sup>®</sup>                  | Fortesta <sup>™</sup>                      | insulin lispro              | Locoid <sup>®</sup>                       |
| Emflaza <sup>™</sup>                 | Freestyle test strips/<br>glucometer       | insulin lispro inj junior   | Locoid <sup>®</sup> lipocream             |
| Emgality <sup>®</sup>                | Frova <sup>®</sup>                         | insulin lispro inj protamin | Lo Loestrin FE <sup>®</sup>               |
| Enbrel <sup>®</sup>                  | Fulyzaq <sup>™</sup>                       | Intermezzo <sup>®</sup>     | Lomaira <sup>™</sup>                      |
| Endari <sup>™</sup>                  | Gattex <sup>®</sup>                        | Intuniv <sup>™</sup>        | Lonhala <sup>™</sup> Magnair <sup>™</sup> |
| Enstilar <sup>®</sup>                | Genotropin <sup>®</sup>                    | Invega <sup>™</sup>         | Lonsurf <sup>®</sup>                      |
| Entresto <sup>™</sup>                | Gilenya <sup>®</sup>                       | Invokamet <sup>®</sup> [XR] | Loprox <sup>®</sup>                       |
| Epclusa <sup>®</sup>                 | Gilotrif <sup>™</sup>                      | Invokana <sup>®</sup>       | Lorzone <sup>®</sup>                      |
| Erivedge <sup>™</sup>                | Gleevec <sup>®</sup>                       | Isturisa <sup>®</sup>       | Lotronex <sup>®</sup>                     |
| Erleada <sup>®</sup>                 | Gloperba <sup>®</sup>                      | Ixinity <sup>®</sup>        | Lovaza <sup>®</sup>                       |
| erlotinib                            | Glucagen <sup>®</sup> Hypokit <sup>®</sup> | Jadenu <sup>™</sup>         | Lunesta <sup>®</sup>                      |
| Ertaczo <sup>®</sup>                 | Gralise <sup>™</sup>                       | Jakafi <sup>™</sup>         | Luxiq <sup>®</sup>                        |
| Esbriet <sup>®</sup>                 | Grastek <sup>®</sup>                       | Jatenzo <sup>®</sup>        | Luzu <sup>®</sup>                         |
| esomeprazole                         | Haegarda <sup>®</sup>                      | Jentadueto <sup>™</sup>     | Lynparza <sup>™</sup>                     |
| Esperoct <sup>®</sup>                | Halcion <sup>®</sup>                       | Jornay <sup>™</sup> PM      | Lyrica <sup>®</sup>                       |
| eszopiclone 3mg                      | Hallog <sup>®</sup>                        | Jublia <sup>®</sup>         | Lyrica <sup>®</sup> CR                    |
| Eucrisa <sup>™</sup>                 | Harvoni <sup>™</sup>                       | Juxtapid <sup>™</sup>       | Mavyret <sup>™</sup>                      |
| Evekeo <sup>™</sup>                  | Helixate <sup>®</sup> FS                   | Jynarque <sup>®</sup>       | Maxalt <sup>®</sup> (MLT)                 |
| everolimus (generic for<br>Afinitor) | Hemlibra <sup>®</sup> Soln                 | Kadian <sup>®</sup>         | Mekinist <sup>®</sup>                     |
| Evoclin <sup>®</sup> foam            | Hemofil <sup>®</sup> M                     | Kalydeco <sup>™</sup>       | Menopur <sup>®</sup>                      |
| Evzio <sup>™</sup>                   | Hetlioz <sup>™</sup>                       | Kapvay <sup>®</sup>         | methadone                                 |
| Exalgo <sup>™</sup>                  | Horizant <sup>™</sup>                      | Katerzia <sup>™</sup>       | methotrexate sodium inj                   |
|                                      |  | Kazano <sup>®</sup>         | methyltestosterone                        |

(continued)

|                        |                       |                          |                        |
|------------------------|-----------------------|--------------------------|------------------------|
| Micardis® (HCT)        | Nucala® Soln          | Percocet®                | Rescula®               |
| miglustat              | Nucynta®              | phendimetrazine tartrate | Restoril®              |
| Migranal®              | Nucynta ER®           | Picato®                  | Retin-A® (Micro)       |
| Minastrin® FE          | Nuedexta™             | Piqray®                  | Revatio™               |
| Minocin®               | Nuplazid™             | Pomalyst®                | Revlimid®              |
| minocycline ER cap     | Nurtec™ chw ODT       | Praluent®                | Rexulti®               |
| Mitigare®              | Nutropin® (AQ)        | Precision Glucometer     | Reyvow™                |
| Mobic®                 | Nuvigil®              | Precision XTRA Test      | Rhopressa®             |
| modafinil              | Nuwiq®                | Strips                   | Riastap®               |
| mometasone furoate     | Obizur                | Pretomanid®              | Rinvoq™                |
| Monoclate-P®           | Ocaliva™              | Prevacid®                | Ritalin® LA            |
| Monodox®               | Odactra® SL           | Prilosec®                | Rixubis™               |
| Mononine®              | Odanzo®               | Pristiq™                 | Roxicodone®            |
| MorphaBond™ ER         | Ofev®                 | ProAir® Digihaler™       | Rozlytrek™             |
| morphine ER            | Olumiant®             | Proctocort® Supp 30mg    | Rubraca®               |
| Motegrity™             | Olux® [E]             | Procysbi®                | Ruconest®              |
| Movantik®              | Omnaris®              | Profilnine®              | Ruzurgi®               |
| MS Contin®             | Omnitrope®            | Prolate™                 | Ryclora™               |
| Muse®                  | Onexton™              | Promacta®                | Rydapt®                |
| Myalept™               | Onfi®                 | Protonix®                | Rytary™                |
| Mydayis™               | Onmel™                | Protopic®                | Sabril®                |
| Mytesi™                | Onzetra Xsail™        | Proventil® HFA           | Safyral®               |
| Naprelan®              | Opana®                | Provigil®                | Saizen®                |
| Naprosyn®              | Opana ER®             | Prozac®                  | Samsca™                |
| Nascobal®              | Opsumit®              | Qnasl™                   | Saphris®               |
| Nasonex®               | Oracea®               | Qsymia® ER               | Saxenda®               |
| Natesto™               | Oralair®              | Qtem®                    | Secuado®               |
| Natpara®               | Orencia® SQ           | Qualaquin®               | Segluromet®            |
| Nayzilam®              | Orenitram™            | Qudexy® XR               | Sernivo™               |
| Nerlynx™               | Orfadin®              | QuilliChew ER™           | Serostim®              |
| Nesina®                | Orkambi™              | Quillivant XR™           | Signifor®              |
| Nestabs® One           | Oseni®                | quinine sulfate          | sildenafil             |
| Neurontin®             | Otezla™               | Qvar RediHaler®          | Silenor®               |
| Nexavar®               | Otrexup™              | rabeprazole              | Siliq™                 |
| Nexium®                | Oxbryta™              | Ragwitek™                | Simponi™               |
| Nexletol™              | oxiconazole nitrate   | Rasuvo™                  | Sirturo™               |
| Nexlizet™              | Oxistat®              | Ravicti™                 | Sivextro™              |
| Ninlaro®               | Oxtellar® XR          | Rayaldee®                | Skelaxin®              |
| nitisinone             | oxycodone ER          | Rayos®                   | Skyrizi™               |
| Noctiva™               | Oxycontin®            | Rebif®                   | sofosbuvir-velpatasvir |
| Non Preferred Diabetic | oxymorphone ER        | Rebif® Rebidose®         | Solaraze® Gel          |
| Meters                 | Ozempic®              | Rebinyn®                 | Soliqua™               |
| Norco®                 | Ozobax™               | Recombinate™             | Solodyn®               |
| Norditropin®           | Palforzia™ cap/powder | Regimex®                 | Sonata®                |
| Northera™              | Pamelor™              | Regranex®                | Sovaldi™               |
| Nourianz™              | Pandel®               | Relafen™DS               | Sprycel®               |
| Novoeight®             | Pemazyre™             | ReliOn®                  | Staxyn™                |
| Novoseven® RT          | penicillamine capsule | Relistor®                | Steglatro™             |
| Noxafil®               | Penlac®               | Relpax®                  | Steglujan™             |
| Nubeqa™                | Pennsaid®             | Repatha™                 | Stelara®               |

(continued)

|                                    |                                 |                   |                    |
|------------------------------------|---------------------------------|-------------------|--------------------|
| Stendra™                           | Tivorbex®                       | Vecamyl™          | Xolegel®           |
| Stivarga®                          | Topamax® Sprinkle               | Veltin™           | Xopenex HFA®       |
| Strattera™                         | Topamax® tab                    | Venclexta®        | Xpovio™ Pack       |
| Strensiq™                          | Topicort®                       | Ventavis®         | Xtampza® XR        |
| Striant®                           | topiramate ER sprinkle          | Ventolin® HFA     | Xtandi®            |
| Subsys®                            | Tosymra™                        | Verdeso®          | Xultophy®          |
| sulconazole                        | Toviaz™                         | Verzenio™         | Xuriden™           |
| sumatriptan/naproxen               | Tracleer®                       | Viagra®           | Xyntha®            |
| Sunosi™                            | Tradjenta™                      | Viberzi™          | Xyrem®             |
| Sutent®                            | Trelegy™ Ellipta®               | Vibramycin®       | Zavesca®           |
| Sylatron™                          | Tremfya™                        | Viekira Pak™      | Zejula™            |
| Symdeko®                           | Tresiba®                        | Viibryd®          | Zelboraf®          |
| Symlin®                            | Tretten®                        | Vivlodex™         | Zelnorm®           |
| Sympazan™ Film                     | Treximet™                       | Vogelxo®          | Zembrace Symtouch™ |
| Synalar®                           | triamcinolone 0.05%<br>ointment | Voltaren XR®      | Zepatier™          |
| Syprine®                           | Trianex®                        | Vonvendi          | Zestril®           |
| Taclonex®                          | Tribenzor®                      | Vosevi™           | Zetia®             |
| Tafinlar®                          | Trikafta™                       | Votrient™         | Zetonna™           |
| Tagrisso™                          | Trintellix®                     | Vraylar™          | Ziana®             |
| Taltz Autoinjector®                | Trokendi® XR                    | Vumerity™         | Zioptan™           |
| Tanzeum™                           | Trulance™                       | Vusion®           | Zipsor™            |
| Tarceva®                           | Tudorza® Pressair®              | Vyleesi™          | Zmax™              |
| Targadox™                          | Tukysa™                         | Vyndamax®         | Zohydro® ER        |
| Targretin®                         | Turalio™                        | Vyndaqel®         | Zolinza®           |
| Tasigna®                           | Twynsta®                        | Vytorin™          | Zolof®             |
| Tazverik™                          | Tykerb®                         | Vyzulta™          | Zolpidem 10mg      |
| Technivie™                         | Tylenol® w/Codeine              | Wakix®            | Zolpidem ER 12.5mg |
| Tegretol® [XR]                     | Tymlos™                         | Wellbutrin® XL    | Zolpidem SL 3.5mg  |
| Tekturna® (HCT)                    | Tyvaso®                         | Wilate®           | Zomacton™          |
| Temixys™                           | Ubrelvy™                        | Xadago™           | Zomig® (ZMT)       |
| Temodar® Oral                      | Uloric®                         | Xalkori®          | Zomig Nasal Spray  |
| temozolomide                       | Ultracet®                       | Xanax®            | Zonegran®          |
| Tenoretic®                         | Ultram®                         | Xcopri® pak/tab   | Zorbtive™          |
| Tenormin®                          | Ultravate®                      | Xeljanz® [XR]     | Zorvolex®          |
| Teriparatide® inj                  | Uptravi®                        | Xenazine™         | Zurampic®          |
| Testim®                            | Utibron™ Neohaler               | Xenical®          | Zydelig®           |
| testosterone cypionate<br>solution | Valchlor™                       | Xermelo™          | Zykadia™           |
| testosterone enanthate             | Valium®                         | Xhance™ MIS 93mcg | Zypitamag™         |
| testosterone topical               | Valtoco®                        | Xifaxan®          | Zytiga™            |
| Thalomid®                          | Valtrex™                        | Xiidra™           | Zyvox®             |
| Thiola®                            | Vascepa®                        | Ximino™           |                    |
| Tirosint®                          | Vasotec®                        | Ximino ER™        |                    |
|                                    |                                 | Xodol®            |                    |

<sup>1</sup>All brand prenatal vitamins require prior authorization

<sup>2</sup>All diabetic test strips require prior authorization except for OneTouch®

\*Compound products with total cost equal to or greater than \$75 per prescription

## Safety Edits

Safety edits are applied to prescription medications to ensure safe and appropriate use of drugs. They are designed to align with the clinical practice guideline and FDA approved use outlined in the manufacturer package insert. The FDA approves drugs through an extensive process called a New Drug Application (NDA) Review, which establishes specific guidelines that govern drug prescribing practices. These guidelines are designed to prevent potential harm to patients. There are safety edits that are based on the maximum daily dose approved by the FDA, the drug formulation and the availability of multiple strengths of the drug where a dose can be achieved with another available strength and/or standard dosing. Some of these safety edits will prompt member counseling at the point of sale (POS), while some will require prior authorization review. Examples of safety edits are age limits, quantity limits, morphine milligram equivalent (MME) limits and concurrent drug utilization review (cDUR).

## Age Limits

Some drugs, such as zafirlukast, are approved by the FDA only for individuals age five and older. If the member's prescription falls outside of the FDA guidelines, it may not be covered unless prior authorization is obtained. In addition, an age limit may be applied when certain drugs are more likely to be used in certain age groups. For example, drugs to treat Alzheimer's disease may require prior authorization for use in young adults. The provider may request coverage for drugs outside of the age limit when medically necessary. The approval criteria for this review were developed and approved by the Pharmacy and Therapeutics Committee. The member should contact the provider to initiate the prior authorization process.

## Quantity Limits

Quantity limits are designed to allow a sufficient supply of medication based upon FDA-approved maximum daily doses, standard dosing, and/or length of therapy of a drug. Independence has several different types of quantity limits that are explained in detail below. The purpose of these limits is to ensure safe and appropriate utilization. If a member requires more than the limit, the member's provider will need to submit a prior authorization request. Similar to other prior authorization requests, quantity limit override requests for certain drugs may have a limited approval timeframe.

- *Quantity Over Time:* This quantity limit is based on dosing guidelines over a rolling time period. For example, if a drug has a quantity limit over a 30-day time period and a member went to the pharmacy on January 1, 2020, for one of these medications, the plan would have looked back 30 days to December 2, 2019, to see how much medication was dispensed. The purpose of these limits is to prevent the dispensing of excessive quantities. Examples of quantity limits over time are:
  - Nuvaring® = 1 ring per 28 days
  - Ibandronate (Boniva®) 150mg = 1 tablet per 30 days
  - Sumatriptan (Imitrex®) 50mg = 18 tablets per 30 days
  - Diabetic supplies such as blood glucose test strips = 200 strips per 30 days
  - Sildenafil (Viagra®), tadalafil (Cialis® 10mg, 20mg) = 8 tablets per 30 days
- *Maximum daily dose:* This quantity limit defines the maximum number of units of the drug allowed per day. Examples of maximum daily dose quantity limits are:
  - Zolpidem (Ambien®) = 1 tablet per day
  - Oxycodone/acetaminophen (Percocet®) 5/325mg = 12 tablets per day
  - Guanfacine Extended Release 24 Hour = 1 tablet per day

(continued)



- *Refill too soon*: This limit is in place to encourage appropriate utilization and minimize stockpiling of prescription medications. Based on this edit, a member can receive a refill of a prescription after 75% utilization. Additional refills will be covered once 75% of the supply has been consumed. The following examples illustrate how refill too soon limit works:
  - A 30 days' supply of a prescription filled on 1/1/2020 will be refillable again on or after 1/24/2020
  - A 90 days' supply of a prescription filled on 7/1/2020 will be refillable again on or after 9/7/2020
- *Day Supply Limit*: This limit is based on the day supply and not the quantity. However, quantity limits may apply as well. Day Supply Limits apply to some classes of drugs, such as opioids. If a quantity limit applies, the member will also be limited to the maximum daily dose for that drug. The following are examples of drugs that have a day supply and a quantity limit:
  - Short acting opioids, such as oxycodone/acetaminophen 5mg/325mg
    - Day supply limit = Two 5 days' supplies limit per 60 days for adults, two 3 days' supply limit for children under 18 years of age.
  - Butalbital containing headache agents, such as butalbital/aspirin
    - Day supply limit = 5-day supply per 30 days
    - Quantity Limit = 6 tablets per 1 day
    - Maximum quantity allowed without prior authorization = 30 tablets (6 tablets per day for 5 days)
  - Opioid containing cough and cold products, such as hydrocodone/homatropine
    - Day supply limit = Two 5 days' supplies limit per 60 days for adults, two 3 days' supply limit for children under 18 years of age.
    - Quantity Limit = 30 ml per 1 day
    - Maximum quantity allowed without prior authorization = 150 ml (30 ml per day for 5 days)

**Morphine Milligram Equivalent (MME) Limit**

Independence applies additional safety measures to opioid products by limiting the total daily dose. This limit accounts for various opioid products through a measurement called the Morphine Milligram Equivalent (MME) dose. The MME is a number that is used to determine and compare the potency of opioid medications. It helps to identify when additional caution is needed. The daily limit is calculated based on the number of opioid drugs, their potencies and the total daily usage. Prior authorization is required for an opioid dose that exceeds 90 MME per day. MME Limit applies to the opioid products containing the active ingredients listed below:

| Active Ingredient |                |                 |             |
|-------------------|----------------|-----------------|-------------|
| codeine           | dihydrocodeine | fentanyl        | hydrocodone |
| hydromorphone     | levorphanol    | meperidine      | methadone   |
| morphine          | Opium          | oxycodone       | oxymorphone |
| tapentadol        | Tramadol       | benzhydrocodone |             |

(continued)

### Cumulative Stimulant Limit

CNS stimulants such as amphetamine and methylphenidate, when used in high doses, are associated with increased risk for cardiac related adverse events such as hypertension and new or worsening psychosis including manic behavior. Cumulative stimulant limit is a safety measure designed to ensure the provider has assessed the members for alternative medication and advised the members about the risks associated with stimulant use. The cumulative stimulant limit works by calculating the total daily stimulant dose by the drug's active ingredient. Stimulant claims that exceed the limit outlined below would require prior authorization.

| Active ingredient             | Medications impacted (brands and generics)   | High cumulative daily dose |
|-------------------------------|--|----------------------------|
| Amphetamine                   | Adzenys ER[ODT], Dyanavel, Evekeo [ODT]  | 60mg/day                   |
| Amphetamine-Dextroamphetamine | Adderall [IR/XR], Mydayis  | 60mg/day                   |
| Dextroamphetamine             | Dexedrine, Zenzedi, ProCentra  | 60mg/day                   |
| Lisdexamfetamine              | Vyvanse  | 70mg/day                   |
| Methamphetamine               | Desoxyn  | 60 mg/day                  |
| Dexmethylphenidate            | Focalin [IR/XR]  | 40mg/day                   |
| Methylphenidate               | Ritalin [IR/LA], Daytrana, Cotempla, Metadate [ER/CD], Methylin, Quillivant XR, Concerta, Aptensio XR, QuilliChew ER, Jornay PM, Adhansia XR | 72mg/day                   |

\*Prior authorization and other safety edits including quantity limit and age limit continue to apply.

### Concurrent Drug Utilization Review (cDUR)

CDURs are built into the pharmacy claim adjudication system to review a member's prescription history for possible drug related problems including drug-drug interactions and drug therapy duplications. Drugs may reject at the Point-of-Sale (POS) and/or generate a message to the dispensing pharmacist when there is a safety concern. The dispensing pharmacist can review the issue with the provider and override the rejection if appropriate for most edits. Examples of cDURs are:

- Drug-drug interaction: sildenafil (Viagra®/Revatio®) and nitroglycerin in combination may lead to potentially fatal hypotension.
- Drug therapy duplication: Simvastatin and atorvastatin in combination will trigger a message in the claim adjudication system to alert the dispensing pharmacist there is a duplication of statin therapy.

To determine if a covered prescription drug prescribed for you has a prior authorization requirement, an age limit, a quantity limit, or a morphine milligram equivalent (MME) limit, see the plan website at <https://www.ibx.com/rx> or call FutureScripts® at the phone number on the back of your ID card.

(continued)

## How to submit a Prior Authorization

The process for requesting a prior authorization/preapproval or override is as follows:

- The provider prescribing the drug can access electronic prior authorization (ePA) platforms such as CoverMyMeds® and SureScripts™ to submit a prior authorization request. Alternatively, the provider can complete a prior authorization fax form or write a letter of medical necessity and submit it to FutureScripts® by fax at 1-888-671-5285. The forms are available online at: <https://www.futurescripts.com/prior-authorization1.html>.
- FutureScripts® will review the prior authorization request or letter of medical necessity. If a clinical pharmacist cannot approve the request based on established criteria, a medical director will review the document.
- A decision is made regarding the request.
- If approved, the provider will be notified of the approval via fax and/or telephone, and the pharmacy claim adjudication system will be coded with the approval. Note: ePA approval can occur in real time, this means the member can be approved for the drug prior to leaving the provider's office with a prescription. The member may call the Customer Service phone number on his or her ID card to determine if the request is approved.
- If denied, the prescribing provider will be notified via letter, fax, or telephone. The member is also notified via letter. The appeals process is detailed within the denial letters sent to the member and provider.

## Formulary Exception Requests

**Tier exceptions:** Providers may request consideration for preferred coverage of a non-preferred drug when there has been a trial of, or contraindication to, at least three formulary alternatives when applicable.

- Requests for a generic medication that is located on the non-preferred drug tier to be lowered to the generic tier will be approved if the exception criteria are met.
- Requests for a brand medication or an authorized generic that is located on the non-preferred drug tier to be lowered to the preferred brand tier will be approved if the exception criteria are met.

Please note, restrictions apply to formulary exception requests. Drugs on the generic tier, the preferred brand tier and the specialty tier are not eligible for tier exceptions. Tier exceptions are not available under some plans; please refer to the member benefit booklet for details.

When requesting an exception, the provider should complete the formulary exception request form, providing detail to support the request, and fax the request to 1-888-671-5285. If the formulary exception request is approved for a non-preferred drug, the drug will pay at the appropriate preferred brand or generic level of cost-sharing. If the request is denied, the member and provider will receive a denial letter with the appropriate appeals language. The forms are available online at: <https://www.futurescripts.com/prior-authorization1.html>.

## Appealing a decision

If a request for prior authorization or exception results in a denial, the member, or the provider on the member's behalf (with the member's consent), may file an appeal. Both the member and his or her provider will receive written notification of a denial, which will include the appropriate telephone number and address to direct an appeal. To assist in the appeals process, it is recommended that the provider be involved to provide any additional information on the basis of the appeal.

# Independence

Independence Blue Cross offers products through its subsidiaries Independence Hospital Indemnity Plan, Keystone Health Plan East and QCC Insurance Company, and with Highmark Blue Shield — independent licensees of the Blue Cross and Blue Shield Association.